



**Zoning Text Amendment (ZTA) No. 15-05, Commercial/Residential Zones – Site Plan Flexibility**

---



Gregory Russ, Planner Coordinator, FP&P, [gregory.russ@montgomeryplanning.org](mailto:gregory.russ@montgomeryplanning.org), 301-495-2174



Pam Dunn, Acting Chief, FP&P, [pamela.dunn@montgomeryplanning.org](mailto:pamela.dunn@montgomeryplanning.org), 301-650-5649

**Completed: 04/23/15**

---

**Description**

Zoning Text Amendment (ZTA) No. 15-05 as introduced would:

- 1) revise compatibility requirements; 2) allow the site plan process to establish certain development standards for standard method development in Commercial/Residential zones.

Staff has included additional modifications throughout the compatibility requirements, Commercial/Residential, Employment and Industrial zones for plain language clarifications and for consistency with similar language in other sections of the Code.

**Summary**

**Staff recommends approval of ZTA No. 15-05 as modified to revise the compatibility standards for consistency throughout and to allow the site plan process to establish the development standards for standard method development in Commercial/Residential zones for the Build-to Area, Building Orientation, and Transparency requirements. Other modifications by staff generally work to clarify and provide consistency throughout the code.**

**Background/Analysis**

Through the Aspen Hill Minor Master Plan Amendment (AHMMPA) process, as well as recent development projects, potential challenges were raised concerning the development standards required under Standard Method Development for the CRT zone. ZTA No. 15-05 was initiated by the County Council as a component of the AHMMPA approval in order to implement the Plan and address previously identified challenges. The CRT zone incorporates a series of prescriptive development standards to accomplish the intent of the zone. Given the vast differences in site constraints and development contexts throughout the County, the ZTA would allow property owners greater flexibility to achieve the intent of the zone in alternative ways. Rather than an amendment to the specific development standards identified as a challenge when faced with unique site conditions , staff proposes

an amendment to the Procedure for Approval under Standard Method Development. ZTA 15-05 would address County Council concern, and allow additional flexibility through the site plan approval process, ultimately instituted through Planning Board review.

#### Setback Compatibility-Applicability (Lines 4-30)

- **ZTA 15-05 as introduced** makes the applicability of setback compatibility (Section 4.1.8.A.1) consistent with that of the height compatibility section where the applicable property *abuts a property in an Agricultural, Rural Residential, Residential Detached, or Residential Townhouse zone that is vacant or improved with an agricultural or residential use; and...*
- Staff received comments that the language in Section 4.1.8.A.2. describing when to use the side versus rear setback of the abutting property needed clarification. As introduced, the table was deleted and a simpler statement was provided making the minimum side and rear setbacks equal to 1.5 times the minimum side or rear setback required for a detached house on abutting property.

Staff has further clarified ZTA No. 15-05 as introduced by separating the side and rear setbacks into two sentences. As a result, when determining the side setback required for your project, you use the side setback required for the detached house in the abutting property (even if the abutting property has its rear lot line against your projects side lot line). This language clarifies the original intent of this provision.

#### Modifications to the Development Standards Tables (Throughout the document)

- In addition to the introduced version of ZTA No. 15-05, staff modified the development standards tables in Article 59-4 for the Residential Multi-Unit, Commercial/Residential, Employment, and Industrial zones to be consistent with the changes made to Setback Compatibility (Section 4.1.8.A). These development standards tables all have language that states “*Side setback, abutting Agricultural, Rural Residential, or Residential zones*” and then directs you to Section 4.1.8.A. To be consistent with the changes made to Section 4.1.8.A in ZTA No. 15-05 as introduced, this language needs to be modified to say “*Side setback, abutting Agricultural, Rural Residential, Residential Detached, or Residential Townhouse zones*”. A similar change is necessary for “*Rear setback, abutting Agricultural, Rural Residential, or Residential zones*”

#### Commercial/Residential Zones-Standard Method Development (Lines 70-77)

- ZTA No. 15-06 as introduced establishes a new Section 4.5.3.B. describing the procedures for approval of a Standard Method development in the CR zones. One provision clarifies that site plan approval may be required under Section 7.3.4.A.8. The second provision establishes a new procedure that permits the Planning Board (during site plan review) to modify several

development standards- the Build-to Area, Building Orientation, and Transparency requirements. This provision is also delineated in the Standard Method Development Standards table. As stated above, this provision would allow property owners greater flexibility to achieve the intent of the zone in alternative ways.

#### Corrections and Clarifications to the Commercial/Residential zones (Lines 76-98)

- Listed below are a number of corrections and clarifications to the Commercial/Residential zones that staff believes are within the scope of public notice for ZTA No. 15-05.
  - a. Correcting the header in the C/R standard method table: “Duplex Over” standards should be for the “Duplex Side” and vice versa. These were accidentally reversed in the Zoning Ordinance.
  - b. Correcting the development standards for the townhouse building type in the C/R zones (specifically, the open space, lot coverage, certain side and rear setbacks)
  - c. Correcting the Specification for Density. In ZTA No. 14-09 effective on October 30, 2014, the language related to an historic resource was modified for the optional method of development. However, that exact same language is also in the standard method table, inadvertently overlooked at the time. Staff is correcting the language in the standard method table to match the clarification adopted in ZTA No. 14-09 under the optional method of development.
  - d. Clarifying the rear setback, alley development standard. The 4’ or 20’ standard has been confusing and has not resulted in better designed projects. Staff is recommending clarifying this development standard by making the setback a minimum of 4’.
  - e. Correcting the side street setback for surface parking lots to read “must be behind the side street building line” (as opposed to the front building line). This correction is needed to match the intent of the parking setback restrictions and the restrictions in the definition of build-to area.
  - f. Correct the header in the table for Build-to Area to be % of building façade as opposed to % of lot width.
  - g. Correct “Specification” to “Specifications” when there is more than one specification listed in the table.
  - h. Correct an error in the public benefit points table (Section 4.5.4.A.2). There was a “to” accidentally left over from a previous version of the table.
  - i. Correct the open space table in C/R optional method (Section 4.5.4.B.1). In optional method, the percent of open space a project has to provide is based on the size of the

tract, not the lot (the actual square footage of open space provided is still based on the site size).

- j. Correct the numbering in Section 4.5.4.B.1 (the document was missing the “b.”...an error that had been made in InDesign).
  
- k. Clarify that parking setbacks must be behind the front/side street building line of buildings located in the Build-to Area (BTA). The intent is to clarify that in instances where a lot has multiple buildings, the surface parking lot cannot be between the buildings in the BTA and the lot line/street (to protect the pedestrian environment). This provision is not intended to prevent an instance where the parking is in front of the front building line of a building if the building is internal to the site and not in the build-to area (and the build-to area requirements of the zone have already been met).

#### **Attachments**

1. ZTA No. 15-05 as modified by staff

# ATTACHMENT 1

Zoning Text Amendment No.: 15-05  
Concerning: Commercial/Residential  
Zones – Site Plan  
Flexibility  
Draft No. & Date: 2 – 3/24/15  
Introduced: March 24, 2015  
Public Hearing:  
Adopted:  
Effective:  
Ordinance No.:

**COUNTY COUNCIL FOR MONTGOMERY COUNTY, MARYLAND  
SITTING AS THE DISTRICT COUNCIL FOR THAT PORTION OF  
THE MARYLAND-WASHINGTON REGIONAL DISTRICT WITHIN  
MONTGOMERY COUNTY, MARYLAND**

---

By: The Planning, Housing, and Economic Development Committee

---

**AN AMENDMENT** to the Montgomery County Zoning Ordinance to:

- Revise compatibility requirements;
- Allow the site plan process to establish the development standards for standard method development in Commercial/Residential zones;
- Allow the site plan process to establish the location of a building on a Commercial/Residential zoned site; and
- Generally amend provisions concerning Commercial/Residential zones

By amending the following sections of the Montgomery County Zoning Ordinance, Chapter 59 of the Montgomery County Code:

DIVISION 4.1.           “Rules for All Zones”  
Section 4.1.8.           “Compatibility Requirements”  
DIVISION 59.4.5.       “Commercial/Residential Zones”  
Section 59.4.5.3.       “Standard Method Development”

**EXPLANATION:** **Boldface** indicates a Heading or a defined term.  
Underlining indicates text that is added to existing law by the original text amendment.  
[Single boldface brackets] indicate text that is deleted from existing law by original text amendment.  
Double underlining indicates text that is added to the text amendment by amendment.  
[[Double boldface brackets]] indicate text that is deleted from the text amendment by amendment.  
\* \* \* indicates existing law unaffected by the text amendment.

**ORDINANCE**

*The County Council for Montgomery County, Maryland, sitting as the District Council for that portion of the Maryland-Washington Regional District in Montgomery County, Maryland, approves the following ordinance:*

1           **Sec. 1. DIVISION 59.4.1 is amended as follows:**

2   **Division 4.1. Rules for All Zones**

3   \*   \*   \*

4   **Section 4.1.8. Compatibility Requirements**

5   **A.   Setback Compatibility**

6       **1.   Applicability**

7           a.   Section 4.1.8.A.2 applies to a property in a Residential Multi-  
8           Unit, Commercial/Residential, Employment, or Industrial zone  
9           that:

10           i.   abuts a property in an Agricultural, Rural Residential,  
11           [or] Residential Detached, or Residential Townhouse  
12           zone that is vacant or improved with an agricultural or  
13           residential use; and

14           ii.  proposes development of an apartment, multi use, or  
15           general building type.

16           b.   On a property in a Residential Multi-Unit,  
17           Commercial/Residential, Employment, or Industrial zone for  
18           which Section 4.1.8.A.1.a does not apply, the minimum side  
19           and rear [setback is] setbacks are equal to the [setback] setbacks  
20           required for “Side setback, abutting all other zones” and “Rear  
21           setback, abutting all other zones” in the applicable standard  
22           method development standards tables in Division 4.4 through  
23           Division 4.8.

24       **2.   Setback Required along Side or Rear Lot Line**

25           a.   The minimum side [[and rear setbacks are]] [as follows:]  
26           setback is equal to 1.5 times the minimum side [[or rear]]  
27           setback required for a detached house on the abutting property.

28                                    The minimum rear setback is equal to 1.5 times the minimum  
 29                                    rear setback required for a detached house on the abutting  
 30                                    property.  
 31

		[Abutting Zone]				
[Zone]	[Building Type]	[Agricultural]	[Rural Residential]	[Residential Detached]	[Residential Townhouse]	[Residential Multi-unit]
[Residential Multi-unit]	[Apt]	[1.5]	[1.5]	[1.5]	[1.5]	[1]
[C/R and Employment]	[Apt]	[1.5]	[1.5]	[1.5]	[1.5]	[1]
	[Multiuse, General]	[1.5]	[1.5]	[1.5]	[1.5]	[1.5]
[Industrial]	[Multiuse, General]	[1.5]	[1.5]	[1.5]	[1.5]	[1.5]

32  
 33 **[Key: 1.5 = setback is equal to 1.5 times the minimum required for a detached house on abutting**  
 34 **property]**  
 35 **[1 = setback is equal to the minimum required for a detached house on abutting property]**

36 \* \* \*

37                                    **Sec. 2. DIVISION 59.4.4 is amended as follows:**

38                                    **Division 4.4. Residential Zones**

39 \* \* \*

40                                    **Section 4.4.14. Residential Multi-Unit Low Density -30 Zone**

41 \* \* \*

42                                    **B. R-30 Zone, Standard Method Development Standards**

	Detached House or a Building for a Cultural Institution, Religious Assembly, Public Use, or a Conditional Use allowed in the zone	Duplex - Side	Duplex - Over	Townhouse	Apartment
* * *					
<b>3. Placement</b>					
<b>Principal Building Setbacks (min)</b>					



Front setback, public street	20'	20'	20'	20'	30'
Front setback, private street or open space	4' or 20'	4' or 20'	4' or 20'	4' or 20'	20'
Side street setback	15'	15'	15'	15'	10'
Side setback, abutting Agricultural, Rural Residential, [[or]] Residential <u>Detached</u> , or Residential <u>Townhouse</u> zones	6'	6'	6'	n/a	See Section 4.1.8.A
Side setback, abutting all other zones	4'	4'	4'	n/a	10'
Side setback, end unit	n/a	n/a	n/a	5'	n/a
Side setback between lot and site boundary	n/a	n/a	n/a	5'	n/a
Rear setback, abutting Agricultural, Rural Residential, [[or]] Residential <u>Detached</u> , or Residential <u>Townhouse</u> zones	20'	20'	20'	20'	See Section 4.1.8.A
Rear setback, abutting all other zones	20'	20'	20'	20'	30'
Rear setback, alley	4' or 20'	4' or 20'	4' or 20'	4' or 20'	4'
Rear setback between lot and site boundary	n/a	n/a	n/a	10'	n/a
<b>Accessory Structure Setbacks (min)</b>					
Front setback, behind front building line	10'	10'	10'	10'	10'
Side street setback	15'	15'	15'	15'	15'
Side setback	4'	4'	4'	4'	5'
Rear setback	4'	4'	4'	0'	5'
Rear setback, alley	4' or 20'	4' or 20'	4' or 20'	4' or 20'	4'
<b>Parking Setbacks for Surface Parking Lots (min)</b>					
Front setback	n/a	n/a	n/a	n/a	30'

Side street setback	n/a	n/a	n/a	n/a	10'
Side setback	n/a	n/a	n/a	n/a	10'
Rear setback	n/a	n/a	n/a	n/a	10'
Rear setback, alley	n/a	n/a	n/a	n/a	0'
* * *					

44 **Section 4.4.15. Residential Multi-Unit Medium Density -20 Zone**

45 \* \* \*

46 **B. R-20 Zone, Standard Method Development Standards**

47

	<b>Detached House or a Building for a Cultural Institution, Religious Assembly, Public Use, or a Conditional Use allowed in the zone</b>	<b>Duplex - Side</b>	<b>Duplex - Over</b>	<b>Townhouse</b>	<b>Apartment</b>
* * *					
<b>3. Placement</b>					
<b>Principal Building Setbacks (min)</b>					
Front setback, public street	20'	20'	20'	20'	30'
Front setback, private street or open space	4' or 20'	4' or 20'	4' or 20'	4' or 20'	20'
Side street setback	15'	15'	15'	15'	10'
Side setback, abutting Agricultural, Rural Residential, [[or]] Residential <u>Detached, or Residential Townhouse</u> zones	6'	6'	6'	n/a	See Section 4.1.8.A
Side setback, abutting all other zones	4'	4'	4'	n/a	10'

Side setback, end unit	n/a	n/a	n/a	5'	n/a
Side setback between lot and site boundary	n/a	n/a	n/a	5'	n/a
Rear setback, abutting Agricultural, Rural Residential, [[or]] Residential <u>Detached, or Residential Townhouse</u> zones	20'	20'	20'	10'	See Section 4.1.8.A
Rear setback, abutting all other zones	20'	20'	20'	10'	30'
Rear setback, alley	4' or 20'	4' or 20'	4' or 20'	4' or 20'	4'
Rear setback between lot and site boundary	n/a	n/a	n/a	10'	n/a
<b>Specification for Principal Building Setbacks</b>					
a. Additional setbacks are required for an apartment building more than 30' in height. For each foot of height over 30', the setbacks must be increased by 3'.					
<b>Accessory Structure Setbacks (min)</b>					
Front setback, behind front building line	10'	10'	10'	10'	10'
Side street setback	15'	15'	15'	15'	15'
Side setback	4'	4'	4'	4'	5'
Rear setback	4'	4'	4'	0'	5'
Rear setback, alley	4' or 20'	4' or 20'	4' or 20'	4' or 20'	4'
<b>Parking Setbacks for Surface Parking Lots (min)</b>					
Front setback	n/a	n/a	n/a	n/a	30'
Side street setback	n/a	n/a	n/a	n/a	10'
Side setback	n/a	n/a	n/a	n/a	10'
Rear setback	n/a	n/a	n/a	n/a	10'

Rear setback, alley	n/a	n/a	n/a	n/a	0'
* * *					

49 **Section 4.4.16. Residential Multi-Unit High Density -10 Zone**

50 \* \* \*

51 **B. R-10 Zone, Standard Method Development Standards**

52

	<b>Detached House or a Building for a Cultural Institution, Religious Assembly, Public Use, or a Conditional Use allowed in the zone</b>	<b>Duplex - Side</b>	<b>Duplex - Over</b>	<b>Townhouse</b>	<b>Apartment</b>
* * *					
<b>3. Placement</b>					
<b>Principal Building Setbacks (min)</b>					
Front setback, public street	20'	20'	20'	20'	30'
Front setback, private street or open space	4' or 20'	4' or 20'	4' or 20'	4' or 20'	20'
Side street setback	15'	15'	15'	15'	10'
Side setback, abutting Agricultural, Rural Residential, <u>[[or]] Residential Detached, or Residential Townhouse zones</u>	6'	6'	6'	n/a	See Section 4.1.8.A
Side setback, abutting all other zones	4'	4'	4'	n/a	10'
Side setback, end unit	n/a	n/a	n/a	5'	n/a
Side setback	n/a	n/a	n/a	5'	n/a

between lot and site boundary					
Rear setback, abutting Agricultural, Rural Residential, [[or]] Residential <u>Detached, or Residential Townhouse</u> zones	20'	20'	20'	10'	See Section 4.1.8.A
Rear setback, abutting all other zones	20'	20'	20'	10'	30'
Rear setback, alley	4' or 20'	4' or 20'	4' or 20'	4' or 20'	4'
Rear setback between lot and site boundary	n/a	n/a	n/a	10'	n/a
<b>Specification for Principal Building Setbacks</b>					
a. Additional setbacks are required for an apartment building more than 30' in height. For each foot of height over 30', the setbacks must be increased by 0.5'.					
<b>Accessory Structure Setbacks (min)</b>					
Front setback, behind front building line	10'	10'	10'	10'	10'
Side street setback	15'	15'	15'	15'	15'
Side setback	4'	4'	4'	4'	5'
Rear setback	4'	4'	4'	0'	5'
Rear setback, alley	4' or 20'	4' or 20'	4' or 20'	4' or 20'	4'
<b>Parking Setbacks for Surface Parking Lots (min)</b>					
Front setback	n/a	n/a	n/a	n/a	30'
Side street setback	n/a	n/a	n/a	n/a	10'
Side setback	n/a	n/a	n/a	n/a	10'
Rear setback	n/a	n/a	n/a	n/a	10'
Rear setback, alley	n/a	n/a	n/a	n/a	0'
* * *					

54 **Sec. 3. DIVISION 59.4.5 is amended as follows:**

55 **Division 4.5. Commercial/Residential Zones**

56 \* \* \*

57 **Section 4.5.3. Standard Method Development**

58 The CRN, CRT, and CR zone allow standard method development under the  
59 following limitations and requirements.

60 **A. In General**

61 1. In the CRN zone, the maximum total, nonresidential, and residential  
62 FARs and maximum height for any property [is] are set by the zone  
63 shown on the zoning map.

64 **[B.] 2.** In the CRT and CR zones, the maximum standard method height for  
65 any property is the height set by the zone shown on the zoning map;  
66 the maximum total standard method FAR for any property is the limit  
67 indicated in the following table, unless shown as lower on the zoning  
68 map:

Zone	Total Density (max)
CRT	The greater of 1.0 FAR or 10,000 SF of gross floor area
CR	The greater of 0.5 FAR or 10,000 SF of gross floor area

70  
71 **B. Procedure for Approval**

72 1. Site plan approval may be required under Section 7.3.4.A.8.

73 2. An applicant may file a site plan application to modify the Build-to  
74 Area, Building Orientation, and Transparency requirements under  
75 Section 4.5.3.C.

76 **C. CRN, CRT, and CR Zones, Standard Method Development Standards**

77

	Detached House	Duplex – [[Side]] <u>Over</u>	Duplex – [[Over]] <u>Side</u>	Townhouse	Apartment	Multi Use	General
<b>1. Site</b>							
<b>Open Space (min)</b>							
Open space, site ≤ 10,000 SF	n/a	n/a	n/a	[[20]]10%	0%	0%	0%
Open space, site > 10,000 SF	n/a	n/a	n/a	[[20]]10%	10%	10%	10%
<b>Specifications for all Open Space</b>							
a. In a development with townhouse, apartment, multi use, or general building types, open space is calculated on the area of the site minus any area for detached house and duplex lots.							
b. Open space for the townhouse building type is common open space (see Section 6.3.5), and for other building types is public open space (see Section 6.3.6).							
<b>2. Lot and Density</b>							
<b>Lot (min)</b>							
Lot area	1,000 SF	1,000 SF	500 SF	800 SF	n/a	n/a	n/a
Lot width at front building line	25'	25'	12.5'	12'	n/a	n/a	n/a
Lot width at front lot line	10'	10'	10'	n/a	n/a	n/a	n/a
<b>Density (max)</b>							
CRN Density, FAR	mapped						
CRT Density, FAR	The lesser of: mapped FAR or the greater of 10,000 SF or 1.0 FAR						
CR Density, FAR	The lesser of: mapped FAR or the greater of 10,000 SF or 0.5 FAR						
<b>Specification for Density</b>							
a. In the CR zone, a <u>designated</u> historic resource [[recommended in the applicable master plan to be preserved and reused, which]] <u>that</u> does not occupy more than 10% of the gross floor area[[,]] is excluded from the FAR calculation.							

	<b>Detached House</b>	<b>Duplex – [[Side]] <u>Over</u></b>	<b>Duplex – [[Over]] <u>Side</u></b>	<b>Townhouse</b>	<b>Apartment</b>	<b>Multi Use</b>	<b>General</b>
<b>Coverage (max)</b>							
Lot	90%	90%	90%	[[90%]] <u>n/a</u>	n/a	n/a	n/a
<b>3. Placement</b>							
<b>Principal Building Setbacks (min)</b>							
Front setback	5'	5'	5'	5'	0'	0'	0'
Side street setback	5'	5'	5'	5'	0'	0'	0'
Side setback, abutting Agricultural, Rural Residential, [[or]] Residential <u>Detached, or Residential Townhouse</u> zones	6'	6'	6'	4'	See Section 4.1.8.A		
Side setback, abutting all other zones	4'	4'	4'	n/a	0'	0'	0'
Side setback, end unit	n/a	n/a	n/a	[[4]] <u>2'</u>	n/a	n/a	n/a
Side setback between lot and site boundary	n/a	n/a	n/a	[[8]] <u>4'</u>	n/a	n/a	n/a
Rear setback, abutting Agricultural, Rural Residential, [[or]] Residential <u>Detached, or Residential Townhouse</u>	15'	15'	15'	10'	See Section 4.1.8.A		



	<b>Detached House</b>	<b>Duplex – [[Side]] Over</b>	<b>Duplex – [[Over]] Side</b>	<b>Townhouse</b>	<b>Apartment</b>	<b>Multi Use</b>	<b>General</b>
zones							
Rear setback, abutting all other zones	15'	15'	15'	10'	0'	0'	0'
Rear setback, alley	4' [[or 20']]	4' [[or 20']]	4' [[or 20']]	4' [[or 20']]	4'	4'	4'
Rear setback between lot and site boundary	n/a	n/a	n/a	[[15]]5'	n/a	n/a	n/a
<b>Accessory Structure Setbacks (min)</b>							
Front setback, behind front building line	5'	5'	5'	5'	0'	0'	0'
Side street setback	15'	15'	15'	[[15]]5'	0'	0'	0'
Side setback	4'	4'	4'	4'	equal to Principal Building Setback		
Rear setback	4'	4'	4'	4'	equal to Principal Building Setback		
Rear setback, alley	4' [[or 20']]	4' [[or 20']]	4' [[or 20']]	4' [[or 20']]	4'	4'	4'
<b>Parking Setbacks for Surface Parking Lots (min)</b>							
Front setback	n/a	n/a	n/a	n/a	must be behind front building line <u>of building in the BTA</u>		
Side street setback	n/a	n/a	n/a	n/a	must be behind [front] <u>side street building line of building in the BTA</u>		
Side setback	n/a	n/a	n/a	n/a	must accommodate landscaping required under Section 6.2.9		
Rear setback	n/a	n/a	n/a	n/a	must accommodate landscaping required under Section 6.2.9		
Rear setback, alley	n/a	n/a	n/a	n/a	0'	0'	0'
<b>Build-to Area (BTA, max setback and min % of [[lot width]] <u>building façade</u>)</b>							
Front setback	n/a	n/a	n/a	15'	30'	15'	20'

	<b>Detached House</b>	<b>Duplex – [[Side]] Over</b>	<b>Duplex – [[Over]] Side</b>	<b>Townhouse</b>	<b>Apartment</b>	<b>Multi Use</b>	<b>General</b>
Building in front street BTA	n/a	n/a	n/a	70%	70%	70%	70%
Side street setback	n/a	n/a	n/a	n/a	30'	15'	20'
Building in side street BTA	n/a	n/a	n/a	n/a	35%	35%	35%
<b>[[Specification]] Specifications for Build-to Area</b>							
a. The Build-to Area maximum front or side street setback may be increased by the minimum setback necessary to avoid a platted public transportation or utility easement, or a platted public transportation or utility reservation.							
b. <u>The Build-to Area requirements may be modified by the Planning Board during site plan review under Section 7.3.4 if it finds that the alternative design creates a pedestrian environment and enhances neighborhood compatibility.</u>							
<b>4. Height</b>							
<b>Height (max)</b>							
Principal building	mapped and Section 4.1.8.B						
Accessory structure	25'	25'	25'	25'	mapped and Section 4.1.8.B		
<b>5. Form</b>							
<b>Massing (max)</b>							
Units permitted in one row	n/a	n/a	n/a	12	n/a	n/a	n/a
<b>Building Orientation</b>							
Entrance facing street or open space	required	required	required	required	required	required	required
Entrance spacing (max)	n/a	n/a	n/a	n/a	100'	75'	100'
<b>Transparency, for Walls Facing a Street or Open Space</b>							
Ground story, front (min)	n/a	n/a	n/a	n/a	20%	60%	40%

	<b>Detached House</b>	<b>Duplex – [[Side]] Over</b>	<b>Duplex – [[Over]] Side</b>	<b>Townhouse</b>	<b>Apartment</b>	<b>Multi Use</b>	<b>General</b>
Ground story, side/rear (min)	n/a	n/a	n/a	n/a	20%	30%	25%
Upper story (min)	n/a	n/a	n/a	n/a	20%	20%	20%
Blank wall, front (max)	n/a	n/a	n/a	35'	35'	25'	35'
Blank wall, side/rear (max)	n/a	n/a	n/a	35'	35'	35'	35'
<b><u>Specification for Building Orientation and Transparency</u></b>							
a. <u>Building Orientation and Transparency requirements may be modified by the Planning Board in a site plan under Section 7.3.4 if it finds that the alternative design creates a pedestrian environment and enhances neighborhood compatibility.</u>							
<b>Allowed Building Elements</b>							
Gallery/Awning	n/a	n/a	n/a	n/a	yes	yes	yes
Porch/Stoop	yes	yes	yes	yes	yes	yes	yes
Balcony	yes	yes	yes	yes	yes	yes	yes

78 **Section 4.5.4. Optional Method Development**

79 \* \* \*

80 **A. General Requirements**

81 \* \* \*

82 **2. Public Benefit Points and Categories**

83 a. Public benefits under Division 4.7 must be provided according to zone and  
 84 tract size or maximum total mapped FAR, whichever requires more public  
 85 benefit points:

<b>Zone</b>	<b>Tract Size OR Max Total FAR</b>	<b>Public Benefit Points (min)</b>	<b>Number of Benefit Categories (min)</b>
CRT	< 10,000 SF OR < 1.5 max FAR	25	2

	$\geq 10,000$ SF OR $\geq 1.5$ <u>[[to]]</u> max FAR	50	3
CR	$< 10,000$ SF OR $< 1.5$ max FAR	50	3
	$\geq 10,000$ SF OR $\geq 1.5$ <u>[[to]]</u> max FAR	100	4

86 **B. Development Standards**

87 **1. Open Space**

88 a. A developer must provide open space based on the [[lot]] tract area and  
 89 number of frontages as described in the following table.

<u>[[Lot]] Tract Area</u>	# of Existing, Proposed, and Master-Planned Right-of-Way Frontages			
	1	2	3	4 or more
	% of Site Required to be Dedicated for Open Space			
$\leq 0.50$ acres	0%	0%	0%	5%
0.51 to 1.00 acres	0%	0%	5%	10%
1.01 to 3.00 acres	0%	5%	10%	10%
3.01 to 6.00 acres	5%	10%	10%	10%
$\geq 6.01$ acres	10%	10%	10%	10%

91 [[c.]] b. In a development with townhouse, apartment, multi use, or  
 92 general building types, open space is calculated on the net site area  
 93 minus any area used for detached house and duplex unit lots.

94 [[d.]] c. Open space for the townhouse building type is common open  
 95 space (see Section 6.3.5) and for other buildings is public open space  
 96 (see Section 6.3.6).

97 [[e.]] d. Open space must satisfy Division 6.3.

98 \* \* \*

99 **Sec. 4. DIVISION 59.4.6 is amended as follows:**

100 **Division 4.6. Employment Zones**

101 \* \* \*

102 **Section 4.6.3 Standard Method Development**

103 \* \* \*

104 **C. GR and NR Zones, Standard Method Development Standards**

105

	Detached House	Duplex - Side	Duplex - Over	Townhouse	Apartment	Multi Use	General
* * *							
<b>3. Placement</b>							
<b>Principal Building Setbacks (min)</b>							
Front setback	5'	5'	5'	5'	0'	0'	0'
Side street setback	5'	5'	5'	5'	0'	0'	0'
Side setback, abutting Agricultural, Rural Residential, <u>[[or]] Residential Detached, or Residential Townhouse zones</u>	6'	6'	6'	4'	See Section 4.1.8.A		
Side setback, abutting all other zones	4'	4'	4'	n/a	0'	0'	0'
Side setback, end unit	n/a	n/a	n/a	4'	n/a	n/a	n/a
Side setback between lot and site boundary	n/a	n/a	n/a	8'	n/a	n/a	n/a
Rear setback, abutting Agricultural, Rural Residential, <u>[[or]] Residential Detached, or</u>	15'	15'	15'	10'	See Section 4.1.8.A		

<u>Residential Townhouse zones</u>							
Rear setback, abutting all other zones	15'	15'	15'	10'	0'	0'	0'
Rear setback, alley	4' or 20'	4' or 20'	4' or 20'	4' or 20'	4'	4'	4'
Rear setback between lot and site boundary	n/a	n/a	n/a	15'	n/a	n/a	n/a
<b>Accessory Structure Setbacks (min)</b>							
Front setback, behind front building line	5'	5'	5'	5'	0'	0'	0'
Side street setback	15'	15'	15'	15'	0'	0'	0'
Side setback	4'	4'	4'	4'	equal to Principal Building Setback		
Rear setback	4'	4'	4'	4'	equal to Principal Building Setback		
Rear setback, alley	4' or 20'	4' or 20'	4' or 20'	4' or 20'	4'	4'	4'
<b>Parking Setbacks for Surface Parking Lots (min)</b>							
Front setback	n/a	n/a	n/a	n/a	must accommodate landscaping required under Section 6.2.9		
Side street setback	n/a	n/a	n/a	n/a	must accommodate landscaping required under Section 6.2.9		
Side setback	n/a	n/a	n/a	n/a	must accommodate landscaping required under Section 6.2.9		
Rear setback	n/a	n/a	n/a	n/a	must accommodate landscaping required under Section 6.2.9		
Rear setback, alley	n/a	n/a	n/a	n/a	0'	0'	0'
* * *							

107 **D. LSC Zone, Standard Method Development Standards**

	<b>Detached House</b>	<b>Duplex - Side</b>	<b>Duplex - Over</b>	<b>Townhouse</b>	<b>Apartment</b>	<b>Multi Use</b>	<b>General</b>
* * *							

<b>3. Placement</b>							
<b>Principal Building Setbacks (min)</b>							
Front setback	5'	5'	5'	5'	0'	0'	0'
Side street setback	5'	5'	5'	5'	0'	0'	0'
Side setback, abutting Agricultural, Rural Residential, [[or]] Residential <u>Detached</u> , or Residential <u>Townhouse</u> zones	6'	6'	6'	4'	See Section 4.1.8.A		
Side setback, abutting all other zones	4'	4'	4'	n/a	0'	0'	0'
Side setback, end unit	n/a	n/a	n/a	4'	n/a	n/a	n/a
Side setback between lot and site boundary	n/a	n/a	n/a	8'	n/a	n/a	n/a
Rear setback, abutting Agricultural, Rural Residential, [[or]] Residential <u>Detached</u> , or Residential <u>Townhouse</u> zones	15'	15'	15'	10'	See Section 4.1.8.A		
Rear setback, abutting all other zones	15'	15'	15'	10'	0'	0'	0'
Rear setback, alley	4' or 20'	4' or 20'	4' or 20'	4' or 20'	4'	4'	4'
Rear setback between lot and site boundary	n/a	n/a	n/a	15'	n/a	n/a	n/a
<b>Accessory Structure Setbacks (min)</b>							
Front setback, behind front building line	5'	5'	5'	5'	0'	0'	0'
Side street setback	15'	15'	15'	15'	0'	0'	0'
Side setback	4'	4'	4'	4'	equal to Principal Building Setback		
Rear setback	4'	4'	4'	4'	equal to Principal Building Setback		

Rear setback, alley	4' or 20'	4' or 20'	4' or 20'	4' or 20'	4'	4'	4'
<b>Parking Setbacks for Surface Parking Lots (min)</b>							
Front setback	n/a	n/a	n/a	n/a	must be behind front building line		
Side street setback	n/a	n/a	n/a	n/a	must be behind front building line		
Side setback	n/a	n/a	n/a	n/a	must accommodate landscaping required under Section 6.2.9		
Rear setback	n/a	n/a	n/a	n/a	must accommodate landscaping required under Section 6.2.9		
Rear setback, alley	n/a	n/a	n/a	n/a	0'	0'	0'
<b>Build-to Area (BTA, max setback and min % of lot width)</b>							
Front setback	n/a	n/a	n/a	15'	30'	15'	20'
Building in front street BTA	n/a	n/a	n/a	70%	70%	70%	70%
Side street setback	n/a	n/a	n/a	n/a	30'	15'	20'
Building in side street BTA	n/a	n/a	n/a	n/a	35%	35%	35%
<b>Specification for Parking Setbacks for Surface Parking Lots and Build-to Area</b>							
a. Parking Setbacks for Surface Parking Lots and Build-to Area requirements only apply when the development fronts on a business district street or a build-to-line is recommended in the applicable master plan. If a site plan approval is required, the Planning Board may waive the Parking Setbacks for Surface Parking Lots and Build-to Area requirements.							
* * *							

109 **E. EOF Zone, Standard Method Development Standards**

	<b>Detached House</b>	<b>Duplex - Side</b>	<b>Duplex - Over</b>	<b>Townhouse</b>	<b>Apartment</b>	<b>Multi Use</b>	<b>General</b>
* * *							
<b>3. Placement</b>							
<b>Principal Building Setbacks (min)</b>							
Front setback	5'	5'	5'	5'	0'	0'	0'
Side street setback	5'	5'	5'	5'	0'	0'	0'



Side setback, abutting Agricultural, Rural Residential, [[or]] Residential <u>Detached, or Residential Townhouse</u> zones	6'	6'	6'	4'	See Section 4.1.8.A		
Side setback, abutting all other zones	4'	4'	4'	n/a	0'	0'	0'
Side setback, end unit	n/a	n/a	n/a	4'	n/a	n/a	n/a
Side setback between lot and site boundary	n/a	n/a	n/a	8'	n/a	n/a	n/a
Rear setback, abutting Agricultural, Rural Residential, [[or]] Residential <u>Detached, or Residential Townhouse</u> zones	15'	15'	15'	10'	See Section 4.1.8.A		
Rear setback, abutting all other zones	15'	15'	15'	10'	0'	0'	0'
Rear setback, alley	4' or 20'	4' or 20'	4' or 20'	4' or 20'	4'	4'	4'
Rear setback between lot and site boundary	n/a	n/a	n/a	15'	n/a	n/a	n/a
<b>Accessory Structure Setbacks (min)</b>							
Front setback, behind front building line	5'	5'	5'	5'	0'	0'	0'
Side street setback	15"	15'	15'	15'	0'	0'	0'
Side setback	4'	4'	4'	4'	equal to Principal Building Setback		

Rear setback	4'	4'	4'	4'	equal to Principal Building Setback		
Rear setback, alley	4' or 20'	4' or 20'	4' or 20'	4' or 20'	4'	4'	4'
<b>Parking Setbacks for Surface Parking Lots (min)</b>							
Front setback	n/a	n/a	n/a	n/a	must be behind front building line		
Side street setback	n/a	n/a	n/a	n/a	must be behind front building line		
Side setback	n/a	n/a	n/a	n/a	must accommodate landscaping required under Section 6.2.9		
Rear setback	n/a	n/a	n/a	n/a	must accommodate landscaping required under Section 6.2.9		
Rear setback, alley	n/a	n/a	n/a	n/a	0'	0'	0'
<b>Build-to Area (BTA, max setback and min % of lot width)</b>							
Front setback	n/a	n/a	n/a	15'	30'	15'	20'
Building in front street BTA	n/a	n/a	n/a	70%	70%	70%	70%
Side street setback	n/a	n/a	n/a	n/a	30'	15'	20'
Building in side street BTA	n/a	n/a	n/a	n/a	35%	35%	35%
<b>Specification for Parking Setbacks for Surface Parking Lots and Build-to Area</b>							
a. Parking Setbacks for Surface Parking Lots and Build-to Area requirements only apply when the development fronts on a business district street or a build-to-line is recommended in the applicable master plan. If a site plan approval is required, the Planning Board may waive the Parking Setbacks for Surface Parking Lots and Build-to Area requirements.							
* * *							

111           **Sec. 5. DIVISION 59.4.8 is amended as follows:**

112    **Division 4.8. Industrial Zones**

113    **Division 4.8. Industrial Zones**

114    \* \* \*

115    **Section 4.8.3 Standard Method Development**

116 **A. IL and IM Zones, Standard Method Development Standards**

	Multi Use	General
* * *		
<b>3. Placement</b>		
<b>Principal Building and Accessory Structure Setbacks (min)</b>		
Front setback	10'	10'
Side street setback	10'	10'
Side setback, abutting Agricultural, Rural Residential, [[or]] Residential <u>Detached</u> , or Residential <u>Townhouse</u> zones	See Section 4.1.8.A	See Section 4.1.8.A
Side setback, abutting Industrial zones	0'	0'
Side setback, abutting all other zones	10'	10'
Rear setback, abutting Agricultural, Rural Residential, [[or]] Residential <u>Detached</u> , or Residential <u>Townhouse</u> zones	See Section 4.1.8.A	See Section 4.1.8.A
Rear setback, abutting Industrial zones	0'	0'
Rear setback, abutting all other zones	10'	10'
Rear setback, alley	0'	0'
<b>Parking Setbacks for Surface Parking Lots (min)</b>		
Front setback	must accommodate landscaping required under Section 6.2.9	
Side street setback	must accommodate landscaping required under Section 6.2.9	
Side setback	must accommodate landscaping required under Section 6.2.9	
Rear setback	must accommodate landscaping required under	

	Section 6.2.9
Rear setback, alley	must accommodate landscaping required under Section 6.2.9
<b>4. Height</b>	
* * *	

118 **B. IH Zones, Standard Method Development Standards**

119

	Multi Use	General
* * *		
<b>3. Placement</b>		
<b>Principal Building and Accessory Structure Setbacks (min)</b>		
Front setback	10'	10'
Side street setback	10'	10'
Side setback, abutting Agricultural, Rural Residential, <u>[[or]] Residential Detached, or Residential Townhouse</u> zones	See Section 4.1.8.A	See Section 4.1.8.A
Side setback, abutting Industrial zones	0'	0'
Side setback, abutting all other zones	10'	10'
Rear setback, abutting Agricultural, Rural Residential, <u>[[or]] Residential Detached, or Residential Townhouse</u> zones	See Section 4.1.8.A	See Section 4.1.8.A
Rear setback, abutting Industrial zones	0'	0'
Rear setback, abutting all other zones	10'	10'
Rear setback, alley	4'	4'
<b>Parking Setbacks for Surface Parking Lots (min)</b>		

Front setback	must accommodate landscaping required under Section 6.2.9	
Side street setback	must accommodate landscaping required under Section 6.2.9	
Side setback	must accommodate landscaping required under Section 6.2.9	
Rear setback	must accommodate landscaping required under Section 6.2.9	
Rear setback, alley	must accommodate landscaping required under Section 6.2.9	
<b>4. Height</b>		
<b>Height (max)</b>		
* * *		

121

122           **Sec. 6. Effective date.** This ordinance becomes effective 20 days after the  
 123 date of Council adoption.

124

125 This is a correct copy of Council action.

126

127 \_\_\_\_\_

128 Linda M. Lauer, Clerk of the Council