



**MONTGOMERY COUNTY PLANNING DEPARTMENT**  
THE MARYLAND-NATIONAL CAPITAL PARK AND PLANNING COMMISSION

Agenda Date: May 14, 2020  
Agenda Item No.: Other Consent Items

May 7, 2020

**MEMORANDUM**

TO: Montgomery County Planning Board

FROM: Gwen Wright, Planning Director *G LMW*

VIA: Elza Hisel-McCoy, Chief, Area 1 *EH*  
Stephanie Dickel, Supervisor, Area 1 *SD*  
Matthew Folden, Planner Coordinator, Area 1 *Mat*

RE: Correction of Resolutions  
MCPB No. 20-019 and 20-018  
Sketch Plan No. 320200020  
Preliminary Plan No. 120200070  
4824 Edgemoor Lane

---

Please find the attached redlined version of the Resolutions for Sketch Plan 320200020 and Preliminary Plan 120200070, 4824 Edgemoor Lane. These Resolutions were adopted by the Planning Board at the April 16, 2020, Planning Board Hearing, and were mailed out to all parties of record on April 24, 2020.

These Corrected Resolutions update the date of the hearing to reflect a continuation, from April 2, 2020 to April 16, 2020, and revise Sketch Plan Condition No. 4, pertaining to the Bethesda Downtown Plan Design Guidelines, as stated in the Staff Report and reflective of the final position of the Planning Board.

The Sketch Plan Condition, to be reflected in the Corrected Resolution for Sketch Plan 320200020:

4. Bethesda Downtown Plan Design Guidelines


At the time of Site Plan submission, the Applicant must explore methods to increase the tower separation, along the south façade, to the existing Chase Condominium building. Above the base (i.e., four stories) the Applicant must endeavor to achieve a minimum separation of 30 feet and an average separation of 40 feet, consistent with the DAP's February 26, 2020 meeting minutes.

The current Resolution Condition, to be deleted in the Corrected Resolution for Sketch Plan 320200020:

4. Bethesda Downtown Plan Design Guidelines

At the time of Site Plan submission, proposed building must include a tower step-back along the south façade above the fourth floor. The Step-back must be at least 30 feet away from the existing Chase Condominium building façade and must provide an average separation of 40 feet along the entire southern façade, as specified in the DAP's February 26, 2020 meeting minutes.

cc: Matthew Mills, Associate General Counsel



**MONTGOMERY COUNTY PLANNING BOARD**  
THE MARYLAND-NATIONAL CAPITAL PARK AND PLANNING COMMISSION

MCPB No. 20-019  
Sketch Plan No. 320200020  
4824 Edgemoor Lane  
Date of Hearing: April 2, 2020

**MAY 21 2020**

**CORRECTED RESOLUTION**

WHEREAS, under Section 59-7.1.2 of the Montgomery County Zoning Ordinance, the Montgomery County Planning Board is authorized to review sketch plan applications; and

WHEREAS, on November 6, 2019, Edgemoor 48, LLC c/o Acumen Companies ("Applicant") filed an application for approval of a sketch plan for a residential project of up to 92,000 total square feet, comprised of up to 77 dwelling units on 0.20 acres of CR 2.5 C 0.5 R 2.5 H120 and Bethesda Overlay Zone zoned-land, located on the southwest quadrant of Edgemoor Lane and Woodmont Avenue, ("Subject Property") in the Bethesda CBD Policy Area and 2017 *Bethesda Downtown Sector Plan* ("Sector Plan") area; and

WHEREAS, Applicant's sketch plan application was designated Sketch Plan No. 320200020, "4824 Edgemoor Lane" ("Sketch Plan" or "Application"); and

WHEREAS, following review and analysis of the Application by Planning Board staff ("Staff") and other governmental agencies, Staff issued a memorandum to the Planning Board, dated March 20, 2020, setting forth its analysis and recommendation for approval of the Application subject to certain binding elements and conditions ("Staff Report"); and

WHEREAS, on April 2, 2020 and April 16, 2020, the Planning Board held a public hearing on the Application at which it heard testimony and received evidence submitted for the record on the Application; and

WHEREAS, at the hearing, the Planning Board voted to approve the Application subject to certain binding elements and conditions, by the vote certified below.

NOW, THEREFORE, BE IT RESOLVED that the Planning Board approves Sketch Plan No. 320200020, "4824 Edgemoor Lane," for construction of up to 92,000

total square feet, comprised of up to 77 dwelling units, on the Subject Property, subject to the following binding elements and conditions:<sup>1</sup>

A. Binding Elements. The following site development elements are binding under Section 59-7.3.3.F of the Montgomery County Zoning Ordinance:

1. Maximum density and height;
2. Approximate location of lots and public dedications;
3. General location and extent of public open space;
4. General location of vehicular access points; and
5. Public benefit schedule.

All other elements are illustrative.

B. Conditions. This approval is subject to the following conditions:

1. Density

The Sketch Plan is limited to a maximum of 92,000 square feet of total development, including an allocation of up to 70,353 square feet. of Bethesda Overlay Zone density, on the Subject Property. The maximum number of dwelling units will be determined at Preliminary Plan.

2. Height

The Project is limited to a maximum building height of 120 feet as measured from its building height measurement point illustrated on the Certified Site Plan.

3. Incentive Density

The development must be constructed with the public benefits listed below, unless modifications are made under Section 59.7.3.3.I. Total points must equal at least 100 and be chosen from at least four categories as required by Section 59.4.5.4.A.2. The requirements of Division 59.4.7 and the *CR Zone Incentive Density Implementation Guidelines* must be fulfilled for each public benefit. Final points will be established at Site Plan approval.

- a. Major Public Facilities, achieved through a Park Impact Payment;
- b. Connectivity and Mobility, achieved through minimum parking;
- c. Quality of Building and Site Design, achieved through architectural elevations, exceptional design, and structured parking; and
- d. Protection of the Natural Environment, achieved through the purchase of building lot terminations, cool roof, recycling facility plan.

---

<sup>1</sup> For the purpose of these binding elements and conditions, the term "Applicant" shall also mean the developer, the owner or any successor(s) in interest to the terms of this approval.



4. Bethesda Downtown Plan Design Guidelines

~~At the time of Site Plan submission, proposed building must include a tower step back along the south façade above the fourth floor. The Step back must be at least 30 feet away from the existing Chase Condominium building façade and must provide an average separation of 40 feet along the entire southern façade, as specified in the DAP's February 26, 2020 meeting minutes.~~

At the time of Site Plan submission, the Applicant must explore methods to increase the tower separation, along the south façade, to the existing Chase Condominium building. Above the base (i.e., four stories) the Applicant must endeavor to achieve a minimum separation of 30 feet and an average separation of 40 feet, consistent with the DAP's February 26, 2020 meeting minutes.

5. Park Impact Payment (PIP)

At the time of Site Plan, the Applicant must identify the amount of BOZ density being purchased and allocated to the Subject Property.

6. Streetscape

The Applicant must install the Bethesda Streetscape Standard along the Subject Property's right-of-way frontage, including the undergrounding of utilities.

7. Building Lot Terminations (BLTs)

Prior to release of any building permit, the Applicant must provide proof of purchase and/or payment for the required BLTs.

8. Moderately Priced Dwelling Units (MPDUs)

The Applicant must provide a minimum of 15% of the total new units as Moderately Priced Dwelling Units in accordance with Chapter 25A.

9. Future Coordination for Site Plan

In addition to any other requirements for Site Plans under Chapter 59, the following must be addressed when filing a Site Plan application:

- a. Fire and Rescue access and facility details;
- b. Streetscape details;
- c. Loading Management Plan;
- d. Evaluate the provision of a short term drop-off/ pick-up space within the ground floor of the building;
- e. Demonstrate how each public benefit satisfies the Zoning Ordinance and Incentive Density Implementation Guideline requirements;
- f. Address the SITES & LEED recommendations of the Sector Plan, specifically related to energy efficiency and building design features;

- g. Provide notes on the Site Plan describing the Bird-Safe design principles to be incorporated into the building architecture;
- h. Provide a minimum of 35% of Green Cover onsite. Green cover may consist of a combination of intensive green roof with minimum soil depths of 6 inches or greater and tree canopy cover provided by native canopy trees.

BE IT FURTHER RESOLVED that having given full consideration to the recommendations and findings of its Staff as presented at the hearing and set forth in the Staff Report, which the Planning Board hereby adopts and incorporates by reference (except as modified herein), and upon consideration of the entire record and all applicable elements of the Zoning Ordinance, the Board finds that as conditioned the necessary elements of the Sketch Plan are appropriate in concept and appropriate for further review at site plan and that:

1. *The Sketch Plan meets the objectives, general requirements, and standards of the Zoning Ordinance.*

a. Development Standards

The Subject Property includes approximately 0.20 acres zoned CR 2.5 C 0.5 R 2.5 H120 and Bethesda Overlay Zone. The data table below demonstrates the Application's conformance to the applicable development standards of the zone.

Table 1: Sketch Plan/ Preliminary Plan Data Table			
Section 59.4	Development Standard	Permitted/ Required	Proposed
	<b>Tract Area</b> CR 2.5 C 0.5 R 2.5 H120	n/a	8,659 sf (0.20 ac)
	Prior Dedication Proposed Dedication <b>Site Area</b>	n/a	653 sf 0.015 306 sf (0.070) <b>7,700 sf (0.18 ac)</b>
	<b>Residential Density</b> (GFA/ FAR) <sup>1</sup>	21,647 sf/ (2.5)	21,647 sf/ (2.5)
	<b>Bethesda Overlay Zone</b> <b>Density</b>	n/a	70,353 sf (8.12)
	<b>Total FAR/GFA</b>	n/a	<b>92,000 sf (10.62)</b>
	<b>Building Height</b>	120 feet	120 feet
	<b>Public Open Space (min)</b>	0%	0%
	<b>Moderately Priced</b> <b>Dwelling Units</b>	15%	15%
	<b>Minimum Setbacks</b>	0	0

<sup>1</sup>No commercial density is proposed with the Subject Application.

2. *The Sketch Plan substantially conforms to the recommendations of the Sector Plan.*

The Project substantially conforms to the recommendations for the Property included in the 2017 *Bethesda Downtown Sector Plan*. Specifically, this Plan builds on the past successes of Downtown Bethesda to create a truly sustainable downtown by focusing on components that will bolster the elements most in need of enhancement. The recommendations increase:

1. **Parks and open spaces**, including new civic greens at Veteran's Park, Bethesda Farm Women's Cooperative Market, Capital Crescent Trail and new urban parks, pathways and gateways.
2. **Affordable housing**, including the preservation of existing market-rate affordable housing, providing a mix of housing options and the provision of Moderately Priced Dwelling Units in exchange for development incentives.



3. **Environmental innovation**, including more energy-efficient buildings, better stormwater management, improved sidewalks and bicycle routes, and other measures to enhance community health and quality of life.
4. **Economic competitiveness**, based on new development, public amenities and proximity to public transit to attract businesses and visitors from throughout the region, and foster entrepreneurship and innovation.

The Property is designated as Site 133 on page 145 of the Plan. The Property is located in the area of the Plan designated as the "Arlington North District," which is described as a transitional zone between the urban core and single-family neighborhoods to the west of the Sector Plan area. Specifically, the Project addresses the following goals as outlined in the Arlington Road District section of the Plan:

- *Retain the residential scale along Arlington Road as a transition between the urban core and suburban neighborhoods.*

The Project is located in closer proximity to the downtown core of Bethesda than the lower scale residential uses on the west side of Arlington Road. The Site does not front on Arlington Road and serves as the beginning of a gradual transition from the higher heights of the core to lower heights along Arlington Road, as recommended in the Sector Plan.

The Project will provide up to 77 residential dwelling units, with a maximum height of 120 feet. The Property serves as a transitional site between the more intensive uses of the CBD, across Woodmont Avenue, and more moderate densities along Edgemoor Lane to the west. In accordance with the Sector Plan, higher heights recommended within the Arlington North District are located along Woodmont Avenue. As conditioned, the Application will comply with the Design Advisory Panel's recommendations, at the time of Site Plan, to achieve compatibility with the adjacent Chase Condominium building.

- *Improve access, mobility, and pedestrian safety along Arlington Road.*

As previously stated, the Site does not front on Arlington Road and therefore contributes indirectly to the Sector Plan's vision of improved access, mobility, and pedestrian safety along Arlington Road.

Vehicular access to the site will be provided from Woodmont Avenue, via a consolidated garage and loading access point. The Project will construct the Bethesda streetscape on its Edgemoor Lane and Woodmont Avenue



frontages and will participate in the implementation of new separated bicycle lanes on both Woodmont Avenue and Edgemoor Lane. Each of these improvements will improve access, mobility, and pedestrian safety. The consolidated access point is located in a manner that minimizes negative impacts to the Edgemoor Lane/ Woodmont Avenue intersection and limits interruption to both the sidewalk and future separated bicycle lanes.

Due to the constrained nature of the Site, the garage is anticipated to be automated with two carriages available to convey cars between the ground level and subterranean garage. This configuration eliminates garage inefficiencies dedicated to drive aisle and ramps and improves parking operations on the constrained Site. Additional details regarding the garage design and operation will be provided at the time of Site Plan. As an additional programmatic element, the Project will be subject to a loading management plan at the time of Site Plan that will further limit negative impacts to the adjacent public roadways. The loading management plan must include: delivery times, and strategies to ensure that move-in, move-out, loading and trash/ service operations do not negatively impact the public right-of-way. The project will be required to have an on-site loading manager responsible for scheduling deliveries, move-in, move-out and addressing issues related to the loading operations.

- *Promote redevelopment opportunities for under-utilized sites such as single-unit homes.*

The Property, prominently located at the intersection of Woodmont Avenue and Edgemoor Lane, directly across the street from the Bethesda Metrorail, is currently under-utilized and is improved with a detached house serving a commercial use. The Project proposes to replace the detached house with a 12-story, multifamily residential building that is more appropriately suited for a property located in such close proximity to the Bethesda Metrorail Station. As recommended on page 144 of the Sector Plan, the Project (designated as Site #133) takes advantage of the approved CR 2.5 C 0.5 R 2.5 H120 and Bethesda Overlay Zone to implement a residential project that relates to the heights and density near the core of downtown Bethesda.

- *Limit commercial and retail uses to preserve residential urban village character.*

The Sector Plan recommends that commercial and retail uses be limited to the ground floor of buildings along Woodmont Avenue. The Project proposes a purely residential building.

- *Create a new neighborhood park adjacent to Bethesda Elementary School.*

The Sector Plan identifies a potential area for a new neighborhood park on the west side of the Bethesda Elementary School playing fields. Although the potential future park location is within the Arlington North District, it is not directly adjacent to the Subject Property and will therefore not be implemented as part of the Project. The Applicant is required to pay the Park Impact Payment, and is, in fact, exceeding the minimum required payment as part of its public benefit package. As a result, these funds could be directed toward this future improvement or other sites within downtown Bethesda.

The Project is in general conformance with the 2017 *Bethesda Downtown Sector Plan*.

- a) *Target opportunities for redevelopment of single-use commercial areas and surface parking lots with a mix of uses.*

The Project will redevelop the existing detached house (currently serving a commercial use) with a higher-density residential building with an automated underground parking garage to maximize residential development in close proximity to the Metro. The Project meets the objective of this finding.

- b) *Encourage development that integrates a combination of housing types, mobility options, commercial services, and public facilities and amenities, where parking is prohibited between the building and the street.*

The Project encourages such development by proposing market-rate residential units in a variety of unit types as well as a minimum of 15% MPDUs, in accordance with Chapter 25A, offering housing opportunities for a range of incomes proximate to the numerous transit options of downtown Bethesda. The Project facilitates all modes of transit – pedestrian, bicycle, and vehicular – in close proximity to the Metro and bus service by improving the streetscape along its three frontages. Additionally, the Project will participate in the implementation of both the Edgemoor Lane and Woodmont Avenue separated bicycle lanes through the dedication of public right-of-way, coordinated site design, and *pro rata* financial contribution in the amount of \$33,000. The Project does not propose any parking between the building and the street frontages.



- c) Allows a flexible mix of uses, densities, and building heights appropriate to various settings to ensure compatible relationships with adjoining neighborhoods.*

The Sector Plan identifies this area as a priority for residential uses and as an area of transition from the higher density downtown Bethesda core to the surrounding lower density residential neighborhoods. The Project will provide residential uses on-site as well as a height and density that is compatible with the desired character of the Arlington North District. As conditioned, the Project will achieve compatibility with the adjacent Chase Condominium by providing a tower separation of at least 30 feet with an average separation of 40 feet along the entire southern façade.

- d) Integrate an appropriate balance of employment and housing opportunities.*

The Sector Plan identified several distinct districts within Downtown Bethesda to guide development compatibility. The Subject Property is within the Arlington North District, which is intended primarily for residential development along the edge of the Downtown area. As proposed, the purely residential project provides the appropriate land use, as recommended in the Sector Plan.

- e) Standardize optional method development by establishing minimum requirements for the provision of public benefits that will support and accommodate density above the standard Method limit.*

The Project will provide the required public benefits from a minimum of four categories to achieve the desired incentive density above the standard method limit. Final determination of public benefit points will be determined at the time of Site Plan.

- 3. The Sketch Plan satisfies, under Section 7.7.1.B.5 of the Zoning Ordinance, the binding elements of any development plan or schematic development plan in effect on October 29, 2014.*

The Subject Application is not subject to a development plan or schematic development plan in effect on October 29, 2014.

- 4. The Sketch Plan provides satisfactory general vehicular, pedestrian, and bicyclist access, circulation, parking, and loading.*



The Project provides satisfactory general vehicular, pedestrian, and bicyclist access, circulation, parking, and loading. Vehicular access to the Site will occur via Woodmont Avenue through a consolidated access point at the southwestern corner of the Site. This access point will feature an automated garage and space for a loading vehicle, the precise design and operation of which will be evaluated at the time of Site Plan. This location is appropriate given the Site's limited frontage on Edgemoor Lane. Additional details regarding the design and operation of the automated garage will be provided at the time of Site Plan. As an additional programmatic element, the Project will be subject to a loading management plan at the time of Site Plan that will further limit negative impacts to the adjacent public roadways.

Bicycle access to the Property will be enhanced through the future provision of separated bicycle lanes on Edgemoor Lane and Woodmont Avenue and bicycle racks or lockers will be provided within the garage and short-term spaces will be provided along the Property's frontage. The final location of bicycle parking amenities will be determined at time of Site Plan, to facilitate bicyclist access to the Property. Pedestrian access to the site will be from the established sidewalk network and will be enhanced by streetscape improvements along each of the Property frontages, consistent with the Bethesda Streetscape Standards. The Project is also designed in coordination with the Montgomery County Department of Transportation (MCDOT) plans for separated bicycle lanes on both Edgemoor Lane and Woodmont Avenue. As a result, the Project accommodates the future implementation of the bicycle lanes and will make a financial contribution, in the amount of \$33,000, toward construction.

5. *The Sketch Plan proposes an outline of public benefits that supports the requested incentive density and is appropriate for the specific community.*

Taking into account the considerations in Section 59.4.7.1.B and the Public Benefit Points established with the Bethesda Overlay Zone in Section 59.4.9.2.C.4, including the recommendations and objectives of the Sector Plan and any applicable design guidelines, the Incentive Density Implementation Guidelines, the size and configuration of the site and its relationship to adjacent properties, similar public benefits nearby, and additional enhancements related to the individual public benefits, Staff finds that the following outline of public benefits supports the Applicant's request for incentive density and is appropriate for the community surrounding the site, as described below.

For the proposed development, the Zoning Ordinance requires 100 points in four categories. Although at the time of Sketch Plan review only the

categories need be approved, the following table shows both the categories and points for the public benefits recommended at Sketch Plan to demonstrate the project's ability to meet the requirement to provide sufficient benefit points.

<b>Table 2: Public Benefits Calculations</b>		
<b>Public Benefit</b>	<b>Incentive Density Points</b>	
	<b>Max Allowed</b>	<b>Conceptual Points</b>
<b>59.4.9.2.C.4.B.ii: Major Public Facilities</b>		
<b>Park Impact Payment</b>	<b>30</b>	<b>14</b>
<b>59.4.7.3C: Connectivity and Mobility</b>		
<b>Minimum Parking<sup>1</sup></b>	<b>20</b>	<b>10</b>
<b>59.4.7.3E: Quality of Building and Site Design</b>		
<b>Architectural Elevations</b>	<b>30</b>	<b>25</b>
<b>Exceptional Design<sup>1</sup></b>	<b>30</b>	<b>10<sup>2</sup></b>
<b>Structured Parking</b>	<b>20</b>	<b>20</b>
<b>59.4.7.3F: Protection and Enhancement of the Natural Environment</b>		
<b>BLTs</b>	<b>30</b>	<b>1.7</b>
<b>Cool Roof</b>	<b>15</b>	<b>10</b>
<b>Recycling Facility Plan</b>	<b>10</b>	<b>10</b>
<b>TOTAL</b>		<b>100.7</b>

<sup>1</sup> Denotes Sector Plan priority

<sup>2</sup> Applicant requested 25 points for exceptional design

#### Major Public Facilities

*Park Impact Payment:* The Applicant requests 4 points for increasing the required Park Impact Payment by 14% in accordance with Section 59.4.9.2.C.4.B.ii, which allows up to 30 points for projects exceeding the minimum required payment. Final determination will be made at Site Plan and Staff supports the Applicant's request.

#### Connectivity and Mobility

*Minimum Parking:* The Applicant requests 10 points for providing fewer than the maximum allowed number of parking spaces. Points for this incentive are granted on a sliding scale from no points for providing the maximum allowable number of on-site spaces to 20 points for providing no more than the minimum numbers of spaces on site. At this time, the Applicant is proposing 62 parking spaces for 77 units, which equates to 10 points. Final determination will be made at Site Plan and Staff supports the Applicant's request.



Quality of Building and Site Design

*Architectural Elevations:* The Applicant requests 25 points for providing architectural elevations as part of the certified site plan showing particular elements in the façade including minimum amount of transparency on the first floor, minimal spacing between operable doors, and design priorities of the applicable master plan or implementing design guidelines. The Sketch Plan is intended to be conceptual in nature with an emphasis on building densities, massing, and heights. Staff supports the Applicant's request at this time with further details and refinement to be provided at the time of Site Plan.

*Exceptional Design:* Although the Applicant requested 25 points for exceptional design, the Design Advisory Panel indicated, at its February 26, 2020 meeting, that the project was on track to receive only the minimum number of points (10) required for this category. As a site receiving an allocation of Bethesda Overlay Zone density, the Project is subject to the Design Advisory Panel review, which will award points based on the quality of the design. The Applicant asserts that the Project provides innovative solutions in response to the immediate context; creates a sense of place and serves as a landmark; enhances the public realm in a distinct and original manner; introduces materials, forms, or building methods unique to the immediate vicinity or applied in a unique way; and integrates low-impact development methods into the overall design of the site and building, beyond green building or site requirements. The Sketch Plan is intended to be conceptual in nature with an emphasis on building densities, massing, and heights. Based on the conceptual materials submitted with the Application, staff supports 10 points for exceptional design at this time. As conditioned, the future Site Plan application will comply with the DAP's recommendations, as set forth in the meeting minutes from the DAP's February 26, 2020 meeting.

During their February 26, 2020 meeting, the Design Advisory Panel (DAP) expressed concerns about the architect's approach to addressing the Bethesda Downtown Design Guidelines' recommendations for tower separation. The design needs to mediate between the higher heights across Woodmont Avenue and the architectural character of the adjacent Chase residential building, including that building's proximity to the building proposed through the Subject Application. Of specific concern to the DAP was the treatment of the building's southern façade, which needs to achieve compatibility with the adjacent Chase Condominium building. Toward that end, the DAP recommended the following:



1. Explore methods to increase tower separation above the base (4 stories) to achieve a minimum separation of 30' and an average separation of 40'.

Additional details for the architectural concept and DAP context of the DAP's discussion are included in the November 20, 2020, January 22, 2020, and February 26, 2020 DAP meeting summaries (Attachment A).

*Structured Parking:* The Applicant requests 20 points for providing structured parking in a below-grade parking structure. Staff supports this request at this time.

Protection and Enhancement of the Natural Environment

*Building Lot Termination (BLT):* The Applicant requests 1.7 points for the purchase of BLT easements or equivalent payment made for every 31,500 square feet of gross floor area comprising the 7.5% incentive density floor area. Points are granted by the calculation of BLTs as provided in Section 59.4.7.3.F of the Zoning Ordinance. Staff supports the Applicant's request at this time.

*Cool Roof:* Roof areas not covered by green roof or mechanical equipment will incorporate a mixture of materials that will collectively meet or exceed a solar reflectance index (SRI) of 75. The Applicant is requesting 10 points and Staff supports this request at this time.

*Recycling Facility Plan:* The Applicant requests 10 points for providing a recycling facility plan that exceeds the minimum requirements set forth in the Zoning Ordinance. The final details of this plan will be determined at the time of Site Plan and Staff supports the Applicant's request at this time.

6. *The Sketch Plan establishes a feasible and appropriate phasing plan for all structures, uses, rights-of-way, sidewalks, dedications, public benefits, and future preliminary and site plan applications.*

The Project will be built in one phase.

BE IT FURTHER RESOLVED that the Board's approval of a sketch plan is in concept only and subject to further review at site plan, when, based on detailed review the Board may modify the Sketch Plan's binding elements or conditions based on the Montgomery County Code, the Sector Plan, or other requirements; and

BE IT FURTHER RESOLVED that this Resolution incorporates by reference all evidence of record, including maps, drawings, memoranda, correspondence, and other information; and

BE IT FURTHER RESOLVED that all binding site development elements shown on the latest version of Sketch Plan No. 320200020, "4824 Edgemoor Lane," received by M-NCPPC as of the date of the Staff Report, are required, except as modified by the above conditions of approval; and

BE IT FURTHER RESOLVED that this Resolution constitutes the written opinion of the Board in this matter, and the date of this Resolution is MAY 21 2020 (which is the date that this Resolution is mailed to all parties of record); and

\* \* \* \* \*

**CERTIFICATION**

This is to certify that the foregoing is a true and correct copy of a resolution adopted by the Montgomery County Planning Board of the Maryland-National Capital Park and Planning Commission on motion of Vice Chair Fani-González, seconded by Commissioner Cichy, with Chair Anderson, Vice Chair Fani-González, and Commissioners Cichy, Patterson, and Verma voting in favor at its regular meeting held on Thursday, May 14, 2020, in Silver Spring, Maryland.

  
\_\_\_\_\_  
Casey Anderson, Chair  
Montgomery County Planning Board