



# FY2021 SCHOOL UTILIZATION REPORT

# Table of Contents

About the FY2021 School Utilization Report	2
Future Utilization Reports	5
Countywide Utilization Report	6
Individual School Utilization Report – High Schools	13
Individual School Utilization Report – Middle Schools	39
Individual School Utilization Report – Elementary Schools	80
Index (by School Level)	210
Index (by Cluster)	212



# About the FY2021 School Utilization Report

On November 16, 2020, the Montgomery County Council adopted the 2020-2024 Growth and Infrastructure Policy, formerly known as the Subdivision Staging Policy. The new policy requires the Planning Department to provide a Utilization Report along with the Annual School Test to provide supplemental information about the utilization of the county's public school infrastructure.

The report includes little narrative or interpretation of the data – only brief explanation of the data presented in the graphs. It also consists of two main parts: a countywide component and an individual school component.

➤ The *Countywide Utilization Report* includes:

- Trends of past and projected collective enrollment, capacity, and utilization rates for schools across the county, at each school level.
- Share of school facilities at each school level operating at various adequacy levels. The levels chosen relate to the utilization thresholds used to determine Utilization Premium Payments.<sup>1</sup>

➤ The *Individual School Utilization Report* includes:

- Trends of past and projected enrollment, capacity, and utilization rates of individual schools.

## Data Sources & Modifications

The source of data and method of modifications is consistent with the Annual School Test.


- Past trends are all based on actual enrollment and capacity figures reported in 'MCPS Educational Facilities Master Plan and Capital Improvements Program' publications each fiscal year.
- Projected trends are taken from the current educational facilities master plan, however the same rules that govern the Annual School Test are used to make modifications for schools where a capacity solution has been approved but not reflected in the enrollment or capacity projections. The modification is applied to the school year in which the capacity solution is scheduled to be completed, and each subsequent projection year.

<sup>1</sup> Note that the Utilization Premium Payment requirements are identified as part of the Annual School Test and are based on projected utilization rates four years in the future along with corresponding seat deficits.




## Countywide Data

There are two types of graphs currently provided in the Countywide Utilization Report. The first is a combination bar and line graph that shows the enrollment and capacity actuals, collectively, for all of Montgomery County's public elementary, middle or high schools. The actuals are shown from SY 2005 (school year 2005-06) through SY 2019. Projections, pulled from the FY 2021 MCPS Educational Facilities Master Plan, are also provided for SY 2020 through SY 2025. This graph also includes a line that shows the corresponding countywide rate of capacity utilization for the school level.



The second type of graph is a stacked bar graph that shows the distribution of the county's public elementary, middle or high schools by utilization rate. Again, the graph is based on actual utilization rate for SY 2005 through SY 2019, and projected utilization rate for SY 2020 through SY 2025. For example, the graph on page 12 demonstrates that 12% of the county's public elementary schools had a utilization rate below 90% in SY 2005. That same year, 22% of the high schools had a utilization rate of 135% or higher.



## Individual School Data


The Individual School Utilization Report includes one primary graph for each school. The combination bar and line graph that shows the enrollment and capacity actuals for the school from SY 2005 through SY 2019. Projections, pulled from the FY 2021 MCPS Educational Facilities Master Plan, are also provided for SY 2020 through SY 2025. This graph also includes a line that shows the corresponding rate of capacity utilization for the school.

In addition to the graph, information pertaining to the school facility and site are provided, including the year the facility was built, when the facility was last renovated and/or expanded, the facility's gross floor area and the size of the school site. The number of relocatable classrooms on the site for purposes of relieving overcrowding in SY 2019 is also included.

For each school, links are included to the corresponding pages for each adjacent school at the same school level.

Finally, information is provided regarding the status of the school in the FY 2021 Annual School Test. This includes

identifying what level of Utilization Premium Payment (UPP) is required, if any, for development approved in the school's service area. This includes a graphic that demonstrates where the school's projected utilization falls relative to the UPP utilization rate thresholds and the seat deficit thresholds. In order to trigger a payment at a particular UPP tier, the projected utilization must meet the thresholds for both factors. The image below provides a visualization of how the UPP tier is determined based on the utilization rate and seat deficit thresholds.




# **Future Utilization Reports**

Future School Utilization Reports, beginning with the FY2022 report, will be released in June of each year. Over time, additional information will be included as data are collected, reviewed and prepared for presentation. Such data may include information on individual school core capacity, as well as countywide trends in the use of relocatable classrooms. Historical trends in housing permits issued and real estate transactions by school service areas may also be provided to better demonstrate connections between these trends and school enrollment. The reports may also move to a purely digital format with interactive graphs.



# Countywide Utilization Report

# High Schools – Countywide Enrollment/Utilization Trend




School Year	2005	2006	2007	2008	2009	2010	2011	2012	2013	2014	2015	2016	2017	2018	2019	2020*	2021*	2022*	2023*	2024*	2025*
Capacity	41,956	44,505	44,864	44,701	44,694	44,855	45,149	45,666	47,436	47,402	48,062	48,026	47,969	49,195	49,147	50,398	50,803	51,230	52,422	52,760	55,460
Enrollment	44,688	44,527	44,245	44,239	44,577	44,828	44,837	44,838	44,854	45,368	45,964	47,325	48,546	49,315	50,432	51,402	52,996	54,412	55,087	55,488	55,633
Utilization	106.5%	100.0%	98.6%	99.0%	99.7%	99.9%	99.3%	98.2%	94.6%	95.7%	95.6%	98.5%	101.2%	100.2%	102.6%	102.0%	104.3%	106.2%	105.1%	105.2%	100.3%
Enrollment Growth	-	-161	-282	-6	338	251	9	1	16	514	596	1,361	1,221	769	1,117	970	1,594	1,416	675	401	145

\* MCPS projection.




# High Schools – Individual School Utilization Level Trend

■ Util. Rate < 90% ■ 90% <= Util. Rate < 105% ■ 105% <= Util. Rate < 120% ■ 120% <= Util. Rate < 135% ■ Util. Rate >=135%



# Middle Schools – Countywide Enrollment/Utilization Trend




School Year	2005	2006	2007	2008	2009	2010	2011	2012	2013	2014	2015	2016	2017	2018	2019	2020*	2021*	2022*	2023*	2024*	2025*
Capacity	36,163	33,979	34,156	34,591	34,619	35,153	35,321	35,250	36,341	36,295	36,219	37,422	38,349	38,815	38,840	39,723	39,787	40,068	40,514	40,748	40,748
Enrollment	31,378	30,856	30,764	30,714	30,719	30,639	31,036	31,308	32,201	33,219	34,183	35,034	36,069	36,489	37,637	38,045	38,287	38,148	38,240	38,745	39,299
Utilization	86.8%	90.8%	90.1%	88.8%	88.7%	87.2%	87.9%	88.8%	88.6%	91.5%	94.4%	93.6%	94.1%	94.0%	96.9%	95.8%	96.2%	95.2%	94.4%	95.1%	96.4%
Enrollment Growth	-	-522	-92	-50	5	-80	397	272	893	1,018	964	851	1,035	420	1,148	408	242	-139	92	505	554

\* MCPS projection.




# Middle Schools – Individual School Utilization Level Trend

■ Util. Rate < 90% ■ 90% <= Util. Rate < 105% ■ 105% <= Util. Rate < 120% ■ 120% <= Util. Rate < 135% ■ Util. Rate >=135%



# Elementary Schools – Countywide Enrollment/Utilization Trend




School Year	2005	2006	2007	2008	2009	2010	2011	2012	2013	2014	2015	2016	2017	2018	2019	2020*	2021*	2022*	2023*	2024*	2025*
Capacity	55,475	58,263	59,595	60,713	62,186	62,728	65,315	65,728	69,564	71,987	72,854	72,758	73,630	74,951	75,939	76,710	76,710	77,936	79,537	80,454	80,659
Enrollment	62,883	62,034	62,313	64,022	66,293	68,877	70,969	73,027	74,669	75,765	76,569	77,100	77,329	76,758	77,167	77,303	77,706	78,084	78,056	77,598	76,717
Utilization	113.4%	106.5%	104.6%	105.5%	106.6%	109.8%	108.7%	111.1%	107.3%	105.2%	105.1%	106.0%	105.0%	102.4%	101.6%	100.8%	101.3%	100.2%	98.1%	96.5%	95.1%
Enrollment Growth	-	-849	279	1,709	2,271	2,584	2,092	2,058	1,642	1,096	804	531	229	-571	409	136	403	378	-28	-458	-881

\* MCPS projection.



# Elementary Schools – Individual School Utilization Level Trend

■ Util. Rate < 90% ■ 90% <= Util. Rate < 105% ■ 105% <= Util. Rate < 120% ■ 120% <= Util. Rate < 135% ■ Util. Rate >=135%



# Individual School Utilization Report

High Schools

# Bethesda-Chevy Chase High School



Year Facility Built:	1934
Last Renovation:	2001 (2018 add'n)
Gross Floor Area:	392,833 sq.ft.
Site Size:	16.36 acres
Relocatables:	-

## Adjacent Schools

Albert Einstein HS  
Walter Johnson HS  
Walt Whitman HS

## FY21 Annual School Test

- 4-Yr Projection
  - Utilization : 103.5%
  - Seat Deficit : 87



\* MCPS projection, modified according to Annual School Test guidelines (if applicable).



# Montgomery Blair High School



Year Facility Built:	1998
Last Renovation:	-
Gross Floor Area:	386,567 sq.ft.
Site Size:	30.15 acres
Relocatables:	10

## Adjacent Schools

Albert Einstein HS  
Northwood HS  
Springbrook HS

## FY21 Annual School Test:

- 4-Yr Projection
  - Utilization : 122.6%
  - Seat Deficit : 654



\* MCPS projection, modified according to Annual School Test guidelines (if applicable).



# James Hubert Blake High School

Year Facility Built:	1998
Last Renovation:	-
Gross Floor Area:	297,125 sq.ft.
Site Size:	91.09 acres
Relocatables:	-



## Adjacent Schools

John F. Kennedy HS  
Northwood HS  
Paint Branch HS

Rockville HS  
Sherwood HS  
Springbrook HS

## FY21 Annual School Test:

- 4-Yr Projection
  - Utilization : 112.1%
  - Seat Deficit : 211



\* MCPS projection, modified according to Annual School Test guidelines (if applicable).



# Winston Churchill High School



Year Facility Built:	1964
Last Renovation:	2001
Gross Floor Area:	322,078 sq.ft.
Site Size:	30.28 acres
Relocatables:	-

## Adjacent Schools

Richard Montgomery HS  
 Walter Johnson HS  
 Walt Whitman HS  
 Thomas S. Wootton HS

## FY21 Annual School Test:

- 4-Yr Projection
  - Utilization : 121.1%
  - Seat Deficit : 419



\* MCPS projection, modified according to Annual School Test guidelines (if applicable).



# Clarksburg High School



Year Facility Built:	1995
Last Renovation:	2006 (2015 add'n)
Gross Floor Area:	344,574 sq.ft.
Site Size:	62.73 acres
Relocatables:	13

## Adjacent Schools

Damascus HS  
 Poolesville HS  
 Seneca Valley HS  
 Watkins Mill HS

## FY21 Annual School Test:

- 4-Yr Projection
  - Utilization : 120.7%
  - Seat Deficit : 421



\* MCPS projection, modified according to Annual School Test guidelines (if applicable).



# Damascus High School



Year Facility Built:	1950
Last Renovation:	1978
Gross Floor Area:	235,986 sq.ft.
Site Size:	32.65 acres
Relocatables:	-

## Adjacent Schools

Clarksburg HS  
Gaithersburg HS  
Seneca Valley HS  
Sherwood HS

## FY21 Annual School Test:

- 4-Yr Projection
  - Utilization : 92.5%
  - Seat Surplus : 116



\* MCPS projection, modified according to Annual School Test guidelines (if applicable).



# Albert Einstein High School



Year Facility Built:	1962
Last Renovation:	1997 (2007 add'n)
Gross Floor Area:	276,462 sq.ft.
Site Size:	26.67 acres
Relocatables:	5

## Adjacent Schools

Bethesda-Chevy Chase HS  
 Montgomery Blair HS  
 Northwood HS  
 Walter Johnson HS  
 Wheaton HS

## FY21 Annual School Test:

- 4-Yr Projection
  - Utilization : 128.2%
  - Seat Deficit : 459



\* MCPS projection, modified according to Annual School Test guidelines (if applicable).





# Gaithersburg High School

Year Facility Built:	1951
Last Renovation:	2013
Gross Floor Area:	427,048 sq.ft.
Site Size:	40.97 acres
Relocatables:	-

Adjacent Schools	
Damascus HS	Seneca Valley HS
Col. Zadok Magruder HS	Sherwood HS
Quince Orchard HS	Watkins Mill HS
Richard Montgomery HS	Thomas S. Wootton HS

## FY21 Annual School Test:

- 4-Yr Projection
  - Utilization : 113.3%
  - Seat Deficit : 325



\* MCPS projection, modified according to Annual School Test guidelines (if applicable).



# Walter Johnson High School

Year Facility Built:	1956
Last Renovation:	2009
Gross Floor Area:	365,138 sq.ft.
Site Size:	30.86 acres
Relocatables:	6



## Adjacent Schools

Bethesda-Chevy Chase HS  
 Winston Churchill HS  
 Albert Einstein HS  
 Richard Montgomery HS

Rockville HS  
 Wheaton HS  
 Walt Whitman HS

## FY21 Annual School Test:

- 4-Yr Projection
  - Utilization : 137.5%
  - Seat Deficit : 871



\* MCPS projection, modified according to Annual School Test guidelines (if applicable).



# John F. Kennedy High School

Year Facility Built:	1964
Last Renovation:	1999
Gross Floor Area:	280,048 sq.ft.
Site Size:	29.14 acres
Relocatables:	0



## Adjacent Schools

James H. Blake HS  
Northwood HS  
Rockville HS

Springbrook HS  
Wheaton HS

## FY21 Annual School Test:

- 4-Yr Projection
  - Utilization : 92.9%
  - Seat Surplus : 158



\* MCPS projection, modified according to Annual School Test guidelines (if applicable).



# Col. Zadok Magruder High School



Year Facility Built:	1970
Last Renovation:	-
Gross Floor Area:	295,478 sq.ft.
Site Size:	29.99 acres
Relocatables:	-

## Adjacent Schools

Gaithersburg HS  
 Richard Montgomery HS  
 Rockville HS  
 Sherwood HS

## FY21 Annual School Test:

- 4-Yr Projection
  - Utilization : 97.0%
  - Seat Surplus : 59



\* MCPS projection, modified according to Annual School Test guidelines (if applicable).



# Richard Montgomery High School

Year Facility Built:	1942
Last Renovation:	2007
Gross Floor Area:	311,500 sq.ft.
Site Size:	29.05 acres
Relocatables:	6



## Adjacent Schools

Winston Churchill HS  
Gaithersburg HS  
Col. Zadok Magruder HS

Rockville HS  
Walter Johnson HS  
Thomas S. Wootton HS

## FY21 Annual School Test:

- 4-Yr Projection
  - Utilization : 121.6%
  - Seat Deficit : 485



\* MCPS projection, modified according to Annual School Test guidelines (if applicable).



# Northwest High School



Year Facility Built:	1998
Last Addition:	2006
Gross Floor Area:	340,867 sq.ft.
Site Size:	34.56 acres
Relocatables:	10

## Adjacent Schools

Poolesville HS  
 Quince Orchard HS  
 Seneca Valley HS  
 Thomas S. Wootton HS

## FY21 Annual School Test:

- 4-Yr Projection
  - Utilization : 109.8%
  - Seat Deficit : 225



\* MCPS projection, modified according to Annual School Test guidelines (if applicable).



# Northwood High School

Year Facility Built:	1956
Last Renovation:	2004
Gross Floor Area:	253,488 sq.ft.
Site Size:	29.56 acres
Relocatables:	10



## Adjacent Schools

[Montgomery Blair HS](#)  
[James H. Blake HS](#)  
[Albert Einstein HS](#)

[John F. Kennedy HS](#)  
[Springbrook HS](#)  
[Wheaton HS](#)

## FY21 Annual School Test:

- 4-Yr Projection
  - Utilization : 74.2%
  - Seat Surplus : 696
- Capacity modification : reflects temporary relocation to Woodward HS (2023)



\* MCPS projection, modified according to Annual School Test guidelines (if applicable).



# Paint Branch High School



Year Facility Built:	1969
Last Renovation:	2012
Gross Floor Area:	347,169 sq.ft.
Site Size:	45.98 acres
Relocatables:	-

## Adjacent Schools

James H. Blake HS  
Sherwood HS  
Springbrook HS

## FY21 Annual School Test:

- 4-Yr Projection
  - Utilization : 105.5%
  - Seat Deficit : 112



\* MCPS projection, modified according to Annual School Test guidelines (if applicable).



# Poolesville High School



Year Facility Built:	1953
Last Renovation:	1978 (2009 add'n)
Gross Floor Area:	165,056 sq.ft.
Site Size:	37.2 acres
Relocatables:	-

## Adjacent Schools

Clarksburg HS  
Northwest HS  
Seneca Valley HS

## FY21 Annual School Test:

- 4-Yr Projection
  - Utilization : 84.0%
  - Seat Surplus : 241



\* MCPS projection, modified according to Annual School Test guidelines (if applicable).



# Quince Orchard High School

Year Facility Built:	1988
Last Renovation:	-
Gross Floor Area:	284,912 sq.ft.
Site Size:	30.11 acres
Relocatables:	9



## Adjacent Schools

Gaithersburg HS  
Northwest HS  
Seneca Valley HS

Watkins Mill HS  
Thomas S. Wootton HS

## FY21 Annual School Test:

- 4-Yr Projection
  - Utilization : 137.4%
  - Seat Deficit : 669



\* MCPS projection, modified according to Annual School Test guidelines (if applicable).



# Rockville High School

Year Facility Built:	1968
Last Renovation:	2004
Gross Floor Area:	316,973 sq.ft.
Site Size:	30.32 acres
Relocatables:	-



## Adjacent Schools

James H. Blake HS  
 John F. Kennedy HS  
 Col. Zadok Magruder HS

Richard Montgomery HS  
 Walter Johnson HS  
 Wheaton HS

## FY21 Annual School Test:

- 4-Yr Projection
  - Utilization : 94.5%
  - Seat Surplus : 85



\* MCPS projection, modified according to Annual School Test guidelines (if applicable).



# Seneca Valley High School

Year Facility Built:	1974
Last Renovation:	-
Gross Floor Area:	251,278 sq.ft.
Site Size:	29.37 acres
Relocatables:	-



## Adjacent Schools

Clarksburg HS  
Damascus HS  
Gaithersburg HS  
Northwest HS

Poolesville HS  
Quince Orchard HS  
Watkins Mill HS

## FY21 Annual School Test:

- 4-Yr Projection
  - Utilization : 98.6%
  - Seat Surplus : 35



\* MCPS projection, modified according to Annual School Test guidelines (if applicable).



# Sherwood High School

Year Facility Built:

1950

Last Renovation:

1991 (2007 add'n)

Gross Floor Area:

333,154 sq.ft.

Site Size:

49.33 acres

Relocatables:

-



## Adjacent Schools

James H. Blake HS  
Damascus HS  
Gaithersburg HS

Col. Zadok Magruder HS  
Paint Branch HS  
Springbrook HS

## FY21 Annual School Test:

- 4-Yr Projection
  - Utilization : 93.2%
  - Seat Surplus : 147



\* MCPS projection, modified according to Annual School Test guidelines (if applicable).



# Springbrook High School

Year Facility Built:	1960
Last Renovation:	1994
Gross Floor Area:	305,006 sq.ft.
Site Size:	25.13 acres
Relocatables:	-



## Adjacent Schools

[Montgomery Blair HS](#)  
[James H. Blake HS](#)  
[John F. Kennedy HS](#)

[Northwood HS](#)  
[Paint Branch HS](#)  
[Sherwood HS](#)

## FY21 Annual School Test:

- 4-Yr Projection
  - Utilization : 91.1%
  - Seat Surplus : 189



\* MCPS projection, modified according to Annual School Test guidelines (if applicable).



# Watkins Mill High School



Year Facility Built:	1989
Last Renovation:	-
Gross Floor Area:	305,288 sq.ft.
Site Size:	50.99 acres
Relocatables:	-

## Adjacent Schools

Clarksburg HS  
Gaithersburg HS  
Quince Orchard HS  
Seneca Valley HS

## FY21 Annual School Test:

- 4-Yr Projection
  - Utilization : 87.4%
  - Seat Surplus : 245



\* MCPS projection, modified according to Annual School Test guidelines (if applicable).



# Wheaton High School

Year Facility Built:

1954

Last Renovation:

2016 (2018 add'n)

Gross Floor Area:

373,825 sq.ft.

Site Size:

28.23 acres

Relocatables:

-

## Adjacent Schools

[Albert Einstein HS](#)

[John F. Kennedy HS](#)



[Northwood HS](#)

[Rockville HS](#)

[Walter Johnson HS](#)

## FY21 Annual School Test:

- 4-Yr Projection
  - Utilization : 104.3%
  - Seat Deficit : 97



\* MCPS projection, modified according to Annual School Test guidelines (if applicable).



# Walt Whitman High School



Year Facility Built:	1962
Last Renovation:	1992
Gross Floor Area:	261,295 sq.ft.
Site Size:	30.67 acres
Relocatables:	8

## Adjacent Schools

Bethesda-Chevy Chase HS  
 Winston Churchill HS  
 Walter Johnson HS

## FY21 Annual School Test:

- 4-Yr Projection
  - Utilization : 89.9%
  - Seat Surplus : 228



\* MCPS projection, modified according to Annual School Test guidelines (if applicable).



# Thomas S. Wootton High School

Year Facility Built:	1970
Last Renovation:	-
Gross Floor Area:	295,620 sq.ft.
Site Size:	27.37 acres
Relocatables:	3



## Adjacent Schools

Winston Churchill HS  
Gaithersburg HS  
Northwest HS

Quince Orchard HS  
Richard Montgomery HS

## FY21 Annual School Test:

- 4-Yr Projection
  - Utilization : 95.0%
  - Seat Surplus : 108



\* MCPS projection, modified according to Annual School Test guidelines (if applicable).



# Individual School Utilization Report

Middle Schools

# Argyle Middle School

Year Facility Built:	1971
Last Renovation:	1993
Gross Floor Area:	120,205 sq.ft.
Site Size:	19.9 acres
Relocatables:	3



## Adjacent Schools

William H. Farquhar MS  
 Col. E. Brooke Lee MS  
 A. Mario Loiederman MS

Parkland MS  
 White Oak MS  
 Earle B. Wood MS

## FY21 Annual School Test:

- 4-Yr Projection
  - Utilization : 122.0%
  - Seat Deficit : 197



# John T. Baker Middle School



Year Facility Built:	1971
Last Renovation:	-
GSF:	120,532 sq.ft.
Site Size:	22 acres
Relocatables:	2

## Adjacent Schools

Gaithersburg MS  
Hallie Wells MS  
Rocky Hill MS  
Rosa Parks MS

## FY21 Annual School Test:

- 4-Yr Projection
  - Utilization : 114.6%
  - Seat Deficit : 108



# Benjamin Banneker Middle School



Year Facility Built:	1974
Last Renovation:	-
GSF:	117,035 sq.ft.
Site Size:	19.96 acres
Relocatables:	-

## Adjacent Schools

Briggs Chaney MS  
Francis Scott Key MS

## FY21 Annual School Test:

- 4-Yr Projection
  - Utilization : 101.7%
  - Seat Deficit : 14



# Briggs Chaney Middle School



Year Facility Built:	1991
Last Renovation:	-
GSF:	115,000 sq.ft.
Site Size:	29.37 acres
Relocatables:	-

## Adjacent Schools

Benjamin Banneker MS  
 William H. Farquhar MS  
 Francis Scott Key MS  
 White Oak MS

## FY21 Annual School Test:

- 4-Yr Projection
  - Utilization : 113.1%
  - Seat Deficit : 121



\* MCPS projection, modified according to Annual School Test guidelines (if applicable).



# Cabin John Middle School

Year Facility Built:	1967
Last Renovation:	2011
GSF:	159,514 sq.ft.
Site Size:	18.24 acres
Relocatables:	-



## Adjacent Schools

Forest Oak MS  
 Robert Frost MS  
 Herbert Hoover MS

North Bethesda MS  
 Thomas W. Pyle MS  
 Julius West MS

## FY21 Annual School Test:

- 4-Yr Projection
  - Utilization : 101.2%
  - Seat Deficit : 13



\* MCPS projection, modified according to Annual School Test guidelines (if applicable).



# Roberto Clemente Middle School

Year Facility Built:	1992
Last Renovation:	-
GSF:	148,246 sq.ft.
Site Size:	19.87 acres
Relocatables:	3



## Adjacent Schools

Martin Luther King, Jr. MS  
 Kingsview MS  
 Lakelands Park MS

Montgomery Village MS  
 Rocky Hill MS

## FY21 Annual School Test:

- 4-Yr Projection
  - Utilization : 89.2%
  - Seat Surplus : 133



\* MCPS projection, modified according to Annual School Test guidelines (if applicable).



# Eastern Middle School



Year Facility Built:	1951
Last Renovation:	1976
GSF:	152,030 sq.ft.
Site Size:	14.51 acres
Relocatables:	-

## Adjacent Schools

Francis Scott Key MS  
 Silver Spring International MS  
 Takoma Park MS  
 White Oak MS

## FY21 Annual School Test:

- 4-Yr Projection
  - Utilization : 94.9%
  - Seat Surplus : 52



# William H. Farquhar Middle School

Year Facility Built:	1968
Last Renovation:	2016
GSF:	135,626 sq.ft.
Site Size:	37.11 acres
Relocatables:	-



## Adjacent Schools

Argyle MS  
 Briggs Chaney MS  
 Rosa Parks MS

White Oak MS  
 Earle B. Wood MS

## FY21 Annual School Test:

- 4-Yr Projection
  - Utilization : 96.6%
  - Seat Surplus : 27





# Forest Oak Middle School

Year Facility Built:	1999
Last Renovation:	-
GSF:	132,259 sq.ft.
Site Size:	41.92 acres
Relocatables:	-

Adjacent Schools	
Cabin John MS	Redland MS
Robert Frost MS	Ridgeview MS
Gaithersburg MS	Rocky Hill MS
Lakelands Park MS	Shady Grove MS
Montgomery Village MS	Julius West MS
Neelsville MS	

## FY21 Annual School Test:

- 4-Yr Projection
  - Utilization : 101.7%
  - Seat Deficit : 16



\* MCPS projection, modified according to Annual School Test guidelines (if applicable).



# Robert Frost Middle School

Year Facility Built:	1971
Last Renovation:	-
GSF:	143,757 sq.ft.
Site Size:	24.79 acres
Relocatables:	-



## Adjacent Schools

Cabin John MS  
Forest Oak MS  
Herbert Hoover MS

Lakelands Park MS  
Ridgeview MS  
Julius West MS

## FY21 Annual School Test:

- 4-Yr Projection
  - Utilization : 92.5%
  - Seat Surplus : 81



\* MCPS projection, modified according to Annual School Test guidelines (if applicable).



# Gaithersburg Middle School



Year Facility Built:	1960
Last Renovation:	1988
GSF:	157,694 sq.ft.
Site Size:	22.89 acres
Relocatables:	-

## Adjacent Schools

John T. Baker MS  
 Forest Oak MS  
 Hallie Wells MS  
 Montgomery Village MS  
 Neelsville MS  
 Redland MS  
 Rosa Parks MS  
 Shady Grove MS

## FY21 Annual School Test:

- 4-Yr Projection
  - Utilization : 92.6%
  - Seat Surplus : 75



\* MCPS projection, modified according to Annual School Test guidelines (if applicable).



# Herbert Hoover Middle School

Year Facility Built:	1966
Last Renovation:	2013
GSF:	165,367 sq.ft.
Site Size:	19.14 acres
Relocatables:	-



## Adjacent Schools

Cabin John MS  
 Robert Frost MS  
 North Bethesda MS

Thomas W. Pyle MS  
 Tilden MS  
 Julius West MS

## FY21 Annual School Test:

- 4-Yr Projection
  - Utilization : 82.4%
  - Seat Surplus : 201



# Francis Scott Key Middle School

Year Facility Built:	1966
Last Renovation:	2009
GSF:	147,424 sq.ft.
Site Size:	20.58 acres
Relocatables:	-



## Adjacent Schools

Benjamin Banneker MS  
Briggs Chaney MS  
Eastern MS

Col. E. Brooke Lee MS  
Silver Spring International MS  
White Oak MS

## FY21 Annual School Test:

- 4-Yr Projection
  - Utilization : 106.9%
  - Seat Deficit : 66



\* MCPS projection, modified according to Annual School Test guidelines (if applicable).



# Martin Luther King, Jr. Middle School



Year Facility Built:	1996
Last Renovation:	-
GSF:	135,867 sq.ft.
Site Size:	18.61 acres
Relocatables:	-

## Adjacent Schools

Roberto Clemente MS  
Kingsview MS  
Neelsville MS  
Rocky Hill MS

## FY21 Annual School Test:

- 4-Yr Projection
  - Utilization : 93.7%
  - Seat Surplus : 58



\* MCPS projection, modified according to Annual School Test guidelines (if applicable).



# Kingsview Middle School

Year Facility Built:	1997
Last Renovation:	-
GSF:	140,398 sq.ft.
Site Size:	18.45 acres
Relocatables:	-



## Adjacent Schools

Roberto Clemente MS  
Martin Luther King, Jr. MS  
Lakelands Park MS

Neelsville MS  
John Poole MS  
Ridgeview MS

## FY21 Annual School Test:

- 4-Yr Projection
  - Utilization : 92.0%
  - Seat Surplus : 83





# Lakelands Park Middle School

Year Facility Built:	2005
Last Renovation:	-
GSF:	153,588 sq.ft.
Site Size:	8.11 acres
Relocatables:	-

Adjacent Schools	
Roberto Clemente MS	Montgomery Village MS
Forest Oak MS	Neelsville MS
Robert Frost MS	John Poole MS
Kingsview MS	Ridgeview MS

## FY21 Annual School Test:

- 4-Yr Projection
  - Utilization : 108.0%
  - Seat Deficit : 90



\* MCPS projection, modified according to Annual School Test guidelines (if applicable).





# Col. E. Brooke Lee Middle School

Year Facility Built:	1966
Last Renovation:	-
GSF:	123,199 sq.ft.
Site Size:	16.45 acres
Relocatables:	-



## FY21 Annual School Test:

- 4-Yr Projection
  - Utilization : 77.5%
  - Seat Surplus : 227



\* MCPS projection, modified according to Annual School Test guidelines (if applicable).



# A. Mario Loiederman Middle School

Year Facility Built:	1956
Last Renovation:	2005
GSF:	131,746 sq.ft.
Site Size:	17.08 acres
Relocatables:	2



## Adjacent Schools

Argyle MS  
 Col. E. Brooke Lee MS  
 Newport Mill MS

North Bethesda MS  
 Parkland MS  
 Tilden MS

## FY21 Annual School Test:

- 4-Yr Projection
  - Utilization : 94.3%
  - Seat Surplus : 57



\* MCPS projection, modified according to Annual School Test guidelines (if applicable).



# Montgomery Village Middle School

Year Facility Built:	1968
Last Renovation:	2003
GSF:	141,615 sq.ft.
Site Size:	15.14 acres
Relocatables:	-



## Adjacent Schools

Roberto Clemente MS  
Forest Oak MS  
Gaithersburg MS

Lakelands Park MS  
Neelsville MS  
Rocky Hill MS

## FY21 Annual School Test:

- 4-Yr Projection
  - Utilization : 97.1%
  - Seat Surplus : 25



# Neelsville Middle School

Year Facility Built:	1981
Last Renovation:	-
GSF:	131,432 sq.ft.
Site Size:	29.19 acres
Relocatables:	-



## Adjacent Schools

Forest Oak MS  
 Gaithersburg MS  
 Martin Luther King, Jr. MS  
 Kingsview MS  
 Lakelands Park MS

Montgomery Village MS  
 John Poole MS  
 Rocky Hill MS  
 Hallie Wells MS

## FY21 Annual School Test:

- 4-Yr Projection
  - Utilization : 82.6%
  - Seat Surplus : 207



\* MCPS projection, modified according to Annual School Test guidelines (if applicable).



# Newport Mill Middle School

Year Facility Built:	1958
Last Renovation:	2002
GSF:	108,240 sq.ft.
Site Size:	8.4 acres
Relocatables:	-



## Adjacent Schools

Col. E. Brooke Lee MS  
A. Mario Loiederman MS  
North Bethesda MS

Silver Creek MS  
Sligo MS

## FY21 Annual School Test:

- 4-Yr Projection
  - Utilization : 84.8%
  - Seat Surplus : 129



# North Bethesda Middle School



Year Facility Built:	1955
Last Renovation:	1999 (2018 add'n)
GSF:	178,252 sq.ft.
Site Size:	19.99 acres
Relocatables:	-

**Adjacent Schools**

Cabin John MS Herbert Hoover MS A. Mario Loiederman MS Newport Mill MS	Thomas W. Pyle MS Silver Creek MS Tilden MS Westland MS
---	--

## FY21 Annual School Test:

- 4-Yr Projection
  - Utilization : 103.2%
  - Seat Deficit : 39



\* MCPS projection, modified according to Annual School Test guidelines (if applicable).



# Parkland Middle School



Year Facility Built:	1963
Last Renovation:	2007
GSF:	151,169 sq.ft.
Site Size:	9.18 acres
Relocatables:	2

## Adjacent Schools

Argyle MS  
A. Mario Loiederman MS  
Tilden MS  
Earle B. Wood MS

## FY21 Annual School Test:

- 4-Yr Projection
  - Utilization : 95.7%
  - Seat Surplus : 52



\* MCPS projection, modified according to Annual School Test guidelines (if applicable).



# Rosa Parks Middle School



Year Facility Built:	1992
Last Renovation:	-
GSF:	137,469 sq.ft.
Site Size:	24.05 acres
Relocatables:	-

## Adjacent Schools

John T. Baker MS  
 William H. Farquhar MS  
 Gaithersburg MS  
 Redland MS

## FY21 Annual School Test:

- 4-Yr Projection
  - Utilization : 96.8%
  - Seat Surplus : 31



# John Poole Middle School



Year Facility Built: 1997  
 Last Renovation: -  
 GSF: 85,669 sq.ft.  
 Site Size: 20.51 acres  
 Relocatables: -

## Adjacent Schools

Kingsview MS  
 Lakelands Park MS  
 Neelsville MS  
 Rocky Hill MS

## FY21 Annual School Test:

- 4-Yr Projection
  - Utilization : 98.9%
  - Seat Surplus : 5



# Thomas W. Pyle Middle School



Year Facility Built:	1962
Last Renovation:	1993 (2008 add'n)
GSF:	153,824 sq.ft.
Site Size:	14.32 acres
Relocatables:	3

## Adjacent Schools

Cabin John MS  
 Herbert Hoover MS  
 North Bethesda MS  
 Westland MS

## FY21 Annual School Test:

- 4-Yr Projection
  - Utilization : 99.3%
  - Seat Surplus : 11



# Redland Middle School

Year Facility Built:	1971
Last Renovation:	-
GSF:	112,297 sq.ft.
Site Size:	20.64 acres
Relocatables:	-



## Adjacent Schools

Forest Oak MS  
Gaithersburg MS  
Rosa Parks MS

Shady Grove MS  
Earle B. Wood MS

## FY21 Annual School Test:

- 4-Yr Projection
  - Utilization : 80.7%
  - Seat Surplus : 148



# Ridgeview Middle School



Year Facility Built:	1975
Last Renovation:	-
GSF:	145,168 sq.ft.
Site Size:	20 acres
Relocatables:	4

## Adjacent Schools

Forest Oak MS  
 Robert Frost MS  
 Kingsview MS  
 Lakelands Park MS

## FY21 Annual School Test:

- 4-Yr Projection
  - Utilization : 88.6%
  - Seat Surplus : 109



\* MCPS projection, modified according to Annual School Test guidelines (if applicable).



# Rocky Hill Middle School

Year Facility Built:	2004
Last Renovation:	-
GSF:	148,065 sq.ft.
Site Size:	23.29 acres
Relocatables:	-



## Adjacent Schools

John T. Baker MS  
 Roberto Clemente MS  
 Martin Luther King, Jr. MS

Montgomery Village MS  
 Hallie Wells MS

## FY21 Annual School Test:

- 4-Yr Projection
  - Utilization : 95.7%
  - Seat Surplus : 44



# Shady Grove Middle School

Year Facility Built:	1995
Last Renovation:	1999
GSF:	129,206 sq.ft.
Site Size:	20.51 acres
Relocatables:	-



## Adjacent Schools

Forest Oak MS  
Gaithersburg MS  
Redland MS

Julius West MS  
Earle B. Wood MS

## FY21 Annual School Test:

- 4-Yr Projection
  - Utilization : 83.7%
  - Seat Surplus : 139



# Silver Creek Middle School



Year Facility Built:	2017
Last Renovation:	-
GSF:	174,743 sq.ft.
Site Size:	13.38 acres
Relocatables:	-

## Adjacent Schools

Newport Mill MS  
 North Bethesda MS  
 Sligo MS  
 Westland MS

## FY21 Annual School Test:

- 4-Yr Projection
  - Utilization : 98.4%
  - Seat Surplus : 15



# Silver Spring International Middle School

Year Facility Built:	1934
Last Renovation:	1999
GSF:	152,731 sq.ft.
Site Size:	15.64 acres
Relocatables:	-



## Adjacent Schools

Eastern MS  
Francis Scott Key MS  
Col. E. Brooke Lee MS

Sligo MS  
Takoma Park MS

## FY21 Annual School Test:

- 4-Yr Projection
  - Utilization : 86.7%
  - Seat Surplus : 173



# Sligo Middle School



Year Facility Built:	1959
Last Renovation:	1991
GSF:	149,527 sq.ft.
Site Size:	21.74 acres
Relocatables:	-

## Adjacent Schools

Col. E. Brooke Lee MS  
 Newport Mill MS  
 Silver Creek MS  
 Silver Spring International MS

## FY21 Annual School Test:

- 4-Yr Projection
  - Utilization : 76.5%
  - Seat Surplus : 221



# Takoma Park Middle School



Year Facility Built:	1939
Last Renovation:	1999
GSF:	137,348 sq.ft.
Site Size:	18.83 acres
Relocatables:	6

## Adjacent Schools

Eastern MS  
Silver Spring International MS

## FY21 Annual School Test:

- 4-Yr Projection
  - Utilization : 92.9%
  - Seat Surplus : 94



# Tilden Middle School

Year Facility Built:	1967
Last Renovation:	1991
GSF:	135,150 sq.ft.
Site Size:	28.06 acres
Relocatables:	-



## Adjacent Schools

Herbert Hoover MS  
 A. Mario Loiederman MS  
 North Bethesda MS

Parkland MS  
 Julius West MS  
 Earle B. Wood MS

## FY21 Annual School Test:

- 4-Yr Projection
  - Utilization : 96.5%
  - Seat Surplus : 42



\* MCPS projection, modified according to Annual School Test guidelines (if applicable).



# Hallie Wells Middle School



Year Facility Built:	2016
Last Renovation:	-
GSF:	150,089 sq.ft.
Site Size:	22.37 acres
Relocatables:	-

## Adjacent Schools

John T. Baker MS  
 Gaithersburg MS  
 Neelsville MS  
 Rocky Hill MS

## FY21 Annual School Test:

- 4-Yr Projection
  - Utilization : 89.9%
  - Seat Surplus : 99




\* MCPS projection, modified according to Annual School Test guidelines (if applicable).





# Julius West Middle School

Year Facility Built:	1961
Last Renovation:	1995 (2016 add'n)
GSF:	182,617 sq.ft.
Site Size:	21.31 acres
Relocatables:	-



## FY21 Annual School Test:

- 4-Yr Projection
  - Utilization : 104.0%
  - Seat Deficit : 57



\* MCPS projection, modified according to Annual School Test guidelines (if applicable).



# Westland Middle School



Year Facility Built:	1951
Last Renovation:	1997
GSF:	146,006 sq.ft.
Site Size:	25.09 acres
Relocatables:	-

## Adjacent Schools

North Bethesda MS  
Thomas W. Pyle MS  
Silver Creek MS

## FY21 Annual School Test:

- 4-Yr Projection
  - Utilization : 82.8%
  - Seat Surplus : 190



\* MCPS projection, modified according to Annual School Test guidelines (if applicable).



# White Oak Middle School

Year Facility Built:	1962
Last Renovation:	1993
GSF:	141,163 sq.ft.
Site Size:	17.34 acres
Relocatables:	-



## Adjacent Schools

Argyle MS  
 Briggs Chaney MS  
 Eastern MS

William H. Farquhar MS  
 Francis Scott Key MS  
 Col. E. Brooke Lee MS

## FY21 Annual School Test:

- 4-Yr Projection
  - Utilization : 95.0%
  - Seat Surplus : 50



# Earle B. Wood Middle School

Year Facility Built:	1965
Last Renovation:	2001
GSF:	152,588 sq.ft.
Site Size:	8.5 acres
Relocatables:	-



## Adjacent Schools

Argyle MS  
 William H. Farquhar MS  
 Parkland MS  
 Redland MS

Shady Grove MS  
 Tilden MS  
 Julius West MS

## FY21 Annual School Test:

- 4-Yr Projection
  - Utilization : 105.7%
  - Seat Deficit : 54



# Individual School Utilization Report

Elementary Schools

# Arcola Elementary School

Year Facility Built:

1956

Last Renovation:

2007 (2015 add'n)

GSF:

95,421 sq.ft.

Site Size:

5 acres

Relocatables:

6



## Adjacent Schools

Forest Knolls ES  
Glen Haven ES  
Glenallan ES  
Highland ES  
Kemp Mill ES

Oakland Terrace ES  
Rock View ES  
Sargent Shriver ES  
Weller Road ES

## FY21 Annual School Test:

- 4-Yr Projection
  - Utilization : 112.1%
  - Seat Deficit : 79



\* MCPS projection, modified according to Annual School Test guidelines (if applicable).



# Ashburton Elementary School

Year Facility Built:

1957

Last Renovation:

1993 (2019 add'n)

GSF:

91,178 sq.ft.

Site Size:

8.32 acres

Relocatables:

-



## Adjacent Schools

Bells Mill ES  
Beverly Farms ES  
Burning Tree ES  
Garrett Park ES

Kensington-Parkwood ES  
Luxmanor ES  
Seven Locks ES  
Wyngate ES

## FY21 Annual School Test:

- 4-Yr Projection
  - Utilization : 119.6%
  - Seat Deficit : 155



\* MCPS projection, modified according to Annual School Test guidelines (if applicable).



# Bannockburn Elementary School

Year Facility Built:	1957
Last Renovation:	1988
GSF:	54,234 sq.ft.
Site Size:	8.34 acres
Relocatables:	2



## Adjacent Schools

Burning Tree ES  
 Carderock Springs ES  
 Seven Locks ES

Westbrook ES  
 Wood Acres ES

## FY21 Annual School Test:

- 4-Yr Projection
  - Utilization : 138.7%
  - Seat Deficit : 141



\* MCPS projection, modified according to Annual School Test guidelines (if applicable).



# Lucy V. Barnsley Elementary School

Year Facility Built:

1965

Last Renovation:

1998 (2018 add'n)

GSF:

97,524 sq.ft.

Site Size:

10 acres

Relocatables:

-



## Adjacent Schools

Bel Pre/Strathmore ES  
Brookhaven ES  
Flower Valley ES

Harmony Hills ES  
Meadow Hall ES  
Rock Creek Valley ES

## FY21 Annual School Test:

- 4-Yr Projection
  - Utilization : 116.6%
  - Seat Deficit : 108



# Beall Elementary School

Year Facility Built:	1954
Last Renovation:	1991
GSF:	79,477 sq.ft.
Site Size:	8.44 acres
Relocatables:	-



## Adjacent Schools

College Gardens ES  
Fallsmead ES  
Maryvale ES

Meadow Hall ES  
Ritchie Park ES  
Bayard Rustin ES

## FY21 Annual School Test:

- 4-Yr Projection
  - Utilization : 85.6%
  - Seat Surplus : 92



\* MCPS projection, modified according to Annual School Test guidelines (if applicable).



# Bel Pre/Strathmore Elementary School

	<u>Bel Pre</u>	<u>Strathmore</u>
Year Facility Built:	1968	/ 1970
Last Renovation:	2014	/ -
GSF:	95,330 sq.ft.	/ 59,497 sq.ft.
Site Size:	8.91 acres	/ 10.79 acres
Relocatables:	-	/ -



## Adjacent Schools

Lucy V. Barnsley ES  
Brookhaven ES  
Flower Valley ES  
Georgian Forest ES

Glenallan ES  
Harmony Hills ES  
Stonegate ES  
Westover ES

## FY21 Annual School Test:

- 4-Yr Projection
  - Utilization : 96.7%
  - Seat Surplus : 36



\* MCPS projection, modified according to Annual School Test guidelines (if applicable).



# Bells Mill Elementary School

Year Facility Built:	1968
Last Renovation:	2009
GSF:	77,244 sq.ft.
Site Size:	9.6 acres
Relocatables:	-



## Adjacent Schools

Ashburton ES  
Beverly Farms ES  
Potomac ES

Seven Locks ES  
Wayside ES

## FY21 Annual School Test:

- 4-Yr Projection
  - Utilization : 101.1%
  - Seat Deficit : 7



# Belmont Elementary School



Year Facility Built:	1974
Last Renovation:	-
GSF:	49,279 sq.ft.
Site Size:	10.52 acres
Relocatables:	-

## Adjacent Schools

Cashell ES  
Greenwood ES  
Laytonsville ES  
Olney ES

## FY21 Annual School Test:

- 4-Yr Projection
  - Utilization : 80.5%
  - Seat Surplus : 83



\* MCPS projection, modified according to Annual School Test guidelines (if applicable).



# Bethesda Elementary School

Year Facility Built:

1952

Last Renovation:

1999 (2015 add'n)

GSF:

75,421 sq.ft.

Site Size:

7.93 acres

Relocatables:

5



## Adjacent Schools

Bradley Hills ES  
Rosemary Hills/Chevy Chase ES  
Rosemary Hills/N. Chevy Chase ES

Somerset ES  
Wyngate ES

## FY21 Annual School Test:

- 4-Yr Projection
  - Utilization : 131.1%
  - Seat Deficit : 174



# Beverly Farms Elementary School

Year Facility Built:	1965
Last Renovation:	2012
GSF:	98,916 sq.ft.
Site Size:	4.98 acres
Relocatables:	-



## Adjacent Schools

Ashburton ES  
Bells Mill ES  
Cold Spring ES

Farmland ES  
Ritchie Park ES  
Wayside ES

## FY21 Annual School Test:

- 4-Yr Projection
  - Utilization : 87.5%
  - Seat Surplus : 86



\* MCPS projection, modified according to Annual School Test guidelines (if applicable).



# Bradley Hills Elementary School

Year Facility Built:

1951

Last Renovation:

1984 (2013 add'n)

GSF:

76,745 sq.ft.

Site Size:

6.71 acres

Relocatables:

-



## Adjacent Schools

Bethesda ES  
Burning Tree ES  
Somerset ES

Wood Acres ES  
Wyngate ES

## FY21 Annual School Test:

- 4-Yr Projection
  - Utilization : 80.5%
  - Seat Surplus : 129



\* MCPS projection, modified according to Annual School Test guidelines (if applicable).



# Brooke Grove Elementary School



Year Facility Built:	1990
Last Renovation:	-
GSF:	73,080 sq.ft.
Site Size:	10.96 acres
Relocatables:	-

## Adjacent Schools

Greenwood ES  
Olney ES  
Sherwood ES

## FY21 Annual School Test:

- 4-Yr Projection
  - Utilization : 89.4%
  - Seat Surplus : 55



\* MCPS projection, modified according to Annual School Test guidelines (if applicable).



# Brookhaven Elementary School

Year Facility Built:	1961
Last Renovation:	1995 (2011 add'n)
GSF:	81,320 sq.ft.
Site Size:	8.57 acres
Relocatables:	-



## Adjacent Schools

Lucy V. Barnsley ES  
Bel Pre/Strathmore ES  
Flower Valley ES

Harmony Hills ES  
Rock Creek Valley ES  
Wheaton Woods ES

## FY21 Annual School Test:

- 4-Yr Projection
  - Utilization : 99.4%
  - Seat Surplus : 3



# Brown Station Elementary School



Year Facility Built:	1969
Last Renovation:	2017
GSF:	113,998 sq.ft.
Site Size:	9 acres
Relocatables:	-

## Adjacent Schools

Rachel Carson ES  
 Clopper Mill ES  
 Diamond ES  
 Great Seneca Creek ES  
 Thurgood Marshall ES  
 S. Christa McAuliffe  
 South Lake ES  
 Watkins Mill ES

## FY21 Annual School Test:

- 4-Yr Projection
  - Utilization : 94.7%
  - Seat Surplus : 40



\* MCPS projection, modified according to Annual School Test guidelines (if applicable).



# Burning Tree Elementary School

Year Facility Built:	1958
Last Renovation:	1991
GSF:	68,119 sq.ft.
Site Size:	6.78 acres
Relocatables:	4



## Adjacent Schools

Ashburton ES  
Bannockburn ES  
Bradley Hills ES

Seven Locks ES  
Wyngate ES

## FY21 Annual School Test:

- 4-Yr Projection
  - Utilization : 128.3%
  - Seat Deficit : 107



# Burnt Mills Elementary School



Year Facility Built:	1964
Last Renovation:	1990
GSF:	57,318 sq.ft.
Site Size:	15.14 acres
Relocatables:	9

## Adjacent Schools

Forest Knolls ES  
Galway ES  
Jackson Road ES      Kemp Mill ES  
Roscoe R. Nix/Cresthaven ES

## FY21 Annual School Test:

- 4-Yr Projection
  - Utilization : 78.4%
  - Seat Surplus : 160



# Burtonsville Elementary School



Year Facility Built:	1952
Last Renovation:	1993
GSF:	71,349 sq.ft.
Site Size:	11.92 acres
Relocatables:	6

## Adjacent Schools

Cloverly ES  
Greencastle ES

## FY21 Annual School Test:

- 4-Yr Projection
  - Utilization : 119.7%
  - Seat Deficit : 97



# Candlewood Elementary School

Year Facility Built:	1968
Last Renovation:	2015
GSF:	82,222 sq.ft.
Site Size:	11.78 acres
Relocatables:	-



## Adjacent Schools

College Gardens ES  
Maryvale ES  
Mill Creek Towne ES

Sequoyah ES  
Washington Grove ES

## FY21 Annual School Test:

- 4-Yr Projection
  - Utilization : 77.9%
  - Seat Surplus : 114



\* MCPS projection, modified according to Annual School Test guidelines (if applicable).



# Cannon Road Elementary School



Year Facility Built:	1967
Last Renovation:	2012
GSF:	83,377 sq.ft.
Site Size:	4.4 acres
Relocatables:	-

## Adjacent Schools

Dr. Charles R. Drew ES      Roscoe R. Nix/Cresthaven ES  
 Fairland ES      William T. Page ES  
 Jackson Road ES

## FY21 Annual School Test:

- 4-Yr Projection
  - Utilization : 81.3%
  - Seat Surplus : 97



# Carderock Springs Elementary School



Year Facility Built:	1966
Last Renovation:	2010
GSF:	75,351 sq.ft.
Site Size:	9 acres
Relocatables:	-

## Adjacent Schools

Bannockburn ES  
Potomac ES  
Seven Locks ES

## FY21 Annual School Test:

- 4-Yr Projection
  - Utilization : 94.3%
  - Seat Surplus : 23



# Rachel Carson Elementary School



Year Facility Built:	1990
Last Renovation:	-
GSF:	78,547 sq.ft.
Site Size:	12.4 acres
Relocatables:	10

## Adjacent Schools

Brown Station ES  
 Diamond ES  
 DuFief ES  
 Fields Road ES  
 Jones Lane ES  
 Thurgood Marshall ES  
 Rosemont ES  
 Summit Hall ES

## FY21 Annual School Test:

- 4-Yr Projection
  - Utilization : 82.2%
  - Seat Surplus : 123
- Enrollment modification : reflects capacity solution at DuFief ES (2023)



# Cashell Elementary School



Year Facility Built:	1969
Last Renovation:	2009
GSF:	71,171 sq.ft.
Site Size:	10.24 acres
Relocatables:	2

## Adjacent Schools

Belmont ES  
 Flower Valley ES  
 Olney ES  
 Sequoyah ES

## FY21 Annual School Test:

- 4-Yr Projection
  - Utilization : 102.4%
  - Seat Deficit : 8



\* MCPS projection, modified according to Annual School Test guidelines (if applicable).



# Cedar Grove Elementary School

Year Facility Built:	1960
Last Renovation:	1987
GSF:	57,037
Site Size:	10.12
Relocatables:	3



## Adjacent Schools

Damascus ES  
 William B. Gibbs Jr. ES  
 Laytonsville ES  
 Little Bennett ES

Lois P. Rockwell ES  
 Snowden Farm ES  
 Wilson Wims ES  
 Woodfield ES

## FY21 Annual School Test:

- 4-Yr Projection
  - Utilization : 100.0%
  - Seat Deficit : 0



# Clarksburg Elementary School



Year Facility Built:	1952
Last Renovation:	1993
GSF:	54,983 sq.ft.
Site Size:	9.97 acres
Relocatables:	9

## Adjacent Schools

William B. Gibbs Jr. ES  
 Lake Seneca ES  
 Little Bennett ES  
 Spark M. Matsunaga ES  
 Ronald McNair ES  
 Monocacy ES  
 Snowden Farm ES  
 Waters Landing ES

## FY21 Annual School Test:

- 4-Yr Projection
  - Utilization : 90.7%
  - Seat Surplus : 29
- Enrollment modification : reflects capacity solution at Clarksburg ES #9 (2023)



# Clearspring Elementary School



Year Facility Built: 1988  
 Last Renovation: -  
 GSF: 77,535 sq.ft.  
 Site Size: 10 acres  
 Relocatables: -

## Adjacent Schools

[Damascus ES](#)  
[Laytonsville ES](#)  
[Lois P. Rockwell ES](#)  
[Woodfield ES](#)

## FY21 Annual School Test:

- 4-Yr Projection
  - Utilization : 100.8%
  - Seat Deficit : 5



# Copper Mill Elementary School



Year Facility Built:	1986
Last Renovation:	-
GSF:	64,851 sq.ft.
Site Size:	9 acres
Relocatables:	5

**Adjacent Schools**

Brown Station ES	Spark M. Matsunaga ES
Germantown ES	S. Christa McAuliffe
Great Seneca Creek ES	Ronald McNair ES
Lake Seneca ES	

## FY21 Annual School Test:

- 4-Yr Projection
  - Utilization : 114.3%
  - Seat Deficit : 71



\* MCPS projection, modified according to Annual School Test guidelines (if applicable).



# Cloverly Elementary School

Year Facility Built:	1961
Last Renovation:	1989
GSF:	61,991 sq.ft.
Site Size:	10 acres
Relocatables:	2



## Adjacent Schools

Burtonsville ES  
Dr. Charles R. Drew ES  
Fairland ES

Greencastle ES  
Sherwood ES  
Stonegate ES

## FY21 Annual School Test:

- 4-Yr Projection
  - Utilization : 112.1%
  - Seat Deficit : 56



\* MCPS projection, modified according to Annual School Test guidelines (if applicable).



# Cold Spring Elementary School



Year Facility Built:	1972
Last Renovation:	-
GSF:	55,158 sq.ft.
Site Size:	12.38 acres
Relocatables:	1

## Adjacent Schools

Beverly Farms ES  
 Fallsmead ES  
 Ritchie Park ES  
 Wayside ES

## FY21 Annual School Test:

- 4-Yr Projection
  - Utilization : 75.5%
  - Seat Surplus : 112



# College Gardens Elementary School

Year Facility Built:	1967
Last Renovation:	2008
GSF:	96,986 sq.ft.
Site Size:	7.94 acres
Relocatables:	2



## Adjacent Schools

Beall ES  
Candlewood ES  
Maryvale ES

Ritchie Park ES  
Rosemont ES

## FY21 Annual School Test:

- 4-Yr Projection
  - Utilization : 90.7%
  - Seat Surplus : 63



# Capt. James E. Daly Elementary School

Year Facility Built:	1989
Last Renovation:	-
GSF:	78,386 sq.ft.
Site Size:	10 acres
Relocatables:	4



## Adjacent Schools

Fox Chapel ES  
William B. Gibbs Jr. ES  
Dr. Salley K. Ride ES

South Lake ES  
Stedwick ES

## FY21 Annual School Test:

- 4-Yr Projection
  - Utilization : 90.6%
  - Seat Surplus : 49
- Enrollment modification : reflects capacity solution at Clarksburg ES #9 (2023)



\* MCPS projection, modified according to Annual School Test guidelines (if applicable).



# Damascus Elementary School

Year Facility Built:	1934
Last Renovation:	1980
GSF:	53,239 sq.ft.
Site Size:	9.42 acres
Relocatables:	2



## Adjacent Schools

Cedar Grove ES  
 Clearspring ES  
 Laytonsville ES

Little Bennett ES  
 Lois P. Rockwell ES

## FY21 Annual School Test:

- 4-Yr Projection
  - Utilization : 113.8%
  - Seat Deficit : 49



\* MCPS projection, modified according to Annual School Test guidelines (if applicable).



# Darnestown Elementary School

Year Facility Built:

1954

Last Renovation:

1980 (2013 add'n)

GSF:

64,840 sq.ft.

Site Size:

7.21 acres

Relocatables:

-



## Adjacent Schools

Great Seneca Creek ES  
Jones Lane ES  
Thurgood Marshall ES  
Spark M. Matsunaga ES

Monocacy ES  
Poolesville ES  
Travilah ES

## FY21 Annual School Test:

- 4-Yr Projection
  - Utilization : 77.8%
  - Seat Surplus : 96



# Diamond Elementary School

Year Facility Built:	1975
Last Renovation:	- (2017 add'n)
GSF:	83,177 sq.ft.
Site Size:	10 acres
Relocatables:	4



## Adjacent Schools

Brown Station ES  
Rachel Carson ES  
Fields Road ES

Great Seneca Creek ES  
Jones Lane ES  
Thurgood Marshall ES

## FY21 Annual School Test:

- 4-Yr Projection
  - Utilization : 120.5%
  - Seat Deficit : 139



# Dr. Charles R. Drew Elementary School



Year Facility Built:	1991
Last Renovation:	-
GSF:	73,975 sq.ft.
Site Size:	12 acres
Relocatables:	-

## Adjacent Schools

Cannon Road ES  
 Cloverly ES  
 Fairland ES  
 William T. Page ES  
 Sherwood ES  
 Stonegate ES  
 Westover ES

## FY21 Annual School Test:

- 4-Yr Projection
  - Utilization : 106.0%
  - Seat Deficit : 30



\* MCPS projection, modified according to Annual School Test guidelines (if applicable).



# DuFief Elementary School

Year Facility Built:	1975
Last Renovation:	-
GSF:	59,013 sq.ft.
Site Size:	10 acres
Relocatables:	1



## Adjacent Schools

Rachel Carson ES  
Fields Road ES  
Jones Lane ES

Thurgood Marshall ES  
Stone Mill ES  
Travilah ES

## FY21 Annual School Test:

- 4-Yr Projection
  - Utilization : 82.2%
  - Seat Surplus : 134
- Enrollment modification : reflects capacity solution for Rachel Carson ES (2023)



\* MCPS projection, modified according to Annual School Test guidelines (if applicable).



# East Silver Spring Elementary School



Year Facility Built:	1929
Last Renovation:	1975 (2010 add'n)
GSF:	88,895 sq.ft.
Site Size:	8.43 acres
Relocatables:	-

## Adjacent Schools

[Rolling Terrace ES](#)  
[Sligo Creek ES](#)  
[Takoma Park/Piney Branch ES](#)

## FY21 Annual School Test:

- 4-Yr Projection
  - Utilization : 88.2%
  - Seat Surplus : 68



\* MCPS projection, modified according to Annual School Test guidelines (if applicable).



# Fairland Elementary School



Year Facility Built: **1992**  
 Last Renovation: - (2011 add'n)  
 GSF: **92,227 sq.ft.**  
 Site Size: **11.79 acres**  
 Relocatables: **1**

## Adjacent Schools

Cannon Road ES  
 Cloverly ES  
 Dr. Charles R. Drew ES  
 Galway ES  
 Greencastle ES  
 Jackson Road ES  
 William T. Page ES

## FY21 Annual School Test:

- 4-Yr Projection
  - Utilization : 93.8%
  - Seat Surplus : 40



# Fallsmead Elementary School

Year Facility Built:	1974
Last Renovation:	- (2008 add'n)
GSF:	67,472 sq.ft.
Site Size:	8.98 acres
Relocatables:	-



## Adjacent Schools

Beall ES  
 Cold Spring ES  
 Fields Road ES  
 Jones Lane ES  
 Lakewood ES

Ritchie Park ES  
 Rosemont ES  
 Bayard Rustin ES  
 Wayside ES

## FY21 Annual School Test:

- 4-Yr Projection
  - Utilization : 102.9%
  - Seat Deficit : 16



# Farmland Elementary School

Year Facility Built:	1963
Last Renovation:	2011
GSF:	89,988 sq.ft.
Site Size:	4.75 acres
Relocatables:	-



## Adjacent Schools

Beverly Farms ES  
Garrett Park ES  
Luxmanor ES

Bayard Rustin ES  
Twinbrook ES

## FY21 Annual School Test:

- 4-Yr Projection
  - Utilization : 118.1%
  - Seat Deficit : 129



# Fields Road Elementary School

Year Facility Built:	1973
Last Renovation:	- (2008 add'n)
GSF:	72,302 sq.ft.
Site Size:	10 acres
Relocatables:	4



## Adjacent Schools

Rachel Carson ES  
Diamond ES  
DuFief ES

Fallsmead ES  
Jones Lane ES  
Rosemont ES

## FY21 Annual School Test:

- 4-Yr Projection
  - Utilization : 109.2%
  - Seat Deficit : 40



\* MCPS projection, modified according to Annual School Test guidelines (if applicable).



# Flower Hill Elementary School



Year Facility Built:	1985
Last Renovation:	-
GSF:	58,770 sq.ft.
Site Size:	10 acres
Relocatables:	3

## Adjacent Schools

Judith A. Resnik ES  
 Sequoyah ES  
 Strawberry Knoll ES  
 Washington Grove ES

## FY21 Annual School Test:

- 4-Yr Projection
  - Utilization : 88.8%
  - Seat Surplus : 55



\* MCPS projection, modified according to Annual School Test guidelines (if applicable).





# Flower Valley Elementary School

Year Facility Built:	1967
Last Renovation:	1996
GSF:	61,567 sq.ft.
Site Size:	9.28 acres
Relocatables:	2



## FY21 Annual School Test:

- 4-Yr Projection
  - Utilization : 116.1%
  - Seat Deficit : 67



\* MCPS projection, modified according to Annual School Test guidelines (if applicable).



# Forest Knolls Elementary School

Year Facility Built:

1960

Last Renovation:

1993 (2006 add'n)

GSF:

89,564 sq.ft.

Site Size:

7.77 acres

Relocatables:

5

## Adjacent Schools

Arcola ES

Burnt Mills ES

Glen Haven ES



Kemp Mill ES

Montgomery Knolls/Pine Crest ES

Flora M. Singer ES

## FY21 Annual School Test:

- 4-Yr Projection
  - Utilization : 99.2%
  - Seat Surplus : 4



\* MCPS projection, modified according to Annual School Test guidelines (if applicable).



# Fox Chapel Elementary School

Year Facility Built:	1974
Last Renovation:	- (2011 add'n)
GSF:	85,182 sq.ft.
Site Size:	10.34 acres
Relocatables:	-



## Adjacent Schools

Capt. James E. Daly ES  
S. Christa McAuliffe  
Dr. Salley K. Ride ES

South Lake ES  
Watkins Mill ES

## FY21 Annual School Test:

- 4-Yr Projection
  - Utilization : 90.6%
  - Seat Surplus : 64
- Enrollment modification : reflects capacity solution at Clarksburg ES #9 (2023)



# Gaithersburg Elementary School

Year Facility Built:	1947
Last Renovation:	1983
GSF:	94,468 sq.ft.
Site Size:	9.22 acres
Relocatables:	-



## Adjacent Schools

Judith A. Resnik ES  
Rosemont ES  
South Lake ES

Strawberry Knoll ES  
Summit Hall ES  
Washington Grove ES

## FY21 Annual School Test:

- 4-Yr Projection
  - Utilization : 96.2%
  - Seat Surplus : 28
- Enrollment modification : reflects capacity solution at Gaithersburg ES #8 (2022)



\* MCPS projection, modified according to Annual School Test guidelines (if applicable).



# Galway Elementary School

Year Facility Built:	1967
Last Renovation:	2009
GSF:	103,170 sq.ft.
Site Size:	9 acres
Relocatables:	2


## Adjacent Schools

Burnt Mills ES  
 Fairland ES  
 Greencastle ES

Jackson Road ES  
 Roscoe R. Nix/Cresthaven ES  
 William T. Page ES

## FY21 Annual School Test:

- 4-Yr Projection
  - Utilization : 104.0%
  - Seat Deficit : 30





# Garrett Park Elementary School

Year Facility Built:	1948
Last Renovation:	2012
GSF:	96,348 sq.ft.
Site Size:	4.37 acres
Relocatables:	-



## FY21 Annual School Test:

- 4-Yr Projection
  - Utilization : 101.2%
  - Seat Deficit : 9



# Georgian Forest Elementary School


Year Facility Built:	1961
Last Renovation:	1995 (2013 add'n)
GSF:	88,111 sq.ft.
Site Size:	10.94 acres
Relocatables:	-

## Adjacent Schools

Bel Pre/Strathmore ES  
 Glenallan ES  
 Harmony Hills ES  
 Weller Road ES

## FY21 Annual School Test:

- 4-Yr Projection
  - Utilization : 95.4%
  - Seat Surplus : 31



# Germantown Elementary School



Year Facility Built:	1935
Last Renovation:	1978
GSF:	57,668 sq.ft.
Site Size:	7.75 acres
Relocatables:	3

## Adjacent Schools

Copper Mill ES  
 Great Seneca Creek ES  
 Spark M. Matsunaga ES  
 Ronald McNair ES

## FY21 Annual School Test:

- 4-Yr Projection
  - Utilization : 115.8%
  - Seat Deficit : 48



# William B. Gibbs, Jr. Elementary School

Year Facility Built:	2009
Last Renovation:	-
GSF:	88,042 sq.ft.
Site Size:	10.75 acres
Relocatables:	-



## Adjacent Schools

Cedar Grove ES  
 Clarksburg ES  
 Capt. James E. Daly ES  
 Goshen ES  
 Laytonsville ES

Dr. Salley K. Ride ES  
 Snowden Farm ES  
 Stedwick ES  
 Waters Landing ES

## FY21 Annual School Test:

- 4-Yr Projection
  - Utilization : 83.7%
  - Seat Surplus : 117



\* MCPS projection, modified according to Annual School Test guidelines (if applicable).



# Glen Haven Elementary School



Year Facility Built:	1950
Last Renovation:	2004
GSF:	85,845 sq.ft.
Site Size:	10 acres
Relocatables:	-

## Adjacent Schools

Arcola ES  
 Forest Knolls ES  
 Oakland Terrace ES  
 Flora M. Singer ES

## FY21 Annual School Test:

- 4-Yr Projection
  - Utilization : 88.7%
  - Seat Surplus : 63



# Glenallan Elementary School

Year Facility Built:	1966
Last Renovation:	2013
GSF:	98,700 sq.ft.
Site Size:	12.1 acres
Relocatables:	-



## Adjacent Schools

Arcola ES  
 Bel Pre/Strathmore ES  
 Georgian Forest ES  
 Jackson Road ES

Kemp Mill ES  
 Weller Road ES  
 Westover ES

## FY21 Annual School Test:

- 4-Yr Projection
  - Utilization : 98.9%
  - Seat Surplus : 8



\* MCPS projection, modified according to Annual School Test guidelines (if applicable).



# Goshen Elementary School

Year Facility Built:	1988
Last Renovation:	-
GSF:	76,740 sq.ft.
Site Size:	10.47 acres
Relocatables:	-



## Adjacent Schools

William B. Gibbs Jr. ES  
 Laytonsville ES  
 Judith A. Resnik ES  
 South Lake ES

Stedwick ES  
 Strawberry Knoll ES  
 Whetstone ES

## FY21 Annual School Test:

- 4-Yr Projection
  - Utilization : 92.3%
  - Seat Deficit : 46



# Great Seneca Creek Elementary School



Year Facility Built:	2006
Last Renovation:	-
GSF:	82,511 sq.ft.
Site Size:	13.71 acres
Relocatables:	3

## Adjacent Schools

Brown Station ES  
 Clopper Mill ES  
 Darnestown ES  
 Diamond ES  
 Germantown ES  
 Thurgood Marshall ES  
 Spark M. Matsunaga ES  
 Ronald McNair ES

## FY21 Annual School Test:

- 4-Yr Projection
  - Utilization : 103.6%
  - Seat Deficit : 20



# Greencastle Elementary School



Year Facility Built:	1988
Last Renovation:	-
GSF:	78,275 sq.ft.
Site Size:	18.88 acres
Relocatables:	6

## Adjacent Schools

Burtonsville ES  
Cloverly ES  
Fairland ES  
Galway ES

## FY21 Annual School Test:

- 4-Yr Projection
  - Utilization : 121.3%
  - Seat Deficit : 126



# Greenwood Elementary School

Year Facility Built:	1970
Last Renovation:	-
GSF:	64,609 sq.ft.
Site Size:	10 acres
Relocatables:	-



## Adjacent Schools

Belmont ES  
Brooke Grove ES  
Laytonsville ES

Olney ES  
Sherwood ES

## FY21 Annual School Test:

- 4-Yr Projection
  - Utilization : 90.9%
  - Seat Surplus : 53



# Harmony Hills Elementary School

Year Facility Built:

1957

Last Renovation:

1999 (2011 add'n)

GSF:

85,648 sq.ft.

Site Size:

10.19 acres

Relocatables:

5



## Adjacent Schools

Lucy V. Barnsley ES  
Bel Pre/Strathmore ES  
Brookhaven ES  
Georgian Forest ES

Sargent Shriver ES  
Weller Road ES  
Wheaton Woods ES

## FY21 Annual School Test:

- 4-Yr Projection
  - Utilization : 103.1%
  - Seat Deficit : 22



# Highland Elementary School



Year Facility Built:	1950
Last Renovation:	1989
GSF:	87,491 sq.ft.
Site Size:	11.05 acres
Relocatables:	-

## Adjacent Schools

Arcola ES  
Kemp Mill ES  
Rock View ES  
Sargent Shriver ES

## FY21 Annual School Test:

- 4-Yr Projection
  - Utilization : 103.3%
  - Seat Deficit : 18



# Highland View Elementary School



Year Facility Built:	1953
Last Renovation:	1994
GSF:	59,307 sq.ft.
Site Size:	6.61 acres
Relocatables:	6

## Adjacent Schools

Montgomery Knolls/Pine Crest ES  
 New Hampshire Estates/Oak View ES  
 Sligo Creek ES

## FY21 Annual School Test:

- 4-Yr Projection
  - Utilization : 145.5%
  - Seat Deficit : 131



\* MCPS projection, modified according to Annual School Test guidelines (if applicable).



# Jackson Road Elementary School

Year Facility Built:

1959

Last Renovation:

1995 (2011 add'n)

GSF:

91,465 sq.ft.

Site Size:

8.76 acres

Relocatables:

1



## Adjacent Schools

Burnt Mills ES  
Cannon Road ES  
Fairland ES  
Galway ES

Glenallan ES  
Kemp Mill ES  
Roscoe R. Nix/Cresthaven ES  
Westover ES

## FY21 Annual School Test:

- 4-Yr Projection
  - Utilization : 93.8%
  - Seat Surplus : 43



\* MCPS projection, modified according to Annual School Test guidelines (if applicable).



# Jones Lane Elementary School



Year Facility Built:	1987
Last Renovation:	-
GSF:	60,679 sq.ft.
Site Size:	12.06 acres
Relocatables:	-

## Adjacent Schools

Rachel Carson ES  
 Darnestown ES  
 Diamond ES  
 DuFief ES  
 Fallsmead ES  
 Fields Road ES  
 Thurgood Marshall ES  
 Rosemont ES  
 Summit Hall ES  
 Travilah ES

## FY21 Annual School Test:

- 4-Yr Projection
  - Utilization : 81.4%
  - Seat Surplus : 96



\* MCPS projection, modified according to Annual School Test guidelines (if applicable).



# Kemp Mill Elementary School

Year Facility Built:	1960
Last Renovation:	1996
GSF:	68,222 sq.ft.
Site Size:	10 acres
Relocatables:	3



## Adjacent Schools

Arcola ES  
Burnt Mills ES  
Forest Knolls ES

Glenallan ES  
Highland ES  
Jackson Road ES

## FY21 Annual School Test:

- 4-Yr Projection
  - Utilization : 105.0%
  - Seat Deficit : 23



\* MCPS projection, modified according to Annual School Test guidelines (if applicable).



# Kensington-Parkwood Elementary School



Year Facility Built:	1952
Last Renovation:	2006 (2018 add'n)
GSF:	102,382
Site Size:	9.86 acres
Relocatables:	-

## Adjacent Schools

Ashburton ES  
 Garrett Park ES  
 Luxmanor ES  
 Oakland Terrace ES  
 Rock View ES  
 Rosemary Hills/N. Chevy Chase ES  
 Viers Mill ES  
 Wyngate ES

## FY21 Annual School Test:

- 4-Yr Projection
  - Utilization : 84.9%
  - Seat Surplus : 114



# Lake Seneca Elementary School



Year Facility Built:	1985
Last Renovation:	-
GSF:	58,770 sq.ft.
Site Size:	9.35 acres
Relocatables:	9

**Adjacent Schools**

<a href="#">Clarksburg ES</a> <a href="#">Clopper Mill ES</a> <a href="#">Spark M. Matsunaga ES</a> <a href="#">S. Christa McAuliffe</a>	<a href="#">Ronald McNair ES</a> <a href="#">Dr. Salley K. Ride ES</a> <a href="#">Waters Landing ES</a>
---	--

## FY21 Annual School Test:

- 4-Yr Projection
  - Utilization : 113.9%
  - Seat Deficit : 59



\* MCPS projection, modified according to Annual School Test guidelines (if applicable).



# Lakewood Elementary School

Year Facility Built:	1968
Last Renovation:	2003
GSF:	77,526 sq.ft.
Site Size:	13.07 acres
Relocatables:	-



## Adjacent Schools

Fallsmead ES  
Ritchie Park ES  
Stone Mill ES

Travilah ES  
Wayside ES

## FY21 Annual School Test:

- 4-Yr Projection
  - Utilization : 79.7%
  - Seat Surplus : 113



\* MCPS projection, modified according to Annual School Test guidelines (if applicable).



# Laytonsville Elementary School



Year Facility Built:	1951
Last Renovation:	1989
GSF:	64,160 sq.ft.
Site Size:	10.43 acres
Relocatables:	-

## Adjacent Schools

Belmont ES  
 Cedar Grove ES  
 Clearspring ES  
 Damascus ES  
 William B. Gibbs Jr. ES  
 Goshen ES  
 Greenwood ES  
 Judith A. Resnik ES  
 Sequoyah ES  
 Woodfield ES

## FY21 Annual School Test:

- 4-Yr Projection
  - Utilization : 96.6%
  - Seat Surplus : 15



# JoAnn Leleck Elementary School



Year Facility Built:	1952
Last Renovation:	1974 (2006 add'n)
GSF:	88,922 sq.ft.
Site Size:	6.15 acres
Relocatables:	10

## Adjacent Schools

Montgomery Knolls/Pine Crest ES  
 New Hampshire Estates/Oak View ES  
 Roscoe R. Nix/Cresthaven ES

## FY21 Annual School Test:

- 4-Yr Projection
  - Utilization : 87.4%
  - Seat Surplus : 90
- Enrollment modification : reflects capacity solution at Roscoe R. Nix/Cresthaven ES (2022)



# Little Bennett Elementary School

Year Facility Built:	2006
Last Renovation:	-
GSF:	82,511 sq.ft.
Site Size:	4.81 acres
Relocatables:	-



## Adjacent Schools

Cedar Grove ES  
Clarksburg ES  
Damascus ES

Snowden Farm ES  
Wilson Wims ES

## FY21 Annual School Test:

- 4-Yr Projection
  - Utilization : 102.2%
  - Seat Deficit : 14



# Luxmanor Elementary School



Year Facility Built: 1966  
 Last Renovation: - (2009 add'n)  
 GSF: 61,694 sq.ft.  
 Site Size: 6.49 acres  
 Relocatables: -

## Adjacent Schools

[Ashburton ES](#)  
[Farmland ES](#)  
[Garrett Park ES](#)  
[Kensington-Parkwood ES](#)

## FY21 Annual School Test:

- 4-Yr Projection
  - Utilization : 101.4%
  - Seat Deficit : 11



# Thurgood Marshall Elementary School

Year Facility Built:	1993
Last Renovation:	-
GSF:	77,798 sq.ft.
Site Size:	12 acres
Relocatables:	5



## Adjacent Schools

Brown Station ES  
 Rachel Carson ES  
 Darnestown ES  
 Diamond ES

DuFief ES  
 Great Seneca Creek ES  
 Jones Lane ES  
 Summit Hall ES

## FY21 Annual School Test:

- 4-Yr Projection
  - Utilization : 114.5%
  - Seat Deficit : 80



\* MCPS projection, modified according to Annual School Test guidelines (if applicable).



# Maryvale Elementary School

Year Facility Built:	1969
Last Renovation:	-
GSF:	92,050 sq.ft.
Site Size:	17.67 acres
Relocatables:	-



## Adjacent Schools

Beall ES  
Candlewood ES  
College Gardens ES

Flower Valley ES  
Meadow Hall ES  
Sequoyah ES

## FY21 Annual School Test:

- 4-Yr Projection
  - Utilization : 87.0%
  - Seat Surplus : 90



\* MCPS projection, modified according to Annual School Test guidelines (if applicable).



# Spark M. Matsunaga Elementary School



Year Facility Built:	2001
Last Renovation:	-
GSF:	90,718 sq.ft.
Site Size:	11.8 acres
Relocatables:	4

## Adjacent Schools

Clarksburg ES  
 Clopper Mill ES  
 Darnestown ES  
 Germantown ES  
 Great Seneca Creek ES  
 Lake Seneca ES  
 S. Christa McAuliffe  
 Ronald McNair ES  
 Monocacy ES

## FY21 Annual School Test:

- 4-Yr Projection
  - Utilization : 116.3%
  - Seat Deficit : 95



\* MCPS projection, modified according to Annual School Test guidelines (if applicable).



# S. Christa McAuliffe Elementary School

Year Facility Built:	1987
Last Renovation:	- (2019 add'n)
GSF:	102,111 sq.ft.
Site Size:	10.59 acres
Relocatables:	-



## Adjacent Schools

Brown Station ES  
 Clopper Mill ES  
 Fox Chapel ES  
 Lake Seneca ES

Spark M. Matsunaga ES  
 Dr. Salley K. Ride ES  
 Watkins Mill ES

## FY21 Annual School Test:

- 4-Yr Projection
  - Utilization : 70.7%
  - Seat Surplus : 226



# Ronald McNair Elementary School

Year Facility Built:	1990
Last Renovation:	-
GSF:	78,275 sq.ft.
Site Size:	10 acres
Relocatables:	7



## Adjacent Schools

Clarksburg ES  
Clopper Mill ES  
Germantown ES

Great Seneca Creek ES  
Lake Seneca ES  
Spark M. Matsunaga ES

## FY21 Annual School Test:

- 4-Yr Projection
  - Utilization : 107.8%
  - Seat Deficit : 60



\* MCPS projection, modified according to Annual School Test guidelines (if applicable).



# Meadow Hall Elementary School

Year Facility Built:	1956
Last Renovation:	1994
GSF:	61,964 sq.ft.
Site Size:	8.37 acres
Relocatables:	7



## Adjacent Schools

Lucy V. Barnsley ES  
Beall ES  
Flower Valley ES

Maryvale ES  
Rock Creek Valley ES  
Twinbrook ES

## FY21 Annual School Test:

- 4-Yr Projection
  - Utilization : 109.1%
  - Seat Deficit : 34



\* MCPS projection, modified according to Annual School Test guidelines (if applicable).



# Mill Creek Towne Elementary School



Year Facility Built:	1966
Last Renovation:	2000
GSF:	67,465 sq.ft.
Site Size:	8.38 acres
Relocatables:	9

## Adjacent Schools

Candlewood ES  
 Judith A. Resnik ES  
 Sequoyah ES  
 Washington Grove ES

## FY21 Annual School Test:

- 4-Yr Projection
  - Utilization : 156.3%
  - Seat Deficit : 189



\* MCPS projection, modified according to Annual School Test guidelines (if applicable).



# Monocacy Elementary School



Year Facility Built:	1961
Last Renovation:	1989
GSF:	42,482 sq.ft.
Site Size:	9.66 acres
Relocatables:	-

## Adjacent Schools

Clarksburg ES  
Darnestown ES  
Spark M. Matsunaga ES  
Poolesville ES

## FY21 Annual School Test:

- 4-Yr Projection
  - Utilization : 71.7%
  - Seat Surplus : 62



\* MCPS projection, modified according to Annual School Test guidelines (if applicable).



# Montgomery Knolls/Pine Crest ES

	<u>Mont. Knolls</u>	<u>Pine Crest</u>
Year Facility Built:	1952	/ 1941
Last Renovation:	1989 (2011 add'n)	/ 1992
GSF:	97,213 sq.ft.	/ 53,778 sq.ft.
Site Size:	10.33 acres	/ 5.64 acres
Relocatables:	-	/ 5



## Adjacent Schools

Forest Knolls ES  
 Highland View ES  
 JoAnn Leleck ES  
 New Hampshire Est/Oak View ES

Roscoe R. Nix/Cresthaven ES  
 Rolling Terrace ES  
 Sligo Creek ES  
 Flora M. Singer ES

## FY21 Annual School Test:

- 4-Yr Projection
  - Utilization : 82.1%
  - Seat Surplus : 236



\* MCPS projection, modified according to Annual School Test guidelines (if applicable).



# New Hampshire Estates/Oak View ES

	<u>NHE</u>	<u>Oak View</u>
Year Facility Built:	1954	/ 1949
Last Renovation:	1988	/ 1985
GSF:	73,306 sq.ft.	/ 57,560 sq.ft.
Site Size:	5.42 acres	/ 11.25 acres
Relocatables:	-	/ 3



## Adjacent Schools

Highland View ES  
JoAnn Leleck ES  
Montgomery Knolls/PineCrest ES

Rolling Terrace ES  
Sligo Creek ES  
Takoma Park/Piney Branch ES

## FY21 Annual School Test:

- 4-Yr Projection
  - Utilization : 105.8%
  - Seat Deficit : 48



# Roscoe R. Nix/Cresthaven ES

	<u>Roscoe R. Nix</u>	<u>Cresthaven</u>
Year Facility Built:	2006	/ 1962
Last Renovation:	-	/ 2010
GSF:	88,351 sq.ft.	/ 76,862 sq.ft.
Site Size:	8.97 acres	/ 9.81 acres
Relocatables:	-	/ 2



## Adjacent Schools

Burnt Mills ES  
 Cannon Road ES  
 Galway ES

Jackson Road ES  
 JoAnn Leleck ES  
 Montgomery Knolls/Pine Crest ES

## FY21 Annual School Test:

- 4-Yr Projection
  - Utilization : 87.3%
  - Seat Surplus : 183
- Enrollment modification : reflects capacity solution for JoAnn Leleck ES (2022)



# Oakland Terrace Elementary School



Year Facility Built:	1950
Last Renovation:	1993
GSF:	79,145 sq.ft.
Site Size:	9.54 acres
Relocatables:	2

## Adjacent Schools

Arcola ES  
 Glen Haven ES  
 Kensington-Parkwood ES  
 Rock View ES  
 Rosemary Hills/N. Chevy Chase ES  
 Flora M. Singer ES

## FY21 Annual School Test:

- 4-Yr Projection
  - Utilization : 111.5%
  - Seat Deficit : 56



\* MCPS projection, modified according to Annual School Test guidelines (if applicable).



# Olney Elementary School

Year Facility Built:	1954
Last Renovation:	1990
GSF:	68,755 sq.ft.
Site Size:	9.88 acres
Relocatables:	-



## Adjacent Schools

Belmont ES  
Brooke Grove ES  
Cashell ES

Greenwood ES  
Sequoyah ES  
Sherwood ES

## FY21 Annual School Test:

- 4-Yr Projection
  - Utilization : 111.4%
  - Seat Deficit : 69



# William T. Page Elementary School



Year Facility Built:	1965
Last Renovation:	2003
GSF:	58,726 sq.ft.
Site Size:	9.76 acres
Relocatables:	10

## Adjacent Schools

Cannon Road ES  
 Dr. Charles R. Drew ES  
 Fairland ES  
 Galway ES

## FY21 Annual School Test:

- 4-Yr Projection
  - Utilization : 103.9%
  - Seat Deficit : 29



# Poolesville Elementary School



Year Facility Built:	1960
Last Renovation:	1978
GSF:	64,803 sq.ft.
Site Size:	12.28 acres
Relocatables:	-

## Adjacent Schools

Darnestown ES  
Monocacy ES

## FY21 Annual School Test:

- 4-Yr Projection
  - Utilization : 100.4%
  - Seat Deficit : 2



# Potomac Elementary School

Year Facility Built:	1949
Last Renovation:	1976
GSF:	57,713 sq.ft.
Site Size:	9.61 acres
Relocatables:	-



## Adjacent Schools

Bells Mill ES  
 Carderock Springs ES  
 Seven Locks ES

Stone Mill ES  
 Travilah ES  
 Wayside ES

## FY21 Annual School Test:

- 4-Yr Projection
  - Utilization : 73.9%
  - Seat Surplus : 125



# Judith A. Resnik Elementary School


Year Facility Built:	1991
Last Renovation:	-
GSF:	78,547 sq.ft.
Site Size:	12.77 acres
Relocatables:	6

## Adjacent Schools

Flower Hill ES  
 Gaithersburg ES  
 Goshen ES  
 Laytonsville ES  
 Mill Creek Towne ES  
 Sequoyah ES  
 Strawberry Knoll ES  
 Washington Grove ES

## FY21 Annual School Test:

- 4-Yr Projection
  - Utilization : 122.3%
  - Seat Deficit : 110



# Dr. Sally K. Ride Elementary School

Year Facility Built:	1994
Last Renovation:	-
GSF:	78,686 sq.ft.
Site Size:	13.48 acres
Relocatables:	2



## Adjacent Schools

Capt. James E. Daly ES  
Fox Chapel ES  
William B. Gibbs Jr. ES

Lake Seneca ES  
S. Christa McAuliffe  
Waters Landing ES

## FY21 Annual School Test:

- 4-Yr Projection
  - Utilization : 101.3%
  - Seat Deficit : 6



# Ritchie Park Elementary School

Year Facility Built:	1966
Last Renovation:	1997
GSF:	58,500 sq.ft.
Site Size:	9.22 acres
Relocatables:	6



## Adjacent Schools

Beall ES  
 Beverly Farms ES  
 Cold Spring ES  
 College Gardens ES  
 Fallsmead ES

Lakewood ES  
 Rosemont ES  
 Bayard Rustin ES  
 Stone Mill ES

## FY21 Annual School Test:

- 4-Yr Projection
  - Utilization : 97.4%
  - Seat Surplus : 10



# Rock Creek Forest Elementary School



Year Facility Built:	1950
Last Renovation:	2015
GSF:	98,140 sq.ft.
Site Size:	7.95 acres
Relocatables:	-

## Adjacent Schools

Rosemary Hills/Chevy Chase ES  
Rosemary Hills/N. Chevy Chase ES  
Woodlin ES

## FY21 Annual School Test:

- 4-Yr Projection
  - Utilization : 115.7%
  - Seat Deficit : 105



\* MCPS projection, modified according to Annual School Test guidelines (if applicable).



# Rock Creek Valley Elementary School

Year Facility Built:	1964
Last Renovation:	2001
GSF:	76,692 sq.ft.
Site Size:	10.44 acres
Relocatables:	3



## Adjacent Schools

Lucy V. Barnsley ES  
Brookhaven ES  
Garrett Park ES

Meadow Hall ES  
Wheaton Woods ES

## FY21 Annual School Test:

- 4-Yr Projection
  - Utilization : 90.2%
  - Seat Surplus : 45



\* MCPS projection, modified according to Annual School Test guidelines (if applicable).



# Rock View Elementary School

Year Facility Built:	1955
Last Renovation:	1999 (2011 add'n)
GSF:	91,977 sq.ft.
Site Size:	7.44 acres
Relocatables:	-



## Adjacent Schools

Arcola ES  
 Highland ES  
 Kensington-Parkwood ES

Oakland Terrace ES  
 Viers Mill ES

## FY21 Annual School Test:

- 4-Yr Projection
  - Utilization : 100.6%
  - Seat Deficit : 4



\* MCPS projection, modified according to Annual School Test guidelines (if applicable).



# Lois P. Rockwell Elementary School



Year Facility Built:	1992
Last Renovation:	-
GSF:	75,520 sq.ft.
Site Size:	10.56 acres
Relocatables:	-

## Adjacent Schools

Cedar Grove ES  
 Clearspring ES  
 Damascus ES  
 Woodfield ES

## FY21 Annual School Test:

- 4-Yr Projection
  - Utilization : 91.3%
  - Seat Surplus : 46



# Rolling Terrace Elementary School

Year Facility Built:	1988
Last Renovation:	-
GSF:	88,835 sq.ft.
Site Size:	4.33 acres
Relocatables:	10



## Adjacent Schools

East Silver Spring ES  
 Montgomery Knolls/Pine Crest ES  
 New Hampshire Est/Oak View ES

Sligo Creek ES  
 Takoma Park/Piney Branch ES

## FY21 Annual School Test:

- 4-Yr Projection
  - Utilization : 102.3%
  - Seat Deficit : 17



# Rosemary Hills/Chevy Chase ES

	<u>Rosemary Hills</u>	<u>Chevy Chase</u>
Year Facility Built:	1956	/ 1936
Last Renovation:	1988 (2015 add'n)	/ 2000 (2015 add'n)
GSF:	/	
Site Size:	86,548 sq.ft.	/ 70,976 sq.ft.
Relocatables:	6.07 acres	/ 3.78 acres
-	-	-



## Adjacent Schools

Bethesda ES  
 Rock Creek Forest ES  
 Rosemary Hills/N.Chevy Chase ES

Somerset ES  
 Woodlin ES

## FY21 Annual School Test:

- 4-Yr Projection
  - Utilization : 88.4%
  - Seat Surplus : 128



\* MCPS projection, modified according to Annual School Test guidelines (if applicable).





# Rosemary Hills/North Chevy Chase ES

	Rosemary Hills	N. Chevy Chase
Year Facility Built:	1956	/ 1953
Last Renovation:	1988 (2015 add'n)	/ 1995
GSF:	86,548 sq.ft.	/ 65,982 sq.ft.
Site Size:	6.07 acres	/ 7.94 acres
Relocatables:	-	/ -



## FY21 Annual School Test:

- 4-Yr Projection
  - Utilization : 80.8%
  - Seat Surplus : 189



\* MCPS projection, modified according to Annual School Test guidelines (if applicable).



# Rosemont Elementary School



Year Facility Built:	1965
Last Renovation:	1995
GSF:	88,764 sq.ft.
Site Size:	8.91 acres
Relocatables:	-

## Adjacent Schools

[Rachel Carson ES](#)      [Jones Lane ES](#)  
[College Gardens ES](#)      [Ritchie Park ES](#)  
[Fallsmead ES](#)      [Stone Mill ES](#)  
[Fields Road ES](#)      [Summit Hall ES](#)  
[Gaithersburg ES](#)      [Washington Grove ES](#)

## FY21 Annual School Test:

- 4-Yr Projection
  - Utilization : 96.1%
  - Seat Surplus : 22
- Enrollment modification : reflects capacity solution at Gaithersburg ES #8 (2022)



# Bayard Rustin Elementary School

Year Facility Built:	2018
Last Renovation:	-
GSF:	97,397 sq.ft.
Site Size:	11.06 acres
Relocatables:	-



## Adjacent Schools

Beall ES  
Fallsmead ES  
Farmland ES

Ritchie Park ES  
Twinbrook ES

## FY21 Annual School Test:

- 4-Yr Projection
  - Utilization : 93.3%
  - Seat Surplus : 50



\* MCPS projection, modified according to Annual School Test guidelines (if applicable).



# Sequoyah Elementary School

Year Facility Built:	1990
Last Renovation:	-
GSF:	73,808 sq.ft.
Site Size:	11.63 acres
Relocatables:	-



## Adjacent Schools

Candlewood ES  
 Cashell ES  
 Flower Hill ES  
 Flower Valley ES  
 Laytonsville ES

Maryvale ES  
 Mill Creek Towne ES  
 Olney ES  
 Judith A. Resnik ES

## FY21 Annual School Test:

- 4-Yr Projection
  - Utilization : 76.2%
  - Seat Surplus : 121



\* MCPS projection, modified according to Annual School Test guidelines (if applicable).



# Seven Locks Elementary School

Year Facility Built:	1964
Last Renovation:	2012
GSF:	66,915 sq.ft.
Site Size:	9.98 acres
Relocatables:	-



## Adjacent Schools

Ashburton ES  
Bannockburn ES  
Bells Mill ES

Burning Tree ES  
Carderock Springs ES  
Potomac ES

## FY21 Annual School Test:

- 4-Yr Projection
  - Utilization : 104.5%
  - Seat Deficit : 19



# Sherwood Elementary School

Year Facility Built:	1977
Last Renovation:	- (2010 add'n)
GSF:	81,727 sq.ft.
Site Size:	10.85 acres
Relocatables:	-



## Adjacent Schools

Brooke Grove ES  
Cloverly ES  
Dr. Charles R. Drew ES  
Flower Valley ES

Greenwood ES  
Olney ES  
Stonegate ES

## FY21 Annual School Test:

- 4-Yr Projection
  - Utilization : 100.2%
  - Seat Deficit : 1



# Sargent Shriver Elementary School



Year Facility Built:	1954
Last Renovation:	2006
GSF:	91,628 sq.ft.
Site Size:	9.17 acres
Relocatables:	9

## Adjacent Schools

Arcola ES  
 Garrett Park ES  
 Harmony Hills ES  
 Highland ES  
 Viers Mill ES  
 Weller Road ES  
 Wheaton Woods ES


## FY21 Annual School Test:

- 4-Yr Projection
  - Utilization : 110.9%
  - Seat Deficit : 72





# Flora M. Singer Elementary School

Year Facility Built:	1950
Last Renovation:	2012
GSF:	95,831 sq.ft.
Site Size:	12.67 acres
Relocatables:	3



## FY21 Annual School Test:

- 4-Yr Projection
  - Utilization : 96.9%
  - Seat Surplus : 21



\* MCPS projection, modified according to Annual School Test guidelines (if applicable).



# Sligo Creek Elementary School

Year Facility Built:	1934
Last Renovation:	1999
GSF:	98,799 sq.ft.
Site Size:	15.64 acres
Relocatables:	-



## Adjacent Schools

East Silver Spring ES  
 Highland View ES  
 Montgomery Knolls/Pine Crest ES  
 New Hampshire Est/Oak View ES

Rolling Terrace ES  
 Flora M. Singer ES  
 Woodlin ES

## FY21 Annual School Test:

- 4-Yr Projection
  - Utilization : 91.1%
  - Seat Surplus : 63



# Snowden Farm Elementary School

Year Facility Built:	2019
Last Renovation:	-
GSF:	92,366 sq.ft.
Site Size:	9.79 acres
Relocatables:	-



## Adjacent Schools

Cedar Grove ES  
 Clarksburg ES  
 William B. Gibbs Jr. ES

Little Bennett ES  
 Wilson Wims ES

## FY21 Annual School Test:

- 4-Yr Projection
  - Utilization : 115.9%
  - Seat Deficit : 123



\* MCPS projection, modified according to Annual School Test guidelines (if applicable).



# Somerset Elementary School

Year Facility Built:	1949
Last Renovation:	2005
GSF:	80,122 sq.ft.
Site Size:	3.71 acres
Relocatables:	-



## Adjacent Schools

Bethesda ES  
Bradley Hills ES  
Rosemary Hills/Chevy Chase ES

Westbrook ES  
Wood Acres ES

## FY21 Annual School Test:

- 4-Yr Projection
  - Utilization : 85.6%
  - Seat Deficit : 74
- Enrollment modification : reflects non-capital capacity solution at Westbrook ES (2021)



# South Lake Elementary School

Year Facility Built:	1972
Last Renovation:	-
GSF:	83,038 sq.ft.
Site Size:	10.2 acres
Relocatables:	9



## Adjacent Schools

Brown Station ES  
 Capt. James E. Daly ES  
 Fox Chapel ES  
 Gaithersburg ES  
 Goshen ES

Stedwick ES  
 Strawberry Knoll ES  
 Summit Hall ES  
 Watkins Mill ES  
 Whetstone ES

## FY21 Annual School Test:

- 4-Yr Projection
  - Utilization : 114.5%
  - Seat Deficit : 111



# Stedwick Elementary School

Year Facility Built:	1974
Last Renovation:	- (2008 add'n)
GSF:	109,677 sq.ft.
Site Size:	10 acres
Relocatables:	-



## Adjacent Schools

Capt. James E. Daly ES  
William B. Gibbs Jr. ES  
Goshen ES

South Lake ES  
Watkins Mill ES  
Whetstone ES

## FY21 Annual School Test:

- 4-Yr Projection
  - Utilization : 76.0%
  - Seat Surplus : 165



# Stone Mill Elementary School

Year Facility Built:	1988
Last Renovation:	-
GSF:	78,617 sq.ft.
Site Size:	11.76 acres
Relocatables:	-



## Adjacent Schools

DuFief ES  
Lakewood ES  
Potomac ES  
Ritchie Park ES

Rosemont ES  
Travilah ES  
Wayside ES

## FY21 Annual School Test:

- 4-Yr Projection
  - Utilization : 81.4%
  - Seat Surplus : 129



\* MCPS projection, modified according to Annual School Test guidelines (if applicable).



# Stonegate Elementary School

Year Facility Built:	1971
Last Renovation:	-
GSF:	52,468 sq.ft.
Site Size:	10.26 acres
Relocatables:	7



## Adjacent Schools

Bel Pre/Strathmore ES  
Cloverly ES  
Dr. Charles R. Drew ES

Flower Valley ES  
Sherwood ES  
Westover ES

## FY21 Annual School Test:

- 4-Yr Projection
  - Utilization : 75.3%
  - Seat Surplus : 157



# Strawberry Knoll Elementary School

Year Facility Built:	1988
Last Renovation:	-
GSF:	78,723 sq.ft.
Site Size:	10.82 acres
Relocatables:	-


## Adjacent Schools

Flower Hill ES  
Gaithersburg ES  
Goshen ES

Judith A. Resnik ES  
South Lake ES  
Whetstone ES

## FY21 Annual School Test:

- 4-Yr Projection
  - Utilization : 96.1%
  - Seat Surplus : 18
- Enrollment modification : reflects capacity solution at Gaithersburg ES #8 (2022)



# Summit Hall Elementary School

Year Facility Built:	1971
Last Renovation:	-
GSF:	68,059 sq.ft.
Site Size:	10.16 acres
Relocatables:	-



## Adjacent Schools

Rachel Carson ES  
Gaithersburg ES  
Jones Lane ES

Thurgood Marshall ES  
Rosemont ES  
South Lake ES

## FY21 Annual School Test:

- 4-Yr Projection
  - Utilization : 96.1%
  - Seat Surplus : 18
- Enrollment modification : reflects capacity solution at Gaithersburg ES #8 (2022)



# Takoma Park/Piney Branch ES



	<u>Takoma Park</u>	<u>Piney Branch</u>
Year Facility Built:	1979	/ 1973
Last Renovation:	- (2010 add'n)	-
GSF:	85,553 sq.ft.	/ 99,706 sq.ft.
Site Size:	4.7 acres	/ 1.97 acres
Relocatables:	-	/ -

## Adjacent Schools

East Silver Spring ES  
 New Hampshire Estates/Oak View ES  
 Rolling Terrace ES

## FY21 Annual School Test:

- 4-Yr Projection
  - Utilization : 97.7%
  - Seat Surplus : 28



\* MCPS projection, modified according to Annual School Test guidelines (if applicable).



# Travilah Elementary School

Year Facility Built:

1960

Last Renovation:

1992 (2008 add'n)

GSF:

65,378 sq.ft.

Site Size:

9.3 acres

Relocatables:

-



## Adjacent Schools

Darnestown ES  
DuFief ES  
Jones Lane ES

Lakewood ES  
Potomac ES  
Stone Mill ES

## FY21 Annual School Test:

- 4-Yr Projection
  - Utilization : 62.7%
  - Seat Surplus : 196



# Twinbrook Elementary School



Year Facility Built:	1952
Last Renovation:	1986
GSF:	79,818 sq.ft.
Site Size:	10.45 acres
Relocatables:	2

## Adjacent Schools

[Farmland ES](#)  
[Garrett Park ES](#)  
[Meadow Hall ES](#)  
[Bayard Rustin ES](#)

## FY21 Annual School Test:

- 4-Yr Projection
  - Utilization : 99.8%
  - Seat Surplus : 1



# Viers Mill Elementary School



Year Facility Built: 1950  
 Last Renovation: 1991 (2013 add'n)  
 GSF: 120,572 sq.ft.  
 Site Size: 10.52 acres  
 Relocatables: -

## Adjacent Schools

Garrett Park ES  
 Kensington-Parkwood ES  
 Rock View ES  
 Sargent Shriver ES

## FY21 Annual School Test:

- 4-Yr Projection
  - Utilization : 78.1%
  - Seat Surplus : 163



# Washington Grove Elementary School

Year Facility Built:	1956
Last Renovation:	1984 (2010 add'n)
GSF:	86,266 sq.ft.
Site Size:	10.66 acres
Relocatables:	-



## Adjacent Schools

Candlewood ES  
Flower Hill ES  
Gaithersburg ES

Mill Creek Towne ES  
Judith A. Resnik ES  
Rosemont ES

## FY21 Annual School Test:

- 4-Yr Projection
  - Utilization : 96.1%
  - Seat Surplus : 24
- Enrollment modification : reflects capacity solution at Gaithersburg ES #8 (2022)



# Waters Landing Elementary School



Year Facility Built:	1988
Last Renovation:	- (2014 add'n)
GSF:	101,352 sq.ft.
Site Size:	9.99 acres
Relocatables:	-

## Adjacent Schools

Clarksburg ES  
 William B. Gibbs Jr. ES  
 Lake Seneca ES  
 Dr. Salley K. Ride ES

## FY21 Annual School Test:

- 4-Yr Projection
  - Utilization : 84.8%
  - Seat Surplus : 118



# Watkins Mill Elementary School

Year Facility Built: 1970  
 Last Renovation: - (2006 add'n)  
 GSF: 80,923 sq.ft.  
 Site Size: 10 acres  
 Relocatables: 6



## Adjacent Schools

Brown Station ES  
 Fox Chapel ES  
 S. Christa McAuliffe

South Lake ES  
 Stedwick ES  
 Whetstone ES

## FY21 Annual School Test:

- 4-Yr Projection
  - Utilization : 120.1%
  - Seat Surplus : 129



# Wayside Elementary School

Year Facility Built:	1969
Last Renovation:	2017
GSF:	93,453 sq.ft.
Site Size:	9.26 acres
Relocatables:	-



## Adjacent Schools

Bells Mill ES  
 Beverly Farms ES  
 Cold Spring ES  
 Fallsmead ES

Lakewood ES  
 Potomac ES  
 Stone Mill ES

## FY21 Annual School Test:

- 4-Yr Projection
  - Utilization : 79.3%
  - Seat Surplus : 134



\* MCPS projection, modified according to Annual School Test guidelines (if applicable).



# Weller Road Elementary School

Year Facility Built:	1953
Last Renovation:	2013
GSF:	121,346 sq.ft.
Site Size:	11.1 acres
Relocatables:	-



## Adjacent Schools

Arcola ES  
 Georgian Forest ES  
 Glenallan ES

Harmony Hills ES  
 Sargent Shriver ES

## FY21 Annual School Test:

- 4-Yr Projection
  - Utilization : 104.1%
  - Seat Deficit : 32



\* MCPS projection, modified according to Annual School Test guidelines (if applicable).



# Westbrook Elementary School



Year Facility Built:	1939
Last Renovation:	1990 (2013 add'n)
GSF:	91,359 sq.ft.
Site Size:	12.46 acres
Relocatables:	-

## Adjacent Schools

Bannockburn ES  
Somerset ES  
Wood Acres ES

## FY21 Annual School Test:

- 4-Yr Projection
  - Utilization : 85.6%
  - Seat Surplus : 79
- Enrollment modification : reflects non-capital capacity solution for Somerset ES (2021)



# Westover Elementary School

Year Facility Built:	1946
Last Renovation:	1998
GSF:	54,645 sq.ft.
Site Size:	7.56 acres
Relocatables:	2



## Adjacent Schools

Bel Pre/Strathmore ES  
Dr. Charles R. Drew ES  
Glenallan ES

Jackson Road ES  
Stonegate ES

## FY21 Annual School Test:

- 4-Yr Projection
  - Utilization : 121.4%
  - Seat Deficit : 57



# Wheaton Woods Elementary School

Year Facility Built:	1952
Last Renovation:	2017
GSF:	120,154 sq.ft.
Site Size:	8.03 acres
Relocatables:	-



## Adjacent Schools

Brookhaven ES  
Garrett Park ES  
Harmony Hills ES

Rock Creek Valley ES  
Sargent Shriver ES

## FY21 Annual School Test:

- 4-Yr Projection
  - Utilization : 65.9%
  - Seat Surplus : 261



# Whetstone Elementary School

Year Facility Built:	1968
Last Renovation:	- (2011 add'n)
GSF:	96,946 sq.ft.
Site Size:	8.82 acres
Relocatables:	3



## Adjacent Schools

Goshen ES  
South Lake ES  
Stedwick ES

Strawberry Knoll ES  
Watkins Mill ES

## FY21 Annual School Test:

- 4-Yr Projection
  - Utilization : 97.6%
  - Seat Surplus : 18



\* MCPS projection, modified according to Annual School Test guidelines (if applicable).



# Wilson Wims Elementary School



Year Facility Built:	2014
Last Renovation:	-
GSF:	91,931 sq.ft.
Site Size:	9.29 acres
Relocatables:	6

## Adjacent Schools

Cedar Grove ES  
Little Bennett ES  
Snowden Farm ES

## FY21 Annual School Test:

- 4-Yr Projection
  - Utilization : 90.5%
  - Seat Surplus : 70
- Enrollment modification : student reassignment due to opening of Clarksburg ES #9 (2023)



# Wood Acres Elementary School



Year Facility Built: 1952  
 Last Renovation: 2002 (2016 add'n)  
 GSF: 96,358 sq.ft.  
 Site Size: 4.78 acres  
 Relocatables: -

## Adjacent Schools

Bannockburn ES  
 Bradley Hills ES  
 Somerset ES  
 Westbrook ES

## FY21 Annual School Test:

- 4-Yr Projection
  - Utilization : 86.3%
  - Seat Surplus : 99



# Woodfield Elementary School



Year Facility Built:	1962
Last Renovation:	1985
GSF:	53,212 sq.ft.
Site Size:	10 acres
Relocatables:	-

## Adjacent Schools

Cedar Grove ES  
 Clearspring ES  
 Laytonsville ES  
 Lois P. Rockwell ES

## FY21 Annual School Test:

- 4-Yr Projection
  - Utilization : 99.5%
  - Seat Surplus : 2



# Woodlin Elementary School

Year Facility Built:	1944
Last Renovation:	1974
GSF:	60,725 sq.ft.
Site Size:	10.97 acres
Relocatables:	7



## Adjacent Schools

Rock Creek Forest ES  
 Rosemary Hills/Chevy Chase ES  
 Rosemary Hills/N. Chevy Chase ES

Flora M. Singer ES  
 Sligo Creek ES

## FY21 Annual School Test:

- 4-Yr Projection
  - Utilization : 72.5%
  - Seat Surplus : 204



# Wyngate Elementary School

Year Facility Built:

1952

Last Renovation:

1997 (2013 add'n)

GSF:

89,204 sq.ft.

Site Size:

9.45 acres

Relocatables:

-



## Adjacent Schools

Ashburton ES  
Bethesda ES  
Bradley Hills ES  
Burning Tree ES

Garrett Park ES  
Kensington-Parkwood ES  
Rosemary Hills/Chevy Chase ES

## FY21 Annual School Test:

- 4-Yr Projection
  - Utilization : 94.1%
  - Seat Surplus : 46



# Index (by School Level)

HIGH SCHOOLS	MIDDLE SCHOOLS	Thomas W. Pyle	Beverly Farms
Bethesda-Chevy Chase	Argyle	40	65
Montgomery Blair	John T. Baker	41	66
James Hubert Blake	Benjamin Banneker	42	67
Winston Churchill	Briggs Chaney	43	68
Clarksburg	Cabin John	44	69
Damascus	Roberto Clemente	45	70
Albert Einstein	Eastern	46	71
Gaithersburg	William H. Farquhar	47	72
Walter Johnson	Forest Oak	48	73
John F. Kennedy	Robert Frost	49	74
Col. Zadok Magruder	Gaithersburg	50	75
Richard Montgomery	Herbert Hoover	51	76
Northwest	Francis Scott Key	52	77
Northwood	Martin Luther King, Jr.	53	78
Paint Branch	Kingsview	54	79
Poolesville	Lakelands Park	55	ELEMENTARY SCHOOLS
Quince Orchard	Col. E. Brooke Lee	56	Arcola
Rockville	A. Mario Loiederman	57	81
Seneca Valley	Montgomery Village	58	Ashburton
Sherwood	Neelsville	59	82
Springbrook	Newport Mill	60	Bannockburn
Watkins Mill	North Bethesda	61	83
Wheaton	Parkland	62	Lucy V. Barnsley
Walt Whitman	Rosa Parks	63	84
Thomas S. Wootton	John Poole	64	Beall
			Bel Pre/Strathmore
			85
			Bells Mill
			86
			Belmont
			87
			Bethesda
			88
			Darnestown
			89
			Diamond
			Dr. Charles R. Drew
			114
			DuFief
			115



East Silver Spring	116	Kemp Mill	142	Ritchie Park	168	Twinbrook	194
Fairland	117	Kensington-Parkwood	143	Rock Creek Forest	169	Viers Mill	195
Fallsmead	118	Lake Seneca	144	Rock Creek Valley	170	Washington Grove	196
Farmland	119	Lakewood	145	Rock View	171	Waters Landing	197
Fields Road	120	Laytonsville	146	Lois P. Rockwell	172	Watkins Mill	198
Flower Hill	121	JoAnn Leleck	147	Rolling Terrace	173	Wayside	199
Flower Valley	122	Little Bennett	148	Rosemary Hills/Chevy Chase	174	Weller Road	200
Forest Knolls	123	Luxmanor	149	Rosemary Hills/North Chevy Chase	175	Westbrook	201
Fox Chapel	124	Thurgood Marshall	150	Rosemont	176	Westover	202
Gaithersburg	125	Maryvale	151	Bayard Rustin	177	Wheaton Woods	203
Galway	126	Spark M. Matsunaga	152	Sequoyah	178	Whetstone	204
Garrett Park	127	S. Christa McAuliffe	153	Seven Locks	179	Wilson Wims	205
Georgian Forest	128	Ronald McNair	154	Sherwood	180	Wood Acres	206
Germantown	129	Meadow Hall	155	Sargent Shriver	181	Woodfield	207
William B. Gibbs Jr.	130	Mill Creek Towne	156	Flora M. Singer	182	Woodlin	208
Glen Haven	131	Monocacy	157	Sligo Creek	183	Wyngate	209
Glenallan	132	Montgomery Knolls/Pine Crest	158	Snowden Farm	184		
Goshen	133	New Hampshire Estates/Oak View	159	Somerset	185		
Great Seneca Creek	134	Roscoe R. Nix/Cresthaven	160	South Lake	186		
Greencastle	135	Oakland Terrace	161	Stedwick	187		
Greenwood	136	Olney	162	Stone Mill	188		
Harmony Hills	137	William T. Page	163	Stonegate	189		
Highland	138	Poolesville	164	Strawberry Knoll	190		
Highland View	139	Potomac	165	Summit Hall	191		
Jackson Road	140	Judith A. Resnik	166	Takoma Park/Piney Branch	192		
Jones Lane	141	Dr. Sally K. Ride	167	Travilah	193		



# Index (by Cluster)

<b>BETHESDA-CHEVY CHASE CLUSTER</b>		Capt. James E. Daly ES	110	A. Mario Loiederman MS	57	Takoma Park/Pine Branch ES	192
Bethesda-Chevy Chase HS	14	Fox Chapel ES	124	Newport Mill MS	60	Viers Mills ES	195
Silver Creek MS	70	Little Bennett ES	148	Parkland MS	62	Weller Road ES	200
Westland MS	77	Snowden Farm ES	184	Silver Spring International MS	71	Wheaton Woods ES	203
Bethesda ES	89	Wilson Wims ES	205	Sligo MS	72	Woodlin ES	208
Rock Creek Forest ES	169	<b>DAMASCUS CLUSTER</b>		Takoma Park MS	73	<b>GAITHERSBURG CLUSTER</b>	
Rosemary Hills/Chevy Chase ES	174	Damascus HS	19	Arcola ES	81	Gaithersburg HS	21
Rosemary Hills/North Chevy Chase ES	175	John T. Baker MS	41	Bel Pre/Strathmore ES	86	Forest Oak MS	48
Somerset ES	185	Hallie Wells MS	75	Brookhaven ES	93	Gaithersburg MS	50
Westbrook ES	201	Cedar Grove ES	103	East Silver Spring ES	116	Gaithersburg ES	125
<b>WINSTON CHURCHILL CLUSTER</b>		Clearspring ES	105	Forest Knolls ES	123	Goshen ES	133
Winston Churchill HS	17	Damascus ES	111	Georgian Forest ES	128	Laytonsville ES	146
Cabin John MS	44	Lois P. Rockwell ES	172	Glen Haven ES	131	Rosemont ES	176
Herbert Hoover MS	51	Snowden Farm ES	184	Glenallan ES	132	Strawberry Knoll ES	190
Bells Mill ES	87	Woodfield ES	207	Harmony Hills ES	137	Summit Hall ES	191
Beverly Farms ES	90	<b>DOWNCOUNTRY CONSORTIUM</b>		Highland ES	138	Washington Grove ES	196
Potomac ES	165	Montgomery Blair HS	15	Highland View ES	139	<b>WALTER JOHNSON CLUSTER</b>	
Seven Locks ES	179	Albert Einstein HS	20	Kemp Mill ES	142	Walter Johnson HS	22
Wayside ES	199	John F. Kennedy HS	23	Montgomery Knolls/Pine Crest ES	158	North Bethesda MS	61
<b>CLARKSBURG CLUSTER</b>		Northwood HS	27	New Hampshire Estates/Oak View ES	159	Tilden MS	74
Clarksburg HS	18	Wheaton HS	36	Oakland Terrace ES	161	Ashburton ES	82
Rocky Hill MS	68	Argyle MS	40	Rock View ES	171	Farmland ES	119
Hallie Wells MS	75	Eastern MS	46	Rolling Terrace ES	173	Garrett Park ES	127
Clarksburg ES	104	Col. E. Brooke Lee MS	56	Sargent Shriver ES	181	Kensington-Parkwood ES	143
				Flora M. Singer ES	182		
				Sligo Creek ES	183		



<b>RICHARD MONTGOMERY CLUSTER</b>		<b>COL. ZADOK MAGRUDER CLUSTER</b>		<b>NORTHWEST CLUSTER</b>		<b>POOLESVILLE CLUSTER</b>		<b>ROCKVILLE CLUSTER</b>		<b>SENECA VALLEY CLUSTER</b>		<b>SHERWOOD CLUSTER</b>	
Richard Montgomery HS	25	Col. Zadok Magruder HS	24	Northwest HS	26	Poolesville HS	29	Rockville HS	31	Seneca Valley HS	32	Sherwood HS	33
Julius West MS	76	Redland MS	66	Roberto Clemente MS	45	John Poole MS	64	Earle B. Wood MS	79	Roberto Clemente MS	45	William H. Farquhar MS	47
Beall ES	85	Shady Grove MS	69	Kingsview MS	54	Monocacy ES	157	Lucy V. Barnsley ES	84	Martin Luther King, Jr. MS	53	Rosa Parks MS	63
College Gardens ES	109	Candlewood ES	98	Lakelands Park MS	55	Poolesville ES	164	Flower Valley ES	122	Neelsville MS	59		
Ritchie Park ES	168	Cashell ES	102	Cannon Road ES	99	<b>QUINCE ORCHARD CLUSTER</b>		Maryvale ES	151	Clarksburg ES	104		
Bayard Rustin ES	177	Flower Hill ES	121	Cloverly ES	107	Quince Orchard HS	30	William B. Gibbs, Jr. ES	130	Germantown ES	129		
Twinbrook ES	194	Sequoyah ES	178	Dr. Charles R. Drew ES	114	Lakelands Park MS	55	S. Christa McAuliffe ES	153	Lake Seneca ES	144		
<b>NORTHEAST CONSORTIUM</b>		<b>ROCKVILLE CLUSTER</b>		Jackson Road ES	140	Ridgeview MS	67	Dr. Sally K. Ride ES	167	William H. Farquhar MS	47		
James Hubert Blake HS	16	Wyngate ES	209	JoAnn Leleck ES	147	Brown Station ES	94	Waters Landing ES	197	Rosa Parks MS	63		
Paint Branch HS	28	<b>SENECA VALLEY CLUSTER</b>		Roscoe R. Nix/Cresthaven ES	160	Rachel Carson ES	101						
		<b>SHERWOOD CLUSTER</b>		William T. Page ES	163	Fields Road ES	120						
		<b>ROCKVILLE CLUSTER</b>		Sherwood ES	180	Jones Lane ES	141						
		<b>SENECA VALLEY CLUSTER</b>		Stonegate ES	189	Thurgood Marshall ES	150						
		<b>SHERWOOD CLUSTER</b>		Westover ES	202								



Belmont ES	88	Cabin John MS	44
Brooke Grove ES	92	Robert Frost MS	49
Greenwood ES	136	Cold Spring ES	108
Olney ES	162	DuFief ES	115
Sherwood ES	180	Fallsmead ES	118

#### **WATKINS MILL CLUSTER**

Watkins Mill HS	35	Travilah ES	193
Montgomery Village MS	58		
Neelsville MS	59		
South Lake ES	186		
Stedwick ES	187		
Watkins Mill ES	198		
Whetstone ES	204		

#### **WALT WHITMAN CLUSTER**

Walt Whitman HS	37
Thomas W. Pyle MS	65
Bannockburn ES	83
Bradley Hills ES	91
Burning Tree ES	95
Carderock Springs ES	100
Wood Acres ES	206

#### **THOMAS S. WOOTTON CLUSTER**

Thomas S. Wootton HS	38
----------------------	----

