



FY2022 SCHOOL UTILIZATION REPORT

Table of Contents

About the FY2022 School Utilization Report	2
Future Utilization Reports	5
Countywide Utilization Report	6
Individual School Utilization Report – High Schools	23
Individual School Utilization Report – Middle Schools	49
Individual School Utilization Report – Elementary Schools	90
Index (by School Level)	220
Index (by Cluster)	222



About the School Utilization Report

On November 16, 2020, the Montgomery County Council adopted the 2020-2024 Growth and Infrastructure Policy, formerly known as the Subdivision Staging Policy. The new policy requires the Planning Department to provide a School Utilization Report along with the Annual School Test to provide supplemental information about the utilization of the county's public school infrastructure.

The report consists of two main parts: a countywide component and an individual school component. Each part provides a graphic representation of the enrollment and capacity data of Montgomery County Public Schools and their facility utilization trends.

- The *Countywide Utilization Report* includes:
 - Trends of the countywide enrollment, capacity, and utilization rates of all schools collectively, for each school level.
 - Trends of the share of school facilities operating at various adequacy levels, for each school level.
 - A snapshot of single-family home sales, residential development and total housing units for each school service area.

- The *Individual School Utilization Report* includes:
 - Trends of past and projected enrollment, capacity, and utilization rates of individual schools.

Data Sources & Modifications


The source of data and method of modifications is consistent with the Annual School Test.

- Past trends are based on the actual enrollment and capacity data reported in 'MCPS Educational Facilities Master Plan and Capital Improvements Program' publications each fiscal year.
- Projected trends are based on the enrollment and capacity projections provided in the current fiscal year's educational facilities master plan publication. However, in schools where the projections do not reflect an approved capacity solution, the rules outlined in the Annual School Test Guidelines are used to make modifications. The modification is applied to each school year following the anticipated completion or execution of the capacity solution.




Countywide Data

There are two types of graphs currently provided in the Countywide Utilization Report related to schools. The first is a combination bar and line graph that shows past and projected enrollment and capacity trends for MCPS’ elementary, middle or high schools collectively. The past trend shows actual enrollment and capacity of the last 15 school years. The projected trend shows enrollment and capacity data for the next five school years. This graph also includes a trend line that shows the countywide capacity utilization rate for the school level.



The second type of graph is a stacked bar graph that shows the distribution of the county’s public elementary, middle or high

schools by utilization rate. Again, the graph shows actual enrollment and capacity of the last 15 school years, and projected utilization rates for the next five school years. The levels of utilization are based on the utilization rate thresholds used to determine Utilization Premium Payments.¹



In this year’s report, a snapshot of housing data has also been introduced, showing the single-family home sales, residential development and total housing units during 2020 for each school service area.

¹ Utilization Premium Payment requirements are determined as part of the Annual School Test and are based on the combination of an individual school’s projected utilization rate and seat deficit four years in the future.



Individual School Data


The Individual School Utilization Report includes one primary graph for each school. The combination bar and line graph shows the enrollment and capacity trends for the school – the actual trend of the last 15 school years, and the projected trend for the next five school years. This graph also includes a line that shows the corresponding rate of capacity utilization for the school.

In addition to the graph, information pertaining to the school facility and site are provided, including the year the facility was built, when the facility was last renovated and/or expanded, the facility's gross floor area and the size of the school site. The number of relocatable classrooms that were used to relieve overcrowding during the last school year is also included.

For each school, there is also a list of schools that share boundaries, and links are included to the corresponding page of each adjacent school.

Finally, information is provided regarding the status of the school in the FY 2022 Annual School Test. This includes

identifying what level of Utilization Premium Payment (UPP) is required, if any, for development approved in the school's service area. There is a graphic that demonstrates where the school's projected utilization falls relative to the UPP utilization rate thresholds and the seat deficit thresholds. In order to trigger a payment at a particular UPP tier, the projected utilization must meet the thresholds for both factors. The image below provides a visualization of how the UPP tier is determined based on the utilization rate and seat deficit thresholds.




Future Utilization Reports

School Utilization Reports will continue to be released in June of each year. Over time, additional information will be included as data are collected, reviewed and prepared for presentation. Such data may include information on individual school core capacity, as well as countywide trends in the use of relocatable classrooms. Trends in housing by school service area may also be provided to better demonstrate connections between these trends and school enrollment. The reports may also move to a purely digital format with interactive graphs.



Countywide Utilization Report

High Schools – Countywide Enrollment/Utilization Trend




School Year	2006	2007	2008	2009	2010	2011	2012	2013	2014	2015	2016	2017	2018	2019	2020	2021*	2022*	2023*	2024*	2025*	2026*
Capacity	44,505	44,864	44,701	44,694	44,855	45,149	45,666	47,436	47,402	48,062	48,026	47,969	49,195	49,147	50,253	50,658	51,085	51,085	51,423	55,113	58,260
Enrollment	44,527	44,245	44,239	44,577	44,828	44,837	44,838	44,854	45,368	45,964	47,325	48,546	49,315	50,432	50,519	51,960	53,378	54,698	55,723	56,425	57,293
Utilization	100.0%	98.6%	99.0%	99.7%	99.9%	99.3%	98.2%	94.6%	95.7%	95.6%	98.5%	101.2%	100.2%	102.6%	100.5%	102.6%	104.5%	107.1%	108.4%	102.4%	98.3%
Enrollment Growth	-161	-282	-6	338	251	9	1	16	514	596	1,361	1,221	769	1,117	87	1,441	1,418	1,320	1,025	1,727	1,570


* MCPS projection.



High Schools – Individual School Utilization Level Trend



Middle Schools – Countywide Enrollment/Utilization Trend




School Year	2006	2007	2008	2009	2010	2011	2012	2013	2014	2015	2016	2017	2018	2019	2020	2021*	2022*	2023*	2024*	2025*	2026*
Capacity	33,979	34,156	34,591	34,619	35,153	35,321	35,250	36,341	36,295	36,219	37,422	38,349	38,815	38,840	39,694	39,758	39,912	40,146	40,470	40,470	40,470
Enrollment	30,856	30,764	30,714	30,719	30,639	31,036	31,308	32,201	33,219	34,183	35,034	36,069	36,489	37,637	37,304	37,734	37,273	37,633	37,560	38,238	38,152
Utilization	90.8%	90.1%	88.8%	88.7%	87.2%	87.9%	88.8%	88.6%	91.5%	94.4%	93.6%	94.1%	94.0%	96.9%	94.0%	94.9%	93.4%	93.7%	92.8%	94.5%	94.3%
Enrollment Growth	-522	-92	-50	5	-80	397	272	893	1,018	964	851	1,035	420	1,148	-333	430	-461	360	-73	605	592


* MCPS projection.



Middle Schools – Individual School Utilization Level Trend



Elementary Schools – Countywide Enrollment/Utilization Trend




School Year	2006	2007	2008	2009	2010	2011	2012	2013	2014	2015	2016	2017	2018	2019	2020	2021*	2022*	2023*	2024*	2025*	2026*
Capacity	58,263	59,595	60,713	62,186	62,728	65,315	65,728	69,564	71,987	72,854	72,758	73,630	74,951	75,939	76,571	76,571	77,311	79,542	79,542	80,187	80,187
Enrollment	62,034	62,313	64,022	66,293	68,877	70,969	73,027	74,669	75,765	76,569	77,100	77,329	76,758	77,167	72,814	75,124	75,509	75,602	75,352	75,796	75,393
Utilization	106.5%	104.6%	105.5%	106.6%	109.8%	108.7%	111.1%	107.3%	105.2%	105.1%	106.0%	105.0%	102.4%	101.6%	95.1%	98.1%	97.7%	95.0%	94.7%	94.5%	94.0%
Enrollment Growth	-849	279	1,709	2,271	2,584	2,092	2,058	1,642	1,096	804	531	229	-571	409	-4,353	2,310	385	93	-250	194	41

* MCPS projection.



Elementary Schools – Individual School Utilization Level Trend




2020 Housing Analysis – HS Service Areas

Sold Units*


- Single-Family Detached Units
- Single-Family Attached Units

* Includes sales of existing units and newly built units.




New Units

- Single-Family Units (Detached & Attached)
- Multi-Family Units



Total DUs



2020 Housing Analysis Data – HS Service Areas

	Seneca Valley HS	Gaithersburg HS	Churchill HS	Walter Johnson HS	Northwest HS	Bethesda-Chevy Chase HS	Einstein HS	Whitman HS	Clarksburg HS	Watkins Mill HS	Rockville HS	Quince Orchard HS	Magruder HS
Units Sold in 2020													
SFD	244	302	442	404	228	446	407	402	178	91	296	207	258
SFA	385	235	88	93	249	28	59	22	222	307	96	166	95
SF Units	629	537	530	497	477	474	466	424	400	398	392	373	353
Units Built in 2020													
SF Units	261	43	23	71	-	32	8	82	98	-	52	-	1
MF Units	317	65	-	294	-	-	14	-	-	-	-	-	-
Total	578	108	23	365	-	32	22	82	98	-	52	-	1
Total Dwelling Units													
SF Units	11,654	12,797	14,000	13,877	11,764	13,052	12,128	12,995	9,527	9,235	10,144	10,277	10,162
MF Units	7,583	12,290	197	18,783	3,015	16,866	7,060	1,570	1,313	4,881	6,169	4,665	1,841
Total	19,237	25,087	14,197	32,660	14,779	29,918	19,188	14,565	10,840	14,116	16,313	14,942	12,003

	Richard Montgomery HS	Northwood HS	Wootton HS	Sherwood HS	Damascus HS	Kennedy HS	Wheaton HS	Blair HS	Blake HS	Springbrook HS	Paint Branch HS	Poolesville HS
Units Sold in 2020												
SFD	260	316	240	248	251	147	295	267	212	252	156	112
SFA	86	23	92	84	68	171	7	17	71	29	123	16
SF Units	346	339	332	332	319	318	302	284	283	281	279	128
Units Built in 2020												
SF Units	23	2	25	3	7	78	6	6	9	1	11	24
MF Units	308	-	-	80	72	-	-	-	-	-	-	-
Total	331	2	25	83	79	78	6	6	9	1	11	24
Total Dwelling Units												
SF Units	9,815	11,479	9,716	10,171	7,960	8,133	8,932	8,610	9,051	8,736	10,248	2,773
MF Units	8,129	5,652	1,931	752	573	6,683	1,198	13,705	5,059	2,421	5,195	21
Total	17,944	17,131	11,647	10,923	8,533	14,816	10,130	22,315	14,110	11,157	15,443	2,794




2020 Housing Analysis – MS Service Areas

Sold Units*


- Single-Family Detached Units
- Single-Family Attached Units

* Includes sales of existing units and newly built units.




New Units

- Single-Family Units (Detached & Attached)
- Multi-Family Units



Total DUs



2020 Housing Analysis Data – MS Service Areas

	Neelsville MS	Pyle MS	Wood MS	West MS	Cabin John MS	North Bethesda MS	Hoover MS	Lakelands Park MS	Rocky Hill MS	Silver Creek MS	Forest Oak MS	Newport Mill MS	Baker MS	Gaithersburg MS	Sligo MS
Units Sold in 2020															
SFD	216	402	296	260	227	276	279	184	118	270	130	248	215	172	204
SFA	233	22	96	86	98	47	38	121	183	20	152	32	55	83	33
SF Units	449	424	392	346	325	323	317	305	301	290	282	280	270	255	237
Units Built in 2020															
SF Units	207	82	52	23	30	51	16	-	96	9	23	8	7	20	-
MF Units	272	-	-	308	-	-	-	-	-	-	65	-	72	-	14
Total	479	82	52	331	30	51	16	-	96	9	88	8	79	20	14
Total Dwelling Units															
SF Units	7,014	12,995	10,144	9,815	8,469	8,859	8,592	7,590	7,013	7,093	7,108	7,106	6,298	5,689	6,665
MF Units	2,231	1,570	6,169	8,129	197	6,910	-	3,455	1,113	3,463	8,351	1,164	573	3,939	6,134
Total	9,245	14,565	16,313	17,944	8,666	15,769	8,592	11,045	8,126	10,556	15,459	8,270	6,871	9,628	12,799
	Clemente MS	Kingsview MS	Montgomery Village MS	Loiederman MS	Frost MS	Rosa Parks MS	King MS	Lee MS	Ridgeview MS	Farquhar MS	Briggs Chaney MS	Silver Spring Int'l MS	Argyle MS	Key MS	Banneker MS
Units															
SFD	24	116	38	216	176	183	64	162	128	135	158	194	61	149	94
SFA	213	120	187	7	44	37	152	48	81	70	45	6	136	47	101
SF Units	237	236	225	223	220	220	216	210	209	205	203	200	197	196	195
Units															
SF Units	9	-	-	6	2	1	45	2	-	8	3	1	77	2	10
MF Units	-	-	-	-	-	-	45	-	-	80	-	-	-	-	-
Total	9	-	-	6	2	1	90	2	-	88	3	1	77	2	10
Total															
SF Units	5,498	6,351	5,333	6,114	6,655	6,782	5,087	6,735	6,057	5,890	7,497	6,597	4,653	6,603	6,695
MF Units	2,293	1,867	3,798	183	1,931	399	4,690	4,846	1,810	429	2,657	7,481	4,224	4,217	3,105
Total	7,791	8,218	9,131	6,297	8,586	7,181	9,777	11,581	7,867	6,319	10,154	14,078	8,877	10,820	9,800
	Redland MS	Westland MS	Tilden MS	Shady Grove MS	White Oak MS	Hallie Wells MS	Takoma Park MS	Poole MS	Eastern MS	Parkland MS					
Units Sold in 2020															
SFD	157	176	128	101	149	96	136	112	104	107					
SFA	37	8	46	58	7	52	4	16	11	-					
SF Units	194	184	174	159	156	148	140	128	115	107					
Units Built in 2020															
SF Units	1	23	20	-	-	2	6	24	-	-					
MF Units	-	-	294	-	-	-	-	-	-	-					
Total	1	23	314	-	-	2	6	24	-	-					
Total Dwelling Units															
SF Units	5,144	5,959	5,018	5,018	4,739	4,176	4,453	2,773	3,343	3,616					
MF Units	710	13,403	11,873	1,131	2,620	200	5,759	21	2,354	2,153					
Total	5,854	19,362	16,891	6,149	7,359	4,376	10,212	2,794	5,697	5,769					




2020 Housing Analysis – ES Service Areas (1/3)

Sold Units*


- Single-Family Detached Units
- Single-Family Attached Units

* Includes sales of existing units and newly built units.




New Units

- Single-Family Units (Detached & Attached)
- Multi-Family Units



Total DUs



2020 Housing Analysis Data – ES Service Areas (1/3)

	Clarksburg ES	Flower Valley ES	Rosemary Hills/ Chevy Chase ES	Stedwick ES	Goshen ES	Rock View ES	Rosemary Hills/ N Chevy Chase ES	Laytonsville ES	Potomac ES	Little Bennett ES	Seven Locks ES	Waters Landing ES	Wyngate ES	Beverly Farms ES	Whetstone ES
Units Sold in 2020															
SFD	130	92	139	46	63	122	110	105	124	49	102	24	109	83	23
SFA	153	87	-	89	70	8	20	24	1	75	19	93	6	30	86
SF Units	283	179	139	135	133	130	130	129	125	124	121	117	115	113	109
Units Built in 2020															
SF Units	210	50	5	-	-	4	3	20	11	73	6	45	26	3	-
MF Units	272	-	-	-	-	-	-	-	-	-	-	45	-	-	-
Total	482	50	5	-	-	4	3	20	11	73	6	90	26	3	-
Total Dwelling Units															
SF Units	2,937	4,017	3,236	2,658	2,769	3,039	3,102	2,648	3,039	1,846	2,744	2,499	3,241	3,236	2,713
MF Units	276	5,596	1,450	33	-	610	747	11	-	110	122	2,362	207	-	443
Total	3,213	9,613	4,686	2,691	2,769	3,649	3,849	2,659	3,039	1,956	2,866	4,861	3,448	3,236	3,156
	Georgian Forest ES	Wood Acres ES	Ashburton ES	Poolesville ES	Bradley Hills ES	Rachel Carson ES	Montgomery Knolls/ Pine Crest ES	Oakland Terrace ES	Takoma Park/ Piney Branch ES	Bayard Rustin ES	Kensington- Parkwood ES	McNair ES	Burtonsville ES	Olney ES	Rosemont ES
Units Sold in 2020															
SFD	25	102	79	90	105	55	100	98	103	59	88	32	46	79	26
SFA	82	5	27	16	-	50	5	7	1	44	14	70	55	22	75
SF Units	107	107	106	106	105	105	105	105	104	103	102	102	101	101	101
Units Built in 2020															
SF Units	76	10	15	24	33	-	1	4	3	20	10	-	10	-	21
MF Units	-	-	-	-	-	-	-	-	-	-	-	-	-	-	65
Total	76	10	15	24	33	-	1	4	3	20	10	-	10	-	86
Total Dwelling Units															
SF Units	1,237	3,245	3,177	2,162	2,905	2,744	3,158	2,295	3,262	2,161	2,441	2,635	3,154	2,604	2,216
MF Units	1,575	1,145	5,584	17	-	1,632	923	554	2,648	1,104	1,119	-	313	399	6,089
Total	2,812	4,390	8,761	2,179	2,905	4,376	4,081	2,849	5,910	3,265	3,560	2,635	3,467	3,003	8,305
	Woodlin ES	Viers Mill ES	Strawberry Knoll ES	Glenallan ES	Bells Mill ES	Bel Pre/ Strathmore ES	South Lake ES	Clopper Mill ES	Darnestown ES	Flora M. Singer ES	Sherwood ES	McAuliffe ES	Clearspring ES		
Units Sold in 2020															
SFD	84	92	43	58	61	36	15	-	86	75	71	11	62		
SFA	16	7	51	35	31	54	74	87	-	11	14	73	20		
SF Units	100	99	94	93	92	90	89	87	86	86	85	84	82		
Units Built in 2020															
SF Units	-	6	-	1	1	1	-	-	-	-	8	-	1		
MF Units	14	-	-	-	-	-	-	-	-	-	80	-	-		
Total	14	6	-	1	1	1	-	-	-	-	88	-	1		
Total Dwelling Units															
SF Units	2,621	2,264	2,165	2,682	2,664	3,416	2,313	2,045	1,687	2,401	2,739	2,147	1,617		
MF Units	5,141	20	316	1,321	75	2,649	1,050	709	-	755	156	952	184		
Total	7,762	2,284	2,481	4,003	2,739	6,065	3,363	2,754	1,687	3,156	2,895	3,099	1,801		




2020 Housing Analysis – ES Service Areas (2/3)

Sold Units*


- Single-Family Detached Units
- Single-Family Attached Units

* Includes sales of existing units and newly built units.




New Units

- Single-Family Units (Detached & Attached)
- Multi-Family Units



Total DUs



2020 Housing Analysis Data – ES Service Areas (2/3)

	Garrett Park ES	Great Seneca Creek ES	Ritchie Park ES	Stone Mill ES	Wayside ES	Greenwood ES	William B. Gibbs Jr. ES	Cloverly ES	Roscoe Nix/ Cresthaven ES	Sequoyah ES	Bethesda ES	Carderock Springs ES	Bannockburn ES	Rockwell ES	Marshall ES
Units Sold in 2020															
SFD	39	35	57	31	72	73	67	77	69	68	69	71	68	53	62
SFA	41	45	23	48	7	5	11	-	8	9	7	5	7	22	10
SF Units	80	80	80	79	79	78	78	77	77	77	76	76	75	75	72
Units Built in 2020															
SF Units	-	-	-	23	2	-	20	1	1	1	14	1	16	-	-
MF Units	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Total	-	-	-	23	2	-	20	1	1	1	14	1	16	-	-
Total Dwelling Units															
SF Units	2,283	1,911	2,206	2,101	2,317	2,478	1,875	2,399	2,527	2,009	2,181	1,906	2,424	1,769	1,656
MF Units	4,746	1,765	1,201	-	-	-	876	1	1,976	242	8,307	-	187	78	748
Total	7,029	3,676	3,407	2,101	2,317	2,478	2,751	2,400	4,503	2,251	10,488	1,906	2,611	1,847	2,404

	Meadow Hall ES	Westbrook ES	Fallsmead ES	Jones Lane ES	Stonegate ES	Brooke Grove ES	Fields Road ES	Wilson Wims ES	Beall ES	Watkins Mill ES	Weller Road ES	Jackson Road ES	Galway ES	Cashell ES	Page ES
Units Sold in 2020															
SFD	68	68	48	49	57	19	14	44	63	7	65	62	38	46	54
SFA	4	1	20	19	10	47	52	22	2	58	-	2	25	16	8
SF Units	72	69	68	68	67	66	66	66	65	65	65	64	63	62	62
Units Built in 2020															
SF Units	2	-	-	-	-	-	-	2	3	-	-	-	-	-	2
MF Units	-	-	-	-	-	-	-	-	70	-	-	-	-	-	-
Total	2	-	-	-	-	-	-	2	73	-	-	-	-	-	2
Total Dwelling Units															
SF Units	1,743	1,878	1,830	1,824	2,449	1,676	2,410	1,665	1,984	1,551	1,893	1,688	2,746	1,463	1,824
MF Units	330	-	1,181	-	-	273	1,062	-	2,538	3,355	-	1,391	1,555	-	167
Total	2,073	1,878	3,011	1,824	2,449	1,949	3,472	1,665	4,522	4,906	1,893	3,079	4,301	1,463	1,991

	Burning Tree ES	Travilah ES	Farmland ES	Arcola ES	Brown Station ES	Mill Creek Towne ES	Sargent Shriver ES	Diamond ES	Kemp Mill ES	Candlewood ES	Lakewood ES	Ride ES	Damascus ES
Units Sold in 2020													
SFD	56	54	60	49	24	50	59	22	55	33	42	32	51
SFA	5	7	-	10	35	9	-	36	3	24	15	25	5
SF Units	61	61	60	59	59	59	59	58	58	57	57	57	56
Units Built in 2020													
SF Units	22	2	19	-	-	-	-	-	1	-	-	-	6
MF Units	-	-	-	-	-	-	-	-	-	-	-	-	72
Total	22	2	19	-	-	-	-	-	1	-	-	-	78
Total Dwelling Units													
SF Units	2,515	1,715	1,556	2,004	1,476	1,883	1,957	1,850	2,049	1,707	1,720	1,488	1,476
MF Units	238	-	3,267	2,865	1,223	-	163	600	660	377	750	302	307
Total	2,753	1,715	4,823	4,869	2,699	1,883	2,120	2,450	2,709	2,084	2,470	1,790	1,783



2020 Housing Analysis – ES Service Areas (3/3)

Sold Units*


- Single-Family Detached Units
- Single-Family Attached Units

* Includes sales of existing units and newly built units.




New Units

- Single-Family Units (Detached & Attached)
- Multi-Family Units



Total DUs



2020 Housing Analysis Data – ES Service Areas (3/3)

	Greencastle ES	Twinbrook ES	Resnik ES	Forest Knolls ES	Germantown ES	Lake Seneca ES	Spark M. Matsunaga ES	Westover ES	Woodfield ES	Fairland ES	Fox Chapel ES	Glen Haven ES	Rock Creek Valley ES	Sligo Creek ES	Snowden Farm ES
Units Sold in 2020															
SFD	13	54	43	54	13	8	49	50	45	37	19	45	50	47	26
SFA	43	2	12	-	41	46	5	4	8	15	32	6	1	2	20
SF Units	56	56	55	54	54	54	54	54	53	52	51	51	51	49	46
Units Built in 2020															
SF Units	-	-	-	-	9	-	-	-	-	-	-	-	-	-	-
MF Units	-	238	-	-	-	-	-	-	-	-	-	-	-	-	-
Total	-	238	-	-	9	-	-	-	-	-	-	-	-	-	-
Total Dwelling Units															
SF Units	2,253	1,896	1,672	1,888	1,032	1,374	1,805	1,509	1,295	1,999	1,517	1,643	1,620	1,591	1,321
MF Units	2,792	1,848	468	-	548	1,642	570	130	4	934	728	238	-	4,705	200
Total	5,045	3,744	2,140	1,888	1,580	3,016	2,375	1,639	1,299	2,933	2,245	1,881	1,620	6,296	1,521

	Barnsley ES	Burnt Mills ES	Highland ES	Maryvale ES	New Hampshire Est/Oak View ES	Drew ES	Flower Hill ES	College Gardens ES	Belmont ES	Daly ES	Wheaton Woods ES	Cannon Road ES	Somerset ES	Brookhaven ES	Cedar Grove ES
Units Sold in 2020															
SFD	45	29	28	41	38	30	18	27	31	16	41	30	39	38	26
SFA	-	16	17	4	6	13	25	15	10	25	-	10	-	-	10
SF Units	45	45	45	45	44	43	43	42	41	41	41	40	39	38	36
Units Built in 2020															
SF Units	-	1	-	-	-	-	-	-	1	-	-	-	9	-	-
MF Units	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Total	-	1	-	-	-	-	-	-	1	-	-	-	9	-	-
Total Dwelling Units															
SF Units	1,679	1,474	1,772	1,085	1,202	1,432	1,428	1,568	1,700	1,950	1,237	1,455	1,900	1,581	1,190
MF Units	167	1,706	-	76	1,431	78	754	1,438	-	271	636	457	5,096	147	-
Total	1,846	3,180	1,772	1,161	2,633	1,510	2,182	3,006	1,700	2,221	1,873	1,912	6,996	1,728	1,190

	East Silver Spring ES	Gaithersburg ES	Washington Grove ES	Dufief ES	Highland View ES	Luxmanor ES	Cold Spring ES	Rolling Terrace ES	Harmony Hills ES	Monocacy ES	Rock Creek Forest ES	Summit Hall ES	JoAnn Leleck ES
Units Sold in 2020													
SFD	33	28	31	32	32	29	33	27	28	22	21	10	3
SFA	3	8	5	2	2	5	-	2	-	-	-	2	-
SF Units	36	36	36	34	34	34	33	29	28	22	21	12	3
Units Built in 2020													
SF Units	3	-	2	-	-	1	-	-	-	-	1	-	-
MF Units	-	-	-	-	-	294	-	-	-	-	-	-	-
Total	3	-	2	-	-	295	-	-	-	-	1	-	-
Total Dwelling Units													
SF Units	1,191	1,017	1,325	1,390	1,287	1,179	960	814	798	611	755	798	100
MF Units	3,111	3,612	1,072	-	887	3,860	-	1,889	1,370	4	1,266	1,190	1,099
Total	4,302	4,629	2,397	1,390	2,174	5,039	960	2,703	2,168	615	2,021	1,988	1,199



Individual School Utilization Report

High Schools

Bethesda-Chevy Chase High School



Year Facility Built: 1934
 Last Renovation: 2001 (2018 add'n)
 Gross Floor Area: 392,833 sq.ft.
 Site Size: 16.36 acres
 Relocatables: -

Adjacent Schools

Albert Einstein HS
 Walter Johnson HS
 Walt Whitman HS

FY22 Annual School Test

- 4-Yr Projection
 - Utilization : 103.1%
 - Seat Deficit : -75



* MCPS projection, modified according to Annual School Test guidelines (if applicable).



Montgomery Blair High School



Year Facility Built: 1998
 Last Renovation: -
 Gross Floor Area: 386,567 sq.ft.
 Site Size: 30.15 acres
 Relocatables: 14

Adjacent Schools

Albert Einstein HS
 Northwood HS
 Springbrook HS

FY22 Annual School Test

- 4-Yr Projection
 - Utilization : 93.2%
 - Seat Surplus : 196
- Enrollment projection modified to reflect student reassignment between DCC, Walter Johnson, and Woodward HSs (2025).



* MCPS projection, modified according to Annual School Test guidelines (if applicable).



James Hubert Blake High School

Year Facility Built: 1998
 Last Renovation: -
 Gross Floor Area: 297,125 sq.ft.
 Site Size: 91.09 acres
 Relocatables: -



Adjacent Schools

John F. Kennedy HS
 Northwood HS
 Paint Branch HS

Rockville HS
 Sherwood HS
 Springbrook HS

FY22 Annual School Test

- 4-Yr Projection
 - Utilization : 116.2%
 - Seat Deficit : -282



* MCPS projection, modified according to Annual School Test guidelines (if applicable).



Winston Churchill High School



Year Facility Built: 1964
 Last Renovation: 2001
 Gross Floor Area: 322,078 sq.ft.
 Site Size: 30.28 acres
 Relocatables: 4

Adjacent Schools

Richard Montgomery HS
 Walter Johnson HS
 Walt Whitman HS
 Thomas S. Wootton HS

FY22 Annual School Test

- 4-Yr Projection
 - Utilization : 106.4%
 - Seat Deficit : -127



* MCPS projection, modified according to Annual School Test guidelines (if applicable).



Clarksburg High School



Year Facility Built: 1995
 Last Renovation: 2006 (2015 add'n)
 Gross Floor Area: 344,574 sq.ft.
 Site Size: 62.73 acres
 Relocatables: 13

Adjacent Schools

Damascus HS
 Poolesville HS
 Seneca Valley HS
 Watkins Mill HS

FY22 Annual School Test

- 4-Yr Projection
 - Utilization : 121.3%
 - Seat Deficit : -434



* MCPS projection, modified according to Annual School Test guidelines (if applicable).



Damascus High School



Year Facility Built: 1950
 Last Renovation: 1978
 Gross Floor Area: 235,986 sq.ft.
 Site Size: 32.65 acres
 Relocatables: -

Adjacent Schools

Clarksburg HS
 Gaithersburg HS
 Seneca Valley HS
 Sherwood HS

FY22 Annual School Test

- 4-Yr Projection
 - Utilization : 94.5%
 - Seat Surplus : 86



* MCPS projection, modified according to Annual School Test guidelines (if applicable).



Albert Einstein High School

Year Facility Built: 1962
 Last Renovation: 1997 (2007 add'n)
 Gross Floor Area: 276,462 sq.ft.
 Site Size: 26.67 acres
 Relocatables: 7



Adjacent Schools

Bethesda-Chevy Chase HS
 Montgomery Blair HS
 Northwood HS

Walter Johnson HS
 Wheaton HS

FY22 Annual School Test

- 4-Yr Projection
 - Utilization : 93.2%
 - Seat Surplus : 110
- Enrollment projection modified to reflect student reassignment between DCC, Walter Johnson, and Woodward HSs (2025).



* MCPS projection, modified according to Annual School Test guidelines (if applicable).



Gaithersburg High School



Year Facility Built: 1951
 Last Renovation: 2013
 Gross Floor Area: 427,048 sq.ft.
 Site Size: 40.97 acres
 Relocatables: -

Adjacent Schools

Damascus HS	Seneca Valley HS
Col. Zadok Magruder HS	Sherwood HS
Quince Orchard HS	Watkins Mill HS
Richard Montgomery HS	Thomas S. Wootton HS

FY22 Annual School Test

- 4-Yr Projection
 - Utilization : 117.3%
 - Seat Deficit : -418



* MCPS projection, modified according to Annual School Test guidelines (if applicable).



Walter Johnson High School

Year Facility Built: 1956
 Last Renovation: 2009
 Gross Floor Area: 365,138 sq.ft.
 Site Size: 30.86 acres
 Relocatables: 10



Adjacent Schools

Bethesda-Chevy Chase HS
 Winston Churchill HS
 Albert Einstein HS
 Richard Montgomery HS

Rockville HS
 Wheaton HS
 Walt Whitman HS

FY22 Annual School Test

- 4-Yr Projection
 - Utilization : 93.2%
 - Seat Surplus : 157
- Enrollment projection modified to reflect student reassignment between DCC, Walter Johnson, and Woodward HSs (2025).



* MCPS projection, modified according to Annual School Test guidelines (if applicable).



John F. Kennedy High School

Year Facility Built: 1964
 Last Renovation: 1999
 Gross Floor Area: 280,048 sq.ft.
 Site Size: 29.14 acres
 Relocatables: -



Adjacent Schools

James H. Blake HS
 Northwood HS
 Rockville HS

Springbrook HS
 Wheaton HS

FY22 Annual School Test

- 4-Yr Projection
 - Utilization : 93.2%
 - Seat Surplus : 151
- Enrollment projection modified to reflect student reassignment between DCC, Walter Johnson, and Woodward HSs (2025).



* MCPS projection, modified according to Annual School Test guidelines (if applicable).



Col. Zadok Magruder High School



Year Facility Built: 1970
 Last Renovation: -
 Gross Floor Area: 295,478 sq.ft.
 Site Size: 29.99 acres
 Relocatables: -

Adjacent Schools

Gaithersburg HS
 Richard Montgomery HS
 Rockville HS
 Sherwood HS

FY22 Annual School Test

- 4-Yr Projection
 - Utilization : 97.9%
 - Seat Surplus : 41



* MCPS projection, modified according to Annual School Test guidelines (if applicable).



Richard Montgomery High School

Year Facility Built: 1942
 Last Renovation: 2007
 Gross Floor Area: 311,500 sq.ft.
 Site Size: 29.05 acres
 Relocatables: 6



Adjacent Schools

Winston Churchill HS
 Gaithersburg HS
 Col. Zadok Magruder HS

Rockville HS
 Walter Johnson HS
 Thomas S. Wootton HS

FY22 Annual School Test

- 4-Yr Projection
 - Utilization : 125.3%
 - Seat Deficit : -567



* MCPS projection, modified according to Annual School Test guidelines (if applicable).



Northwest High School



Year Facility Built: 1998
 Last Addition: 2006
 Gross Floor Area: 340,867 sq.ft.
 Site Size: 34.56 acres
 Relocatables: 10

Adjacent Schools

Poolesville HS
 Quince Orchard HS
 Seneca Valley HS
 Thomas S. Wootton HS

FY22 Annual School Test

- 4-Yr Projection
 - Utilization : 113.6%
 - Seat Deficit : -311



* MCPS projection, modified according to Annual School Test guidelines (if applicable).



Northwood High School

Year Facility Built: 1956
 Last Renovation: 2004
 Gross Floor Area: 253,488 sq.ft.
 Site Size: 29.56 acres
 Relocatables: 12



Adjacent Schools

Montgomery Blair HS
 James H. Blake HS
 Albert Einstein HS

John F. Kennedy HS
 Springbrook HS
 Wheaton HS

FY22 Annual School Test

- 4-Yr Projection
 - Utilization : 93.2%
 - Seat Surplus : 170
- Projections reflect classroom addition and student reassignment between DCC, Walter Johnson, and Woodward HSs (2025).



* MCPS projection, modified according to Annual School Test guidelines (if applicable).



Paint Branch High School



Year Facility Built: 1969
 Last Renovation: 2012
 Gross Floor Area: 347,169 sq.ft.
 Site Size: 45.98 acres
 Relocatables: -

Adjacent Schools

James H. Blake HS
 Sherwood HS
 Springbrook HS

FY22 Annual School Test

- 4-Yr Projection
 - Utilization : 115.1%
 - Seat Deficit : -305



* MCPS projection, modified according to Annual School Test guidelines (if applicable).



Poolesville High School



Year Facility Built: 1953
 Last Renovation: 1978 (2009 add'n)
 Gross Floor Area: 165,056 sq.ft.
 Site Size: 37.2 acres
 Relocatables: -

Adjacent Schools

Clarksburg HS
 Northwest HS
 Seneca Valley HS

FY22 Annual School Test

- 4-Yr Projection
 - Utilization : 91.0%
 - Seat Surplus : 135
- Capacity projection reflects completion of Major Capital Project (2024)



* MCPS projection, modified according to Annual School Test guidelines (if applicable).



Quince Orchard High School

Year Facility Built: 1988
 Last Renovation: -
 Gross Floor Area: 284,912 sq.ft.
 Site Size: 30.11 acres
 Relocatables: 11



Adjacent Schools

Gaithersburg HS
 Northwest HS
 Seneca Valley HS

Watkins Mill HS
 Thomas S. Wootton HS

FY22 Annual School Test

- 4-Yr Projection
 - Utilization : 131.9%
 - Seat Deficit : -572



* MCPS projection, modified according to Annual School Test guidelines (if applicable).



Rockville High School

Year Facility Built: 1968
 Last Renovation: 2004
 Gross Floor Area: 316,973 sq.ft.
 Site Size: 30.32 acres
 Relocatables: -



Adjacent Schools

James H. Blake HS
 John F. Kennedy HS
 Col. Zadok Magruder HS

Richard Montgomery HS
 Walter Johnson HS
 Wheaton HS

FY22 Annual School Test

- 4-Yr Projection
 - Utilization : 101.6%
 - Seat Deficit : -24



* MCPS projection, modified according to Annual School Test guidelines (if applicable).



Seneca Valley High School

Year Facility Built: 1974
 Last Renovation: -
 Gross Floor Area: 251,278 sq.ft.
 Site Size: 29.37 acres
 Relocatables: -



Adjacent Schools

Clarksburg HS
 Damascus HS
 Gaithersburg HS
 Northwest HS

Poolesville HS
 Quince Orchard HS
 Watkins Mill HS

FY22 Annual School Test

- 4-Yr Projection
 - Utilization : 98.2%
 - Seat Surplus : 45



* MCPS projection, modified according to Annual School Test guidelines (if applicable).



Sherwood High School

Year Facility Built: 1950
 Last Renovation: 1991 (2007 add'n)
 Gross Floor Area: 333,154 sq.ft.
 Site Size: 49.33 acres
 Relocatables: -



Adjacent Schools

James H. Blake HS
 Damascus HS
 Gaithersburg HS

Col. Zadok Magruder HS
 Paint Branch HS
 Springbrook HS

FY22 Annual School Test

- 4-Yr Projection
 - Utilization : 97.4%
 - Seat Surplus : 55



* MCPS projection, modified according to Annual School Test guidelines (if applicable).



Springbrook High School

Year Facility Built: 1960
 Last Renovation: 1994
 Gross Floor Area: 305,006 sq.ft.
 Site Size: 25.13 acres
 Relocatables: -



Adjacent Schools

Montgomery Blair HS
 James H. Blake HS
 John F. Kennedy HS

Northwood HS
 Paint Branch HS
 Sherwood HS

FY22 Annual School Test

- 4-Yr Projection
 - Utilization : 94.0%
 - Seat Surplus : 127



* MCPS projection, modified according to Annual School Test guidelines (if applicable).



Watkins Mill High School



Year Facility Built: 1989
 Last Renovation: -
 Gross Floor Area: 305,288 sq.ft.
 Site Size: 50.99 acres
 Relocatables: -

Adjacent Schools

Clarksburg HS
 Gaithersburg HS
 Quince Orchard HS
 Seneca Valley HS

FY22 Annual School Test

- 4-Yr Projection
 - Utilization : 88.8%
 - Seat Surplus : 218



* MCPS projection, modified according to Annual School Test guidelines (if applicable).



Wheaton High School

Year Facility Built: 1954
 Last Renovation: 2016 (2018 add'n)
 Gross Floor Area: 373,825 sq.ft.
 Site Size: 28.23 acres
 Relocatables: -



Adjacent Schools

Albert Einstein HS
 John F. Kennedy HS
 Northwood HS

Rockville HS
 Walter Johnson HS

FY22 Annual School Test

- 4-Yr Projection
 - Utilization : 93.2%
 - Seat Surplus : 152
- Enrollment projection modified to reflect student reassignment between DCC, Walter Johnson, and Woodward HSs (2025).



* MCPS projection, modified according to Annual School Test guidelines (if applicable).



Walt Whitman High School



Year Facility Built: 1962
 Last Renovation: 1992
 Gross Floor Area: 261,295 sq.ft.
 Site Size: 30.67 acres
 Relocatables: 8

Adjacent Schools

Bethesda-Chevy Chase HS
 Winston Churchill HS
 Walter Johnson HS

FY22 Annual School Test

- 4-Yr Projection
 - Utilization : 98.9%
 - Seat Surplus : 26



* MCPS projection, modified according to Annual School Test guidelines (if applicable).



Thomas S. Wootton High School

Year Facility Built: 1970
 Last Renovation: -
 Gross Floor Area: 295,620 sq.ft.
 Site Size: 27.37 acres
 Relocatables: 3



Adjacent Schools

Winston Churchill HS
 Gaithersburg HS
 Northwest HS

Quince Orchard HS
 Richard Montgomery HS

FY22 Annual School Test

- 4-Yr Projection
 - Utilization : 102.3%
 - Seat Deficit : -49



* MCPS projection, modified according to Annual School Test guidelines (if applicable).



Individual School Utilization Report

Middle Schools

Argyle Middle School

Year Facility Built: 1971
 Last Renovation: 1993
 Gross Floor Area: 120,205 sq.ft.
 Site Size: 19.9 acres
 Relocatables: 3



Adjacent Schools

William H. Farquhar MS
 Odessa Shannon MS
 A. Mario Loiederman MS

Parkland MS
 White Oak MS
 Earle B. Wood MS

FY22 Annual School Test

- 4-Yr Projection
 - Utilization : 113.3%
 - Seat Deficit : -119



* MCPS projection, modified according to Annual School Test guidelines (if applicable).



John T. Baker Middle School



Year Facility Built: 1971
 Last Renovation: -
 GSF: 120,532 sq.ft.
 Site Size: 22 acres
 Relocatables: 2

Adjacent Schools

Gaithersburg MS
 Hallie Wells MS
 Rocky Hill MS
 Rosa Parks MS

FY22 Annual School Test

- 4-Yr Projection
 - Utilization : 119.4%
 - Seat Deficit : -141



* MCPS projection, modified according to Annual School Test guidelines (if applicable).



Benjamin Banneker Middle School



Year Facility Built: 1974
 Last Renovation: -
 GSF: 117,035 sq.ft.
 Site Size: 19.96 acres
 Relocatables: 2

Adjacent Schools

Briggs Chaney MS
 Francis Scott Key MS

FY22 Annual School Test

- 4-Yr Projection
 - Utilization : 116.5%
 - Seat Deficit : -130



* MCPS projection, modified according to Annual School Test guidelines (if applicable).



Briggs Chaney Middle School



FY22 Annual School Test

Year Facility Built: 1991
 Last Renovation: -
 GSF: 115,000 sq.ft.
 Site Size: 29.37 acres
 Relocatables: -

Adjacent Schools

Benjamin Banneker MS
 William H. Farquhar MS
 Francis Scott Key MS
 White Oak MS

- 4-Yr Projection
 - Utilization : 102.7%
 - Seat Deficit : -25



* MCPS projection, modified according to Annual School Test guidelines (if applicable).



Cabin John Middle School

Year Facility Built: 1967
 Last Renovation: 2011
 GSF: 159,514 sq.ft.
 Site Size: 18.24 acres
 Relocatables: -



Adjacent Schools

Forest Oak MS
 Robert Frost MS
 Herbert Hoover MS

North Bethesda MS
 Thomas W. Pyle MS
 Julius West MS

FY22 Annual School Test

- 4-Yr Projection
 - Utilization : 108.8%
 - Seat Deficit : -93



* MCPS projection, modified according to Annual School Test guidelines (if applicable).



Roberto Clemente Middle School



Year Facility Built: 1992
 Last Renovation: -
 GSF: 148,246 sq.ft.
 Site Size: 19.87 acres
 Relocatables: -

Adjacent Schools

Martin Luther King, Jr. MS Montgomery Village MS
 Kingsview MS Rocky Hill MS
 Lakelands Park MS

FY22 Annual School Test

- 4-Yr Projection
 - Utilization : 78.7%
 - Seat Surplus : 262



* MCPS projection, modified according to Annual School Test guidelines (if applicable).



Eastern Middle School



Year Facility Built: 1951
 Last Renovation: 1976
 GSF: 152,030 sq.ft.
 Site Size: 14.51 acres
 Relocatables: -

Adjacent Schools

Francis Scott Key MS
 Silver Spring International MS
 Takoma Park MS
 White Oak MS

FY22 Annual School Test

- 4-Yr Projection
 - Utilization : 101.8%
 - Seat Deficit : -18



* MCPS projection, modified according to Annual School Test guidelines (if applicable).



William H. Farquhar Middle School

Year Facility Built: 1968
 Last Renovation: 2016
 GSF: 135,626 sq.ft.
 Site Size: 37.11 acres
 Relocatables: -



Adjacent Schools

Argyle MS
 Briggs Chaney MS
 Rosa Parks MS

White Oak MS
 Earle B. Wood MS

FY22 Annual School Test

- 4-Yr Projection
 - Utilization : 90.2%
 - Seat Surplus : 77



* MCPS projection, modified according to Annual School Test guidelines (if applicable).



Forest Oak Middle School



Year Facility Built: 1999
 Last Renovation: -
 GSF: 132,259 sq.ft.
 Site Size: 41.92 acres
 Relocatables: -

Adjacent Schools

Cabin John MS	Redland MS
Robert Frost MS	Ridgeview MS
Gaithersburg MS	Rocky Hill MS
Lakelands Park MS	Shady Grove MS
Montgomery Village MS	Julius West MS
Neelsville MS	

FY22 Annual School Test

- 4-Yr Projection
 - Utilization : 100.2%
 - Seat Deficit : -2



* MCPS projection, modified according to Annual School Test guidelines (if applicable).



Robert Frost Middle School

FY22 Annual School Test



Year Facility Built: 1971
 Last Renovation: -
 GSF: 143,757 sq.ft.
 Site Size: 24.79 acres
 Relocatables: -

Adjacent Schools

Cabin John MS
 Forest Oak MS
 Herbert Hoover MS

Lakelands Park MS
 Ridgeview MS
 Julius West MS

- 4-Yr Projection
 - Utilization : 102.7%
 - Seat Deficit : -29



* MCPS projection, modified according to Annual School Test guidelines (if applicable).





Gaithersburg Middle School

Year Facility Built: 1960
 Last Renovation: 1988
 GSF: 157,694 sq.ft.
 Site Size: 22.89 acres
 Relocatables: -

Adjacent Schools

John T. Baker MS	Neelsville MS
Forest Oak MS	Redland MS
Hallie Wells MS	Rosa Parks MS
Montgomery Village MS	Shady Grove MS

- 4-Yr Projection
 - Utilization : 91.3%
 - Seat Surplus : 88



* MCPS projection, modified according to Annual School Test guidelines (if applicable).



Herbert Hoover Middle School

FY22 Annual School Test



Year Facility Built: 1966
 Last Renovation: 2013
 GSF: 165,367 sq.ft.
 Site Size: 19.14 acres
 Relocatables: -

Adjacent Schools

Cabin John MS
 Robert Frost MS
 North Bethesda MS

Thomas W. Pyle MS
 Tilden MS
 Julius West MS

- 4-Yr Projection
 - Utilization : 93.1%
 - Seat Surplus : 79



* MCPS projection, modified according to Annual School Test guidelines (if applicable).



Francis Scott Key Middle School



Year Facility Built: 1966
 Last Renovation: 2009
 GSF: 147,424 sq.ft.
 Site Size: 20.58 acres
 Relocatables: -

Adjacent Schools

Benjamin Banneker MS
 Briggs Chaney MS
 Eastern MS
 Odessa Shannon MS
 Silver Spring International MS
 White Oak MS

FY22 Annual School Test

- 4-Yr Projection
 - Utilization : 104.5%
 - Seat Deficit : -43



* MCPS projection, modified according to Annual School Test guidelines (if applicable).



Martin Luther King, Jr. Middle School

Year Facility Built:
Last Renovation:
GSF:
Site Size:
Relocatables:

1996
-
135,867 sq.ft.
18.61 acres
-

Adjacent Schools



Roberto Clemente MS
Kingsview MS
Neelsville MS
Rocky Hill MS

FY22 Annual School Test

- 4-Yr Projection

Utilization : 102.3%

Seat Deficit : -21



* MCPS projection, modified according to Annual School Test guidelines (if applicable).



Kingsview Middle School

Year Facility Built: 1997
 Last Renovation: -
 GSF: 140,398 sq.ft.
 Site Size: 18.45 acres
 Relocatables: -



Adjacent Schools

Roberto Clemente MS
 Martin Luther King, Jr. MS
 Lakelands Park MS

Neelsville MS
 John Poole MS
 Ridgeview MS

FY22 Annual School Test

- 4-Yr Projection
 - Utilization : 100.2%
 - Seat Deficit :-2



* MCPS projection, modified according to Annual School Test guidelines (if applicable).



Lakelands Park Middle School

FY22 Annual School Test



Year Facility Built: 2005
 Last Renovation: -
 GSF: 153,588 sq.ft.
 Site Size: 8.11 acres
 Relocatables: -

Adjacent Schools

Roberto Clemente MS
 Forest Oak MS
 Robert Frost MS
 Kingsview MS

Montgomery Village MS
 Neelsville MS
 John Poole MS
 Ridgeview MS

- 4-Yr Projection
 - Utilization : 96.7%
 - Seat Surplus : 37



* MCPS projection, modified according to Annual School Test guidelines (if applicable).



A. Mario Loiederman Middle School

Year Facility Built: 1956
 Last Renovation: 2005
 GSF: 131,746 sq.ft.
 Site Size: 17.08 acres
 Relocatables: 2



Adjacent Schools

Argyle MS
 Odessa Shannon MS
 Newport Mill MS

North Bethesda MS
 Parkland MS
 Tilden MS

FY22 Annual School Test

- 4-Yr Projection
 - Utilization : 100.8%
 - Seat Deficit : -8



* MCPS projection, modified according to Annual School Test guidelines (if applicable).



Montgomery Village Middle School

Year Facility Built: 1968
 Last Renovation: 2003
 GSF: 141,615 sq.ft.
 Site Size: 15.14 acres
 Relocatables: -



Adjacent Schools

Roberto Clemente MS
 Forest Oak MS
 Gaithersburg MS

Lakelands Park MS
 Neelsville MS
 Rocky Hill MS

FY22 Annual School Test

- 4-Yr Projection
 - Utilization : 92.8%
 - Seat Surplus : 61



* MCPS projection, modified according to Annual School Test guidelines (if applicable).



Neelsville Middle School

Year Facility Built: 1981
 Last Renovation: -
 GSF: 131,432 sq.ft.
 Site Size: 29.19 acres
 Relocatables: -



Adjacent Schools

Forest Oak MS
 Gaithersburg MS
 Martin Luther King, Jr. MS
 Kingsview MS
 Lakelands Park MS

Montgomery Village MS
 John Poole MS
 Rocky Hill MS
 Hallie Wells MS

FY22 Annual School Test

- 4-Yr Projection
 - Utilization : 70.0%
 - Seat Surplus : 357
- Capacity projection reflects completion of Major Capital Project (2024)



* MCPS projection, modified according to Annual School Test guidelines (if applicable).



Newport Mill Middle School

Year Facility Built: 1958
 Last Renovation: 2002
 GSF: 108,240 sq.ft.
 Site Size: 8.4 acres
 Relocatables: -



Adjacent Schools

Odessa Shannon MS
 A. Mario Loiederman MS
 North Bethesda MS

Silver Creek MS
 Sligo MS

FY22 Annual School Test

- 4-Yr Projection
 - Utilization : 81.1%
 - Seat Surplus : 161



* MCPS projection, modified according to Annual School Test guidelines (if applicable).



North Bethesda Middle School

FY22 Annual School Test



Year Facility Built: 1955
 Last Renovation: 1999 (2018 add'n)
 GSF: 178,252 sq.ft.
 Site Size: 19.99 acres
 Relocatables: -

Adjacent Schools

Cabin John MS
 Herbert Hoover MS
 A. Mario Loiederman MS
 Newport Mill MS

Thomas W. Pyle MS
 Silver Creek MS
 Tilden MS
 Westland MS

- 4-Yr Projection
 - Utilization : 99.7%
 - Seat Surplus : 4



* MCPS projection, modified according to Annual School Test guidelines (if applicable).



Parkland Middle School



Year Facility Built: 1963
 Last Renovation: 2007
 GSF: 151,169 sq.ft.
 Site Size: 9.18 acres
 Relocatables: 4

Adjacent Schools

Argyle MS
 A. Mario Loiederman MS
 Tilden MS
 Earle B. Wood MS

FY22 Annual School Test

- 4-Yr Projection
 - Utilization : 91.9%
 - Seat Surplus : 98
- Capacity projection reflects classroom addition (2023)



* MCPS projection, modified according to Annual School Test guidelines (if applicable).



Rosa Parks Middle School



Year Facility Built: 1992
 Last Renovation: -
 GSF: 137,469 sq.ft.
 Site Size: 24.05 acres
 Relocatables: -

Adjacent Schools

John T. Baker MS
 William H. Farquhar MS
 Gaithersburg MS
 Redland MS

FY22 Annual School Test

- 4-Yr Projection
 - Utilization : 92.4%
 - Seat Surplus : 73



* MCPS projection, modified according to Annual School Test guidelines (if applicable).



John Poole Middle School



Year Facility Built: 1997
 Last Renovation: -
 GSF: 85,669 sq.ft.
 Site Size: 20.51 acres
 Relocatables: -

Adjacent Schools

Kingsview MS
 Lakelands Park MS
 Neelsville MS
 Rocky Hill MS

FY22 Annual School Test

- 4-Yr Projection
 - Utilization : 86.8%
 - Seat Surplus : 62



* MCPS projection, modified according to Annual School Test guidelines (if applicable).



Thomas W. Pyle Middle School



Year Facility Built: 1962
 Last Renovation: 1993 (2008 add'n)
 GSF: 153,824 sq.ft.
 Site Size: 14.32 acres
 Relocatables: -

Adjacent Schools

Cabin John MS
 Herbert Hoover MS
 North Bethesda MS
 Westland MS

FY22 Annual School Test

- 4-Yr Projection
 - Utilization : 105.0%
 - Seat Deficit : -75



* MCPS projection, modified according to Annual School Test guidelines (if applicable).



Redland Middle School

Year Facility Built: 1971
 Last Renovation: -
 GSF: 112,297 sq.ft.
 Site Size: 20.64 acres
 Relocatables: -



Adjacent Schools

Forest Oak MS
 Gaithersburg MS
 Rosa Parks MS

Shady Grove MS
 Earle B. Wood MS

FY22 Annual School Test

- 4-Yr Projection
 - Utilization : 81.2%
 - Seat Surplus : 144



* MCPS projection, modified according to Annual School Test guidelines (if applicable).



Ridgeview Middle School



Year Facility Built: 1975
 Last Renovation: -
 GSF: 145,168 sq.ft.
 Site Size: 20 acres
 Relocatables: -

Adjacent Schools

Forest Oak MS
 Robert Frost MS
 Kingsview MS
 Lakelands Park MS

FY22 Annual School Test

- 4-Yr Projection
 - Utilization : 85.5%
 - Seat Surplus : 138



* MCPS projection, modified according to Annual School Test guidelines (if applicable).



Rocky Hill Middle School

Year Facility Built: 2004
 Last Renovation: -
 GSF: 148,065 sq.ft.
 Site Size: 23.29 acres
 Relocatables: -



Adjacent Schools

John T. Baker MS
 Roberto Clemente MS
 Martin Luther King, Jr. MS

Montgomery Village MS
 Hallie Wells MS

FY22 Annual School Test

- 4-Yr Projection
 - Utilization : 102.7%
 - Seat Deficit : -28



* MCPS projection, modified according to Annual School Test guidelines (if applicable).



Shady Grove Middle School

Year Facility Built: 1995
 Last Renovation: 1999
 GSF: 129,206 sq.ft.
 Site Size: 20.51 acres
 Relocatables: -



Adjacent Schools

Forest Oak MS
 Gaithersburg MS
 Redland MS

Julius West MS
 Earle B. Wood MS

FY22 Annual School Test

- 4-Yr Projection
 - Utilization : 72.1%
 - Seat Surplus : 238



* MCPS projection, modified according to Annual School Test guidelines (if applicable).



Odessa Shannon Middle School



Year Facility Built: 1966
 Last Renovation: -
 GSF: 123,199 sq.ft.
 Site Size: 16.45 acres
 Relocatables: -

Adjacent Schools

Argyle MS Silver Spring International MS
 Francis Scott Key MS Sligo MS
 A. Mario Loiederman MS White Oak MS
 Newport Mill MS

FY22 Annual School Test

- 4-Yr Projection
 - Utilization : 86.9%
 - Seat Surplus : 115
- Capacity projection reflects classroom addition (2022)



* MCPS projection, modified according to Annual School Test guidelines (if applicable).



Silver Creek Middle School



Year Facility Built: 2017
 Last Renovation: -
 GSF: 174,743 sq.ft.
 Site Size: 13.38 acres
 Relocatables: -

Adjacent Schools

Newport Mill MS
 North Bethesda MS
 Sligo MS
 Westland MS

FY22 Annual School Test

- 4-Yr Projection
 - Utilization : 95.7%
 - Seat Surplus : 40



* MCPS projection, modified according to Annual School Test guidelines (if applicable).



Silver Spring International Middle School

Year Facility Built: 1934
 Last Renovation: 1999
 GSF: 152,731 sq.ft.
 Site Size: 15.64 acres
 Relocatables: -



Adjacent Schools

Eastern MS
 Francis Scott Key MS
 Odessa Shannon MS

Sligo MS
 Takoma Park MS

FY22 Annual School Test

- 4-Yr Projection
 - Utilization : 97.1%
 - Seat Surplus : 35
- Capacity projection reflects classroom addition (2024)



* MCPS projection, modified according to Annual School Test guidelines (if applicable).



Sligo Middle School



Year Facility Built: 1959
 Last Renovation: 1991
 GSF: 149,527 sq.ft.
 Site Size: 21.74 acres
 Relocatables: -

Adjacent Schools

Odessa Shannon MS
 Newport Mill MS
 Silver Creek MS
 Silver Spring International MS

FY22 Annual School Test

- 4-Yr Projection
 - Utilization : 80.9%
 - Seat Surplus : 180



* MCPS projection, modified according to Annual School Test guidelines (if applicable).





Takoma Park Middle School

Year Facility Built: 1939
 Last Renovation: 1999
 GSF: 137,348 sq.ft.
 Site Size: 18.83 acres
 Relocatables: -

Adjacent Schools
 Eastern MS
 Silver Spring International MS

FY22 Annual School Test

- 4-Yr Projection
 - Utilization : 86.2%
 - Seat Surplus : 183
- Capacity projection reflects classroom addition (2021)



* MCPS projection, modified according to Annual School Test guidelines (if applicable).



Tilden Middle School

FY22 Annual School Test



Year Facility Built: 1967
 Last Renovation: 1991
 GSF: 135,150 sq.ft.
 Site Size: 28.06 acres
 Relocatables: -

Adjacent Schools

Herbert Hoover MS
 A. Mario Loiederman MS
 North Bethesda MS

Parkland MS
 Julius West MS
 Earle B. Wood MS

- 4-Yr Projection
 - Utilization : 83.6%
 - Seat Surplus : 200



* MCPS projection, modified according to Annual School Test guidelines (if applicable).



Hallie Wells Middle School



Year Facility Built: 2016
 Last Renovation: -
 GSF: 150,089 sq.ft.
 Site Size: 22.37 acres
 Relocatables: -

Adjacent Schools

John T. Baker MS
 Gaithersburg MS
 Neelsville MS
 Rocky Hill MS

FY22 Annual School Test

- 4-Yr Projection
 - Utilization : 102.2%
 - Seat Deficit : -22



* MCPS projection, modified according to Annual School Test guidelines (if applicable).



Julius West Middle School

Year Facility Built: 1961
 Last Renovation: 1995 (2016 add'n)
 GSF: 182,617 sq.ft.
 Site Size: 21.31 acres
 Relocatables: -



Adjacent Schools

Cabin John MS
 Forest Oak MS
 Robert Frost MS
 Herbert Hoover MS

Shady Grove MS
 Tilden MS
 Earle B. Wood MS

FY22 Annual School Test

- 4-Yr Projection
 - Utilization : 99.3%
 - Seat Surplus : 10



* MCPS projection, modified according to Annual School Test guidelines (if applicable).



Westland Middle School



Year Facility Built: 1951
 Last Renovation: 1997
 GSF: 146,006 sq.ft.
 Site Size: 25.09 acres
 Relocatables: -

Adjacent Schools

North Bethesda MS
 Thomas W. Pyle MS
 Silver Creek MS

FY22 Annual School Test

- 4-Yr Projection
 - Utilization : 73.7%
 - Seat Surplus : 291



* MCPS projection, modified according to Annual School Test guidelines (if applicable).



White Oak Middle School

Year Facility Built: 1962
 Last Renovation: 1993
 GSF: 141,163 sq.ft.
 Site Size: 17.34 acres
 Relocatables: -



Adjacent Schools

Argyle MS
 Briggs Chaney MS
 Eastern MS

William H. Farquhar MS
 Francis Scott Key MS
 Odessa Shannon MS

FY22 Annual School Test

- 4-Yr Projection
 - Utilization : 86.9%
 - Seat Surplus : 130



* MCPS projection, modified according to Annual School Test guidelines (if applicable).



Earle B. Wood Middle School

Year Facility Built: 1965
 Last Renovation: 2001
 GSF: 152,588 sq.ft.
 Site Size: 8.5 acres
 Relocatables: -



Adjacent Schools

Argyle MS
 William H. Farquhar MS
 Parkland MS
 Redland MS

Shady Grove MS
 Tilden MS
 Julius West MS

FY22 Annual School Test

- 4-Yr Projection
 - Utilization : 107.9%
 - Seat Deficit : -75



* MCPS projection, modified according to Annual School Test guidelines (if applicable).



Individual School Utilization Report

Elementary Schools

Arcola Elementary School

Year Facility Built: 1956
 Last Renovation: 2007 (2015 add'n)
 GSF: 95,421 sq.ft.
 Site Size: 5 acres
 Relocatables: 6



Adjacent Schools

Forest Knolls ES
 Glen Haven ES
 Glenallan ES
 Highland ES
 Kemp Mill ES

Oakland Terrace ES
 Rock View ES
 Sargent Shriver ES
 Weller Road ES

FY22 Annual School Test

- 4-Yr Projection
 - Utilization : 113.5%
 - Seat Deficit : -88



* MCPS projection, modified according to Annual School Test guidelines (if applicable).



Ashburton Elementary School

FY22 Annual School Test



Year Facility Built: 1957
 Last Renovation: 1993 (2019 add'n)
 GSF: 91,178 sq.ft.
 Site Size: 8.32 acres
 Relocatables: 8 (modular bldg)

Adjacent Schools

Bells Mill ES
 Beverly Farms ES
 Burning Tree ES
 Garrett Park ES

Kensington-Parkwood ES
 Luxmanor ES
 Seven Locks ES
 Wyngate ES

- 4-Yr Projection
 - Utilization : 127.9%
 - Seat Deficit : -220



* MCPS projection, modified according to Annual School Test guidelines (if applicable).



Bannockburn Elementary School

Year Facility Built: 1957
 Last Renovation: 1988
 GSF: 54,234 sq.ft.
 Site Size: 8.34 acres
 Relocatables: 2



Adjacent Schools

Burning Tree ES
 Carderock Springs ES
 Seven Locks ES

Westbrook ES
 Wood Acres ES

FY22 Annual School Test

- 4-Yr Projection
 - Utilization : 127.9%
 - Seat Deficit : -220



* MCPS projection, modified according to Annual School Test guidelines (if applicable).



Lucy V. Barnsley Elementary School

Year Facility Built: 1965
 Last Renovation: 1998 (2018 add'n)
 GSF: 97,524 sq.ft.
 Site Size: 10 acres
 Relocatables: -



Adjacent Schools

Bel Pre/Strathmore ES
 Brookhaven ES
 Flower Valley ES

Harmony Hills ES
 Meadow Hall ES
 Rock Creek Valley ES

FY22 Annual School Test

- 4-Yr Projection
 - Utilization : 110.3%
 - Seat Deficit : -67



* MCPS projection, modified according to Annual School Test guidelines (if applicable).



Beall Elementary School

Year Facility Built: 1954
 Last Renovation: 1991
 GSF: 79,477 sq.ft.
 Site Size: 8.44 acres
 Relocatables: -



Adjacent Schools

College Gardens ES
 Fallsmead ES
 Maryvale ES

Meadow Hall ES
 Ritchie Park ES
 Bayard Rustin ES

FY22 Annual School Test

- 4-Yr Projection
 - Utilization : 85.6%
 - Seat Surplus : 92



* MCPS projection, modified according to Annual School Test guidelines (if applicable).



Bel Pre/Strathmore Elementary School

FY22 Annual School Test



	<u>Bel Pre</u>		<u>Strathmore</u>
Year Facility Built:	1968	/	1970
Last Renovation:	2014	/	-
GSF:	95,330 sq.ft.	/	59,497 sq.ft.
Site Size:	8.91 acres	/	10.79 acres
Relocatables:	-	/	-

Adjacent Schools

Lucy V. Barnsley ES
Brookhaven ES
Flower Valley ES
Georgian Forest ES

Glenallan ES
Harmony Hills ES
Stonegate ES
Westover ES

- 4-Yr Projection
 - Utilization : 98.4%
 - Seat Surplus : 17



* MCPS projection, modified according to Annual School Test guidelines (if applicable).



Bells Mill Elementary School

Year Facility Built: 1968
 Last Renovation: 2009
 GSF: 77,244 sq.ft.
 Site Size: 9.6 acres
 Relocatables: -



Adjacent Schools

Ashburton ES
 Beverly Farms ES
 Potomac ES

Seven Locks ES
 Wayside ES

FY22 Annual School Test

- 4-Yr Projection
 - Utilization : 97.9%
 - Seat Surplus : 13



* MCPS projection, modified according to Annual School Test guidelines (if applicable).



Belmont Elementary School



Year Facility Built: 1974
 Last Renovation: -
 GSF: 49,279 sq.ft.
 Site Size: 10.52 acres
 Relocatables: -

Adjacent Schools

Cashell ES
 Greenwood ES
 Laytonsville ES
 Olney ES

FY22 Annual School Test

- 4-Yr Projection
 - Utilization : 84.3%
 - Seat Surplus : 63



* MCPS projection, modified according to Annual School Test guidelines (if applicable).



Bethesda Elementary School

Year Facility Built: 1952
 Last Renovation: 1999 (2015 add'n)
 GSF: 75,421 sq.ft.
 Site Size: 7.93 acres
 Relocatables: 6



Adjacent Schools

Bradley Hills ES
 Rosemary Hills/Chevy Chase ES
 Rosemary Hills/N. Chevy Chase ES

Somerset ES
 Wyngate ES

FY22 Annual School Test

- 4-Yr Projection
 - Utilization : 96.8%
 - Seat Surplus : 18
- Enrollment projection modified to reflect student reassignment between Westbrook/Somerset/Bethesda ESs (2022).



* MCPS projection, modified according to Annual School Test guidelines (if applicable).



Beverly Farms Elementary School

Year Facility Built: 1965
 Last Renovation: 2012
 GSF: 98,916 sq.ft.
 Site Size: 4.98 acres
 Relocatables: -



Adjacent Schools

Ashburton ES
 Bells Mill ES
 Cold Spring ES

Farmland ES
 Ritchie Park ES
 Wayside ES

FY22 Annual School Test

- 4-Yr Projection
 - Utilization : 84.2%
 - Seat Surplus : 109



* MCPS projection, modified according to Annual School Test guidelines (if applicable).



Bradley Hills Elementary School

Year Facility Built: 1951
 Last Renovation: 1984 (2013 add'n)
 GSF: 76,745 sq.ft.
 Site Size: 6.71 acres
 Relocatables: -



Adjacent Schools

Bethesda ES
 Burning Tree ES
 Somerset ES

Wood Acres ES
 Wyngate ES

FY22 Annual School Test

- 4-Yr Projection
 - Utilization : 75.9%
 - Seat Surplus : 160



* MCPS projection, modified according to Annual School Test guidelines (if applicable).



Brooke Grove Elementary School



Year Facility Built: 1990
 Last Renovation: -
 GSF: 73,080 sq.ft.
 Site Size: 10.96 acres
 Relocatables: -

Adjacent Schools

Greenwood ES
 Olney ES
 Sherwood ES

FY22 Annual School Test

- 4-Yr Projection
 - Utilization : 83.6%
 - Seat Surplus : 85



* MCPS projection, modified according to Annual School Test guidelines (if applicable).



Brookhaven Elementary School

Year Facility Built: 1961
 Last Renovation: 1995 (2011 add'n)
 GSF: 81,320 sq.ft.
 Site Size: 8.57 acres
 Relocatables: -



Adjacent Schools

Lucy V. Barnsley ES
 Bel Pre/Strathmore ES
 Flower Valley ES

Harmony Hills ES
 Rock Creek Valley ES
 Wheaton Woods ES

FY22 Annual School Test

- 4-Yr Projection
 - Utilization : 94.7%
 - Seat Surplus : 25



* MCPS projection, modified according to Annual School Test guidelines (if applicable).



Brown Station Elementary School



Year Facility Built: 1969
 Last Renovation: 2017
 GSF: 113,998 sq.ft.
 Site Size: 9 acres
 Relocatables: -

Adjacent Schools

Rachel Carson ES
 Clopper Mill ES
 Diamond ES
 Great Seneca Creek ES

Thurgood Marshall ES
 S. Christa McAuliffe
 South Lake ES
 Watkins Mill ES

- 4-Yr Projection
 - Utilization : 90.7%
 - Seat Surplus : 71



* MCPS projection, modified according to Annual School Test guidelines (if applicable).



Burning Tree Elementary School

Year Facility Built: 1958
 Last Renovation: 1991
 GSF: 68,119 sq.ft.
 Site Size: 6.78 acres
 Relocatables: 4



Adjacent Schools

Ashburton ES
 Bannockburn ES
 Bradley Hills ES

Seven Locks ES
 Wyngate ES

FY22 Annual School Test

- 4-Yr Projection
 - Utilization : 126.5%
 - Seat Deficit : -100



* MCPS projection, modified according to Annual School Test guidelines (if applicable).



Burnt Mills Elementary School

Year Facility Built: 1964
 Last Renovation: 1990
 GSF: 57,318 sq.ft.
 Site Size: 15.14 acres
 Relocatables: 9



Adjacent Schools

Forest Knolls ES
 Galway ES
 Jackson Road ES

Kemp Mill ES
 Roscoe R. Nix/Cresthaven ES

FY22 Annual School Test

- 4-Yr Projection
 - Utilization : 94.3%
 - Seat Surplus : 37
- Capacity projection reflects completion of Major Capital Project (2023).



* MCPS projection, modified according to Annual School Test guidelines (if applicable).



Burtonsville Elementary School



Year Facility Built: 1952
 Last Renovation: 1993
 GSF: 71,349 sq.ft.
 Site Size: 11.92 acres
 Relocatables: 6

Adjacent Schools

Cloverly ES
 Greencastle ES

FY22 Annual School Test

- 4-Yr Projection
 - Utilization : 135.7%
 - Seat Deficit : -176



* MCPS projection, modified according to Annual School Test guidelines (if applicable).



Candlewood Elementary School

Year Facility Built: 1968
 Last Renovation: 2015
 GSF: 82,222 sq.ft.
 Site Size: 11.78 acres
 Relocatables: -



Adjacent Schools

College Gardens ES
 Maryvale ES
 Mill Creek Towne ES

Sequoyah ES
 Washington Grove ES

FY22 Annual School Test

- 4-Yr Projection
 - Utilization : 79.8%
 - Seat Surplus : 104



* MCPS projection, modified according to Annual School Test guidelines (if applicable).



Cannon Road Elementary School

Year Facility Built: 1967
 Last Renovation: 2012
 GSF: 83,377 sq.ft.
 Site Size: 4.4 acres
 Relocatables: -



Adjacent Schools

Dr. Charles R. Drew ES
 Fairland ES
 Jackson Road ES

Roscoe R. Nix/Cresthaven ES
 William T. Page ES

FY22 Annual School Test

- 4-Yr Projection
 - Utilization : 98.1%
 - Seat Surplus : 9



* MCPS projection, modified according to Annual School Test guidelines (if applicable).



Carderock Springs Elementary School



Year Facility Built: 1966
 Last Renovation: 2010
 GSF: 75,351 sq.ft.
 Site Size: 9 acres
 Relocatables: -

Adjacent Schools

Bannockburn ES
 Potomac ES
 Seven Locks ES

FY22 Annual School Test

- 4-Yr Projection
 - Utilization : 86.0%
 - Seat Surplus : 57



* MCPS projection, modified according to Annual School Test guidelines (if applicable).



Rachel Carson Elementary School

Year Facility Built: 1990
 Last Renovation: -
 GSF: 78,547 sq.ft.
 Site Size: 12.4 acres
 Relocatables: 10



Adjacent Schools

Brown Station ES
 Diamond ES
 DuFief ES
 Fields Road ES

Jones Lane ES
 Thurgood Marshall ES
 Rosemont ES
 Summit Hall ES

FY22 Annual School Test

- 4-Yr Projection
 - Utilization : 80.1%
 - Seat Surplus : 138
- Enrollment projection modified to reflect student reassignment between Rachel Carson and DuFief ESs (2023).



* MCPS projection, modified according to Annual School Test guidelines (if applicable).



Cashell Elementary School



Year Facility Built: 1969
 Last Renovation: 2009
 GSF: 71,171 sq.ft.
 Site Size: 10.24 acres
 Relocatables: 2

Adjacent Schools

Belmont ES
 Flower Valley ES
 Olney ES
 Sequoyah ES

FY22 Annual School Test

- 4-Yr Projection
 - Utilization : 101.8%
 - Seat Deficit : -6



* MCPS projection, modified according to Annual School Test guidelines (if applicable).



Cedar Grove Elementary School

FY22 Annual School Test



Year Facility Built: 1960
 Last Renovation: 1987
 GSF: 57,037
 Site Size: 10.12
 Relocatables: 3

Adjacent Schools

Damascus ES
 William B. Gibbs Jr. ES
 Laytonsville ES
 Little Bennett ES

Lois P. Rockwell ES
 Snowden Farm ES
 Wilson Wims ES
 Woodfield ES

- 4-Yr Projection
 - Utilization : 94.5%
 - Seat Surplus : 22



* MCPS projection, modified according to Annual School Test guidelines (if applicable).



Clarksburg Elementary School

Year Facility Built: 1952
 Last Renovation: 1993
 GSF: 54,983 sq.ft.
 Site Size: 9.97 acres
 Relocatables: 12



Adjacent Schools

William B. Gibbs Jr. ES
 Lake Seneca ES
 Little Bennett ES
 Spark M. Matsunaga ES

Ronald McNair ES
 Monocacy ES
 Snowden Farm ES
 Waters Landing ES

FY22 Annual School Test

- 4-Yr Projection
 - Utilization : 82.3%
 - Seat Surplus : 55
- Enrollment projection modified to reflect capacity solution at Clarksburg ES #9 (2023)



* MCPS projection, modified according to Annual School Test guidelines (if applicable).



Clearspring Elementary School



Year Facility Built: 1988
 Last Renovation: -
 GSF: 77,535 sq.ft.
 Site Size: 10 acres
 Relocatables: 2

Adjacent Schools

Damascus ES
 Laytonsville ES
 Lois P. Rockwell ES
 Woodfield ES

FY22 Annual School Test

- 4-Yr Projection
 - Utilization : 96.0%
 - Seat Surplus : 25



* MCPS projection, modified according to Annual School Test guidelines (if applicable).



Clopper Mill Elementary School

Year Facility Built: 1986
 Last Renovation: -
 GSF: 64,851 sq.ft.
 Site Size: 9 acres
 Relocatables: 6



Adjacent Schools

Brown Station ES
 Germantown ES
 Great Seneca Creek ES
 Lake Seneca ES

Spark M. Matsunaga ES
 S. Christa McAuliffe
 Ronald McNair ES

FY22 Annual School Test

- 4-Yr Projection
 - Utilization : 101.0%
 - Seat Deficit : -5



* MCPS projection, modified according to Annual School Test guidelines (if applicable).



Cloverly Elementary School

Year Facility Built: 1961
 Last Renovation: 1989
 GSF: 61,991 sq.ft.
 Site Size: 10 acres
 Relocatables: 2



Adjacent Schools

Burtonsville ES
 Dr. Charles R. Drew ES
 Fairland ES

Greencastle ES
 Sherwood ES
 Stonegate ES

FY22 Annual School Test

- 4-Yr Projection
 - Utilization : 109.3%
 - Seat Deficit : -43



* MCPS projection, modified according to Annual School Test guidelines (if applicable).



Cold Spring Elementary School



Year Facility Built: 1972
 Last Renovation: -
 GSF: 55,158 sq.ft.
 Site Size: 12.38 acres
 Relocatables: 1

Adjacent Schools

Beverly Farms ES
 Fallsmead ES
 Ritchie Park ES
 Wayside ES

FY22 Annual School Test

- 4-Yr Projection
 - Utilization : 74.2%
 - Seat Surplus : 118



* MCPS projection, modified according to Annual School Test guidelines (if applicable).



College Gardens Elementary School

Year Facility Built: 1967
 Last Renovation: 2008
 GSF: 96,986 sq.ft.
 Site Size: 7.94 acres
 Relocatables: 2



Adjacent Schools

Beall ES
 Candlewood ES
 Maryvale ES

Ritchie Park ES
 Rosemont ES

FY22 Annual School Test

- 4-Yr Projection
 - Utilization : 83.3%
 - Seat Surplus : 113



* MCPS projection, modified according to Annual School Test guidelines (if applicable).



Capt. James E. Daly Elementary School

Year Facility Built: 1989
Last Renovation: -
GSF: 78,386 sq.ft.
Site Size: 10 acres
Relocatables: 4



Adjacent Schools

Fox Chapel ES
William B. Gibbs Jr. ES
Dr. Salley K. Ride ES

South Lake ES
Stedwick ES

FY22 Annual School Test

- 4-Yr Projection
 - Utilization : 108.0%
 - Seat Deficit : -42



* MCPS projection, modified according to Annual School Test guidelines (if applicable).



Damascus Elementary School

Year Facility Built: 1934
 Last Renovation: 1980
 GSF: 53,239 sq.ft.
 Site Size: 9.42 acres
 Relocatables: 2



Adjacent Schools

Cedar Grove ES
 Clearspring ES
 Laytonsville ES

Little Bennett ES
 Lois P. Rockwell ES

FY22 Annual School Test

- 4-Yr Projection
 - Utilization : 107.3%
 - Seat Deficit : -27



* MCPS projection, modified according to Annual School Test guidelines (if applicable).



Darnestown Elementary School

Year Facility Built: 1954
 Last Renovation: 1980 (2013 add'n)
 GSF: 64,840 sq.ft.
 Site Size: 7.21 acres
 Relocatables: -



Adjacent Schools

Great Seneca Creek ES
 Jones Lane ES
 Thurgood Marshall ES
 Spark M. Matsunaga ES

Monocacy ES
 Poolesville ES
 Travilah ES

FY22 Annual School Test

- 4-Yr Projection
 - Utilization : 77.8%
 - Seat Surplus : 96



* MCPS projection, modified according to Annual School Test guidelines (if applicable).



Diamond Elementary School

Year Facility Built: 1975
 Last Renovation: - (2017 add'n)
 GSF: 83,177 sq.ft.
 Site Size: 10 acres
 Relocatables: 4



Adjacent Schools

Brown Station ES
 Rachel Carson ES
 Fields Road ES

Great Seneca Creek ES
 Jones Lane ES
 Thurgood Marshall ES

FY22 Annual School Test

- 4-Yr Projection
 - Utilization : 118.7%
 - Seat Deficit : -127



* MCPS projection, modified according to Annual School Test guidelines (if applicable).



Dr. Charles R. Drew Elementary School

Year Facility Built: 1991
 Last Renovation: -
 GSF: 73,975 sq.ft.
 Site Size: 12 acres
 Relocatables: 2



Adjacent Schools

Cannon Road ES
 Cloverly ES
 Fairland ES
 William T. Page ES

Sherwood ES
 Stonegate ES
 Westover ES

FY22 Annual School Test

- 4-Yr Projection
 - Utilization : 101.9%
 - Seat Deficit : -9



* MCPS projection, modified according to Annual School Test guidelines (if applicable).



DuFief Elementary School

Year Facility Built: 1975
 Last Renovation: -
 GSF: 59,013 sq.ft.
 Site Size: 10 acres
 Relocatables: 1



Adjacent Schools

Rachel Carson ES
 Fields Road ES
 Jones Lane ES

Thurgood Marshall ES
 Stone Mill ES
 Travilah ES

FY22 Annual School Test

- 4-Yr Projection
 - Utilization : 80.0%
 - Seat Surplus : 132
- Projections modified to reflect classroom addition and student reassignment between Rachel Carson and DuFief ESs (2023).



* MCPS projection, modified according to Annual School Test guidelines (if applicable).





East Silver Spring Elementary School

Year Facility Built: 1929
 Last Renovation: 1975 (2010 add'n)
 GSF: 88,895 sq.ft.
 Site Size: 8.43 acres
 Relocatables: -

Adjacent Schools
 Rolling Terrace ES
 Sligo Creek ES
 Takoma Park/Piney Branch ES

FY22 Annual School Test

- 4-Yr Projection
 - Utilization : 88.9%
 - Seat Surplus : 64



* MCPS projection, modified according to Annual School Test guidelines (if applicable).



Fairland Elementary School

Year Facility Built: 1992
 Last Renovation: - (2011 add'n)
 GSF: 92,227 sq.ft.
 Site Size: 11.79 acres
 Relocatables: 1



Adjacent Schools

Cannon Road ES
 Cloverly ES
 Dr. Charles R. Drew ES
 Galway ES

Greencastle ES
 Jackson Road ES
 William T. Page ES

FY22 Annual School Test

- 4-Yr Projection
 - Utilization : 94.4%
 - Seat Surplus : 36



* MCPS projection, modified according to Annual School Test guidelines (if applicable).



Fallsmead Elementary School

Year Facility Built: 1974
 Last Renovation: - (2008 add'n)
 GSF: 67,472 sq.ft.
 Site Size: 8.98 acres
 Relocatables: -



Adjacent Schools

Beall ES
 Cold Spring ES
 Fields Road ES
 Jones Lane ES
 Lakewood ES

Ritchie Park ES
 Rosemont ES
 Bayard Rustin ES
 Wayside ES

FY22 Annual School Test

- 4-Yr Projection
 - Utilization : 104.0%
 - Seat Deficit : -22



* MCPS projection, modified according to Annual School Test guidelines (if applicable).



Farmland Elementary School

Year Facility Built: 1963
 Last Renovation: 2011
 GSF: 89,988 sq.ft.
 Site Size: 4.75 acres
 Relocatables: 4



Adjacent Schools

Beverly Farms ES
 Garrett Park ES
 Luxmanor ES

Bayard Rustin ES
 Twinbrook ES

FY22 Annual School Test

- 4-Yr Projection
 - Utilization : 112.0%
 - Seat Deficit : -86



* MCPS projection, modified according to Annual School Test guidelines (if applicable).



Fields Road Elementary School

Year Facility Built: 1973
 Last Renovation: - (2008 add'n)
 GSF: 72,302 sq.ft.
 Site Size: 10 acres
 Relocatables: 4



Adjacent Schools

Rachel Carson ES
 Diamond ES
 DuFief ES

Fallsmead ES
 Jones Lane ES
 Rosemont ES

FY22 Annual School Test

- 4-Yr Projection
 - Utilization : 113.3%
 - Seat Deficit : -58



* MCPS projection, modified according to Annual School Test guidelines (if applicable).



Flower Hill Elementary School



Year Facility Built: 1985
 Last Renovation: -
 GSF: 58,770 sq.ft.
 Site Size: 10 acres
 Relocatables: 3

Adjacent Schools

Judith A. Resnik ES
 Sequoyah ES
 Strawberry Knoll ES
 Washington Grove ES

FY22 Annual School Test

- 4-Yr Projection
 - Utilization : 93.9%
 - Seat Surplus : 30



* MCPS projection, modified according to Annual School Test guidelines (if applicable).



Flower Valley Elementary School

Year Facility Built: 1967
 Last Renovation: 1996
 GSF: 61,567 sq.ft.
 Site Size: 9.28 acres
 Relocatables: 2



Adjacent Schools

Lucy V. Barnsley ES
 Bel Pre/Strathmore ES
 Brookhaven ES
 Cashell ES
 Maryvale ES

Meadow Hall ES
 Sequoyah ES
 Sherwood ES
 Stonegate ES

FY22 Annual School Test

- 4-Yr Projection
 - Utilization : 112.3%
 - Seat Deficit : -51



* MCPS projection, modified according to Annual School Test guidelines (if applicable).



Forest Knolls Elementary School

Year Facility Built: 1960
 Last Renovation: 1993 (2006 add'n)
 GSF: 89,564 sq.ft.
 Site Size: 7.77 acres
 Relocatables: 4



Adjacent Schools

Arcola ES
 Burnt Mills ES
 Glen Haven ES

Kemp Mill ES
 Montgomery Knolls/Pine Crest ES
 Flora M. Singer ES

FY22 Annual School Test

- 4-Yr Projection
 - Utilization : 95.3%
 - Seat Surplus : 25



* MCPS projection, modified according to Annual School Test guidelines (if applicable).



Fox Chapel Elementary School

Year Facility Built: 1974
 Last Renovation: - (2011 add'n)
 GSF: 85,182 sq.ft.
 Site Size: 10.34 acres
 Relocatables: -



Adjacent Schools

Capt. James E. Daly ES
 S. Christa McAuliffe
 Dr. Salley K. Ride ES

South Lake ES
 Watkins Mill ES

FY22 Annual School Test

- 4-Yr Projection
 - Utilization : 98.4%
 - Seat Surplus : 11



* MCPS projection, modified according to Annual School Test guidelines (if applicable).



Gaithersburg Elementary School

Year Facility Built: 1947
 Last Renovation: 1983
 GSF: 94,468 sq.ft.
 Site Size: 9.22 acres
 Relocatables: 11



Adjacent Schools

Judith A. Resnik ES
 Rosemont ES
 South Lake ES

Strawberry Knoll ES
 Summit Hall ES
 Washington Grove ES

FY22 Annual School Test

- 4-Yr Projection
 - Utilization : 91.3%
 - Seat Surplus : 64
- Enrollment projection modified to reflect student reassignment following opening of Gaithersburg ES#8(2022).



* MCPS projection, modified according to Annual School Test guidelines (if applicable).



Galway Elementary School

FY22 Annual School Test



Year Facility Built: 1967
 Last Renovation: 2009
 GSF: 103,170 sq.ft.
 Site Size: 9 acres
 Relocatables: 2

Adjacent Schools

Burnt Mills ES
 Fairland ES
 Greencastle ES

Jackson Road ES
 Roscoe R. Nix/Cresthaven ES
 William T. Page ES

- 4-Yr Projection
 - Utilization : 99.9%
 - Seat Surplus : 1



* MCPS projection, modified according to Annual School Test guidelines (if applicable).



Garrett Park Elementary School



Year Facility Built: 1948
 Last Renovation: 2012
 GSF: 96,348 sq.ft.
 Site Size: 4.37 acres
 Relocatables: -

Adjacent Schools

Ashburton ES	Sargent Shriver ES
Farmland ES	Twinbrook ES
Kensington-Parkwood ES	Viers Mill ES
Luxmanor ES	Wheaton Woods ES
Rock Creek Valley ES	Wyngate ES

FY22 Annual School Test

- 4-Yr Projection
 - Utilization : 100.6%
 - Seat Deficit : -5



* MCPS projection, modified according to Annual School Test guidelines (if applicable).



Georgian Forest Elementary School



Year Facility Built: 1961
 Last Renovation: 1995 (2013 add'n)
 GSF: 88,111 sq.ft.
 Site Size: 10.94 acres
 Relocatables: -

Adjacent Schools

Bel Pre/Strathmore ES
 Glenallan ES
 Harmony Hills ES
 Weller Road ES

FY22 Annual School Test

- 4-Yr Projection
 - Utilization : 96.4%
 - Seat Surplus : 24



* MCPS projection, modified according to Annual School Test guidelines (if applicable).



Germantown Elementary School



Year Facility Built: 1935
 Last Renovation: 1978
 GSF: 57,668 sq.ft.
 Site Size: 7.75 acres
 Relocatables: 3

Adjacent Schools

Clopper Mill ES
 Great Seneca Creek ES
 Spark M. Matsunaga ES
 Ronald McNair ES

FY22 Annual School Test

- 4-Yr Projection
 - Utilization : 109.5%
 - Seat Deficit : -29



* MCPS projection, modified according to Annual School Test guidelines (if applicable).



William B. Gibbs, Jr. Elementary School

Year Facility Built: 2009
 Last Renovation: -
 GSF: 88,042 sq.ft.
 Site Size: 10.75 acres
 Relocatables: -



Adjacent Schools

Cedar Grove ES
 Clarksburg ES
 Capt. James E. Daly ES
 Goshen ES
 Laytonsville ES

Dr. Salley K. Ride ES
 Snowden Farm ES
 Stedwick ES
 Waters Landing ES

FY22 Annual School Test

- 4-Yr Projection
 - Utilization : 83.7%
 - Seat Surplus : 117



* MCPS projection, modified according to Annual School Test guidelines (if applicable).



Glen Haven Elementary School



Year Facility Built: 1950
 Last Renovation: 2004
 GSF: 85,845 sq.ft.
 Site Size: 10 acres
 Relocatables: -

Adjacent Schools

Arcola ES
 Forest Knolls ES
 Oakland Terrace ES
 Flora M. Singer ES

FY22 Annual School Test

- 4-Yr Projection
 - Utilization : 92.4%
 - Seat Surplus : 44



* MCPS projection, modified according to Annual School Test guidelines (if applicable).



Glenallan Elementary School

Year Facility Built: 1966
 Last Renovation: 2013
 GSF: 98,700 sq.ft.
 Site Size: 12.1 acres
 Relocatables: 2



Adjacent Schools

Arcola ES
 Bel Pre/Strathmore ES
 Georgian Forest ES
 Jackson Road ES

Kemp Mill ES
 Weller Road ES
 Westover ES

FY22 Annual School Test

- 4-Yr Projection
 - Utilization : 96.4%
 - Seat Surplus : 27



* MCPS projection, modified according to Annual School Test guidelines (if applicable).



Goshen Elementary School

FY22 Annual School Test



Year Facility Built: 1988
 Last Renovation: -
 GSF: 76,740 sq.ft.
 Site Size: 10.47 acres
 Relocatables: 2

Adjacent Schools

William B. Gibbs Jr. ES
 Laytonsville ES
 Judith A. Resnik ES
 South Lake ES

Stedwick ES
 Strawberry Knoll ES
 Whetstone ES

- 4-Yr Projection
 - Utilization : 91.6%
 - Seat Surplus : 50



* MCPS projection, modified according to Annual School Test guidelines (if applicable).



Great Seneca Creek Elementary School

FY22 Annual School Test



Year Facility Built: 2006
 Last Renovation: -
 GSF: 82,511 sq.ft.
 Site Size: 13.71 acres
 Relocatables: 3

Adjacent Schools

Brown Station ES
 Clopper Mill ES
 Darnestown ES
 Diamond ES

Germantown ES
 Thurgood Marshall ES
 Spark M. Matsunaga ES
 Ronald McNair ES

- 4-Yr Projection
 - Utilization : 96.8%
 - Seat Surplus : 18



* MCPS projection, modified according to Annual School Test guidelines (if applicable).



Greencastle Elementary School



Year Facility Built: 1988
 Last Renovation: -
 GSF: 78,275 sq.ft.
 Site Size: 18.88 acres
 Relocatables: 8

Adjacent Schools

Burtonsville ES
 Cloverly ES
 Fairland ES
 Galway ES

FY22 Annual School Test

- 4-Yr Projection
 - Utilization : 133.7%
 - Seat Deficit : -199



* MCPS projection, modified according to Annual School Test guidelines (if applicable).



Greenwood Elementary School

Year Facility Built: 1970
 Last Renovation: -
 GSF: 64,609 sq.ft.
 Site Size: 10 acres
 Relocatables: -



Adjacent Schools

Belmont ES
 Brooke Grove ES
 Laytonsville ES

Olney ES
 Sherwood ES

FY22 Annual School Test

- 4-Yr Projection
 - Utilization : 92.3%
 - Seat Surplus : 45



* MCPS projection, modified according to Annual School Test guidelines (if applicable).



Harmony Hills Elementary School

Year Facility Built: 1957
 Last Renovation: 1999 (2011 add'n)
 GSF: 85,648 sq.ft.
 Site Size: 10.19 acres
 Relocatables: 7



Adjacent Schools

Lucy V. Barnsley ES
 Bel Pre/Strathmore ES
 Brookhaven ES
 Georgian Forest ES

Sargent Shriver ES
 Weller Road ES
 Wheaton Woods ES

FY22 Annual School Test

- 4-Yr Projection
 - Utilization : 99.4%
 - Seat Surplus : 4



* MCPS projection, modified according to Annual School Test guidelines (if applicable).



Highland Elementary School



Year Facility Built: 1950
 Last Renovation: 1989
 GSF: 87,491 sq.ft.
 Site Size: 11.05 acres
 Relocatables: -

Adjacent Schools

Arcola ES
 Kemp Mill ES
 Rock View ES
 Sargent Shriver ES

FY22 Annual School Test

- 4-Yr Projection
 - Utilization : 96.1%
 - Seat Surplus : 21



* MCPS projection, modified according to Annual School Test guidelines (if applicable).



Highland View Elementary School



Year Facility Built: 1953
 Last Renovation: 1994
 GSF: 59,307 sq.ft.
 Site Size: 6.61 acres
 Relocatables: 6

Adjacent Schools

Montgomery Knolls/Pine Crest ES
 New Hampshire Estates/Oak View ES
 Sligo Creek ES

FY22 Annual School Test

- 4-Yr Projection
 - Utilization : 90.0%
 - Seat Surplus : 45
- Capacity projection reflects classroom addition (2025).



* MCPS projection, modified according to Annual School Test guidelines (if applicable).



Jackson Road Elementary School

Year Facility Built: 1959
 Last Renovation: 1995 (2011 add'n)
 GSF: 91,465 sq.ft.
 Site Size: 8.76 acres
 Relocatables: 3



Adjacent Schools

Burnt Mills ES
 Cannon Road ES
 Fairland ES
 Galway ES

Glenallan ES
 Kemp Mill ES
 Roscoe R. Nix/Cresthaven ES
 Westover ES

FY22 Annual School Test

- 4-Yr Projection
 - Utilization : 98.4%
 - Seat Surplus : 11



* MCPS projection, modified according to Annual School Test guidelines (if applicable).



Jones Lane Elementary School

Year Facility Built: 1987
 Last Renovation: -
 GSF: 60,679 sq.ft.
 Site Size: 12.06 acres
 Relocatables: -



Adjacent Schools

Rachel Carson ES
 Darnestown ES
 Diamond ES
 DuFief ES
 Fallsmead ES

Fields Road ES
 Thurgood Marshall ES
 Rosemont ES
 Summit Hall ES
 Travilah ES

FY22 Annual School Test

- 4-Yr Projection
 - Utilization : 72.9%
 - Seat Surplus : 140



* MCPS projection, modified according to Annual School Test guidelines (if applicable).



Kemp Mill Elementary School

Year Facility Built: 1960
 Last Renovation: 1996
 GSF: 68,222 sq.ft.
 Site Size: 10 acres
 Relocatables: 3



Adjacent Schools

Arcola ES
 Burnt Mills ES
 Forest Knolls ES

Glenallan ES
 Highland ES
 Jackson Road ES

FY22 Annual School Test

- 4-Yr Projection
 - Utilization : 89.1%
 - Seat Surplus : 50



* MCPS projection, modified according to Annual School Test guidelines (if applicable).



Kensington-Parkwood Elementary School

Year Facility Built: 1952
 Last Renovation: 2006 (2018 add'n)
 GSF: 102,382
 Site Size: 9.86 acres
 Relocatables: -



Adjacent Schools

Ashburton ES
 Garrett Park ES
 Luxmanor ES
 Oakland Terrace ES

Rock View ES
 Rosemary Hills/N. Chevy Chase ES
 Viers Mill ES
 Wyngate ES

FY22 Annual School Test

- 4-Yr Projection
 - Utilization : 78.8%
 - Seat Surplus : 153



* MCPS projection, modified according to Annual School Test guidelines (if applicable).



Lake Seneca Elementary School

Year Facility Built: 1985
 Last Renovation: -
 GSF: 58,770 sq.ft.
 Site Size: 9.35 acres
 Relocatables: 9



Adjacent Schools

Clarksburg ES
 Clopper Mill ES
 Spark M. Matsunaga ES
 S. Christa McAuliffe

Ronald McNair ES
 Dr. Salley K. Ride ES
 Waters Landing ES

FY22 Annual School Test

- 4-Yr Projection
 - Utilization : 107.5%
 - Seat Deficit : -32



* MCPS projection, modified according to Annual School Test guidelines (if applicable).



Lakewood Elementary School

Year Facility Built: 1968
 Last Renovation: 2003
 GSF: 77,526 sq.ft.
 Site Size: 13.07 acres
 Relocatables: -



Adjacent Schools

Fallsmead ES
 Ritchie Park ES
 Stone Mill ES

Travilah ES
 Wayside ES

FY22 Annual School Test

- 4-Yr Projection
 - Utilization : 74.1%
 - Seat Surplus : 144



* MCPS projection, modified according to Annual School Test guidelines (if applicable).



Laytonville Elementary School

Year Facility Built: 1951
 Last Renovation: 1989
 GSF: 64,160 sq.ft.
 Site Size: 10.43 acres
 Relocatables: -



Adjacent Schools

Belmont ES
 Cedar Grove ES
 Clearspring ES
 Damascus ES
 William B. Gibbs Jr. ES

Goshen ES
 Greenwood ES
 Judith A. Resnik ES
 Sequoyah ES
 Woodfield ES

FY22 Annual School Test

- 4-Yr Projection
 - Utilization : 84.7%
 - Seat Surplus : 71



* MCPS projection, modified according to Annual School Test guidelines (if applicable).



JoAnn Leleck Elementary School



Year Facility Built: 1952
 Last Renovation: 1974 (2006 add'n)
 GSF: 88,922 sq.ft.
 Site Size: 6.15 acres
 Relocatables: 12

Adjacent Schools

Montgomery Knolls/Pine Crest ES
 New Hampshire Estates/Oak View ES
 Roscoe R. Nix/Cresthaven ES

FY21 Annual School Test:

- 4-Yr Projection
 - Utilization : 74.2%
 - Seat Surplus : 309
- Capacity projection reflects new facility for grades 3-5 (2025).



* MCPS projection, modified according to Annual School Test guidelines (if applicable).



Little Bennett Elementary School

Year Facility Built: 2006
 Last Renovation: -
 GSF: 82,511 sq.ft.
 Site Size: 4.81 acres
 Relocatables: -



Adjacent Schools

Cedar Grove ES
 Clarksburg ES
 Damascus ES

Snowden Farm ES
 Wilson Wims ES

FY22 Annual School Test

- 4-Yr Projection
 - Utilization : 104.3%
 - Seat Deficit : -27



* MCPS projection, modified according to Annual School Test guidelines (if applicable).



Luxmanor Elementary School



Year Facility Built: 1966
 Last Renovation: - (2009 add'n)
 GSF: 61,694 sq.ft.
 Site Size: 6.49 acres
 Relocatables: -

Adjacent Schools

Ashburton ES
 Farmland ES
 Garrett Park ES
 Kensington-Parkwood ES

FY22 Annual School Test

- 4-Yr Projection
 - Utilization : 96.7%
 - Seat Surplus : 25



* MCPS projection, modified according to Annual School Test guidelines (if applicable).



Thurgood Marshall Elementary School

Year Facility Built: 1993
 Last Renovation: -
 GSF: 77,798 sq.ft.
 Site Size: 12 acres
 Relocatables: 5



Adjacent Schools

Brown Station ES
 Rachel Carson ES
 Darnestown ES
 Diamond ES

DuFief ES
 Great Seneca Creek ES
 Jones Lane ES
 Summit Hall ES

FY22 Annual School Test

- 4-Yr Projection
 - Utilization : 107.8%
 - Seat Deficit : -43



* MCPS projection, modified according to Annual School Test guidelines (if applicable).



Maryvale Elementary School

Year Facility Built: 1969
 Last Renovation: -
 GSF: 92,050 sq.ft.
 Site Size: 17.67 acres
 Relocatables: -



Adjacent Schools

Beall ES
 Candlewood ES
 College Gardens ES

Flower Valley ES
 Meadow Hall ES
 Sequoyah ES

FY22 Annual School Test

- 4-Yr Projection
 - Utilization : 85.2%
 - Seat Surplus : 103



* MCPS projection, modified according to Annual School Test guidelines (if applicable).



Spark M. Matsunaga Elementary School

Year Facility Built: 2001
 Last Renovation: -
 GSF: 90,718 sq.ft.
 Site Size: 11.8 acres
 Relocatables: 4



Adjacent Schools

Clarksburg ES
 Clopper Mill ES
 Darnestown ES
 Germantown ES
 Great Seneca Creek ES

Lake Seneca ES
 S. Christa McAuliffe
 Ronald McNair ES
 Monocacy ES

FY22 Annual School Test

- 4-Yr Projection
 - Utilization : 113.9%
 - Seat Deficit : -81



* MCPS projection, modified according to Annual School Test guidelines (if applicable).



S. Christa McAuliffe Elementary School

Year Facility Built: 1987
 Last Renovation: - (2019 add'n)
 GSF: 102,111 sq.ft.
 Site Size: 10.59 acres
 Relocatables: -



Adjacent Schools

Brown Station ES
 Clopper Mill ES
 Fox Chapel ES
 Lake Seneca ES

Spark M. Matsunaga ES
 Dr. Salley K. Ride ES
 Watkins Mill ES

FY22 Annual School Test

- 4-Yr Projection
 - Utilization : 65.4%
 - Seat Surplus : 263



* MCPS projection, modified according to Annual School Test guidelines (if applicable).



Ronald McNair Elementary School

Year Facility Built: 1990
 Last Renovation: -
 GSF: 78,275 sq.ft.
 Site Size: 10 acres
 Relocatables: 9



Adjacent Schools

Clarksburg ES
 Clopper Mill ES
 Germantown ES

Great Seneca Creek ES
 Lake Seneca ES
 Spark M. Matsunaga ES

FY22 Annual School Test

- 4-Yr Projection
 - Utilization : 102.5%
 - Seat Deficit : -19
- Capacity projection reflects classroom addition (2023).



* MCPS projection, modified according to Annual School Test guidelines (if applicable).



Meadow Hall Elementary School

Year Facility Built: 1956
 Last Renovation: 1994
 GSF: 61,964 sq.ft.
 Site Size: 8.37 acres
 Relocatables: 7



Adjacent Schools

Lucy V. Barnsley ES
 Beall ES
 Flower Valley ES

Maryvale ES
 Rock Creek Valley ES
 Twinbrook ES

FY22 Annual School Test

- 4-Yr Projection
 - Utilization : 106.5%
 - Seat Deficit : -22



* MCPS projection, modified according to Annual School Test guidelines (if applicable).



Mill Creek Towne Elementary School

FY22 Annual School Test

Year Facility Built:

1966

Last Renovation:

2000

GSF:

67,465 sq.ft.

Site Size:

8.38 acres

Relocatables:

9

Adjacent Schools



Candlewood ES

Judith A. Resnik ES

Sequoyah ES

Washington Grove ES

- 4-Yr Projection
 - Utilization : 155.7%
 - Seat Deficit : -187



* MCPS projection, modified according to Annual School Test guidelines (if applicable).



Monocacy Elementary School



Year Facility Built: 1961
 Last Renovation: 1989
 GSF: 42,482 sq.ft.
 Site Size: 9.66 acres
 Relocatables: -

Adjacent Schools

Clarksburg ES
 Darnestown ES
 Spark M. Matsunaga ES
 Poolesville ES

FY22 Annual School Test

- 4-Yr Projection
 - Utilization : 64.8%
 - Seat Surplus : 77



* MCPS projection, modified according to Annual School Test guidelines (if applicable).



Montgomery Knolls/Pine Crest ES



	Mont. Knolls		Pine Crest
Year Facility Built:	1952	/	1941
Last Renovation:	1989 (2011 add'n)	/	1992
GSF:	97,213 sq.ft.	/	53,778 sq.ft.
Site Size:	10.33 acres	/	5.64 acres
Relocatables:	-	/	-

Adjacent Schools

Forest Knolls ES	Roscoe R. Nix/Cresthaven ES
Highland View ES	Rolling Terrace ES
JoAnn Leleck ES	Sligo Creek ES
New Hampshire Est/Oak View ES	Flora M. Singer ES

FY22 Annual School Test

- 4-Yr Projection
 - Utilization : 72.1%
 - Seat Surplus : 367



* MCPS projection, modified according to Annual School Test guidelines (if applicable).



New Hampshire Estates/Oak View ES



	NHE		Oak View
Year Facility Built:	1954	/	1949
Last Renovation:	1988	/	1985
GSF:	73,306 sq.ft.	/	57,560 sq.ft.
Site Size:	5.42 acres	/	11.25 acres
Relocatables:	-	/	3

Adjacent Schools

Highland View ES Rolling Terrace ES
 JoAnn Leleck ES Sligo Creek ES
 Montgomery Knolls/Pine Crest ES Takoma Park/Piney Branch ES

FY22 Annual School Test

- 4-Yr Projection
 - Utilization : 106.2%
 - Seat Deficit : -51



* MCPS projection, modified according to Annual School Test guidelines (if applicable).



Roscoe R. Nix/Cresthaven ES



FY22 Annual School Test

	Roscoe R. Nix	Cresthaven
Year Facility Built:	2006	1962
Last Renovation:	-	2010
GSF:	88,351 sq.ft.	76,862 sq.ft.
Site Size:	8.97 acres	9.81 acres
Relocatables:	-	2

Adjacent Schools

Burnt Mills ES
Cannon Road ES
Galway ES
Jackson Road ES
JoAnn Leleck ES
Montgomery Knolls/Pine Crest ES

- 4-Yr Projection
 - Utilization : 101.0%
 - Seat Deficit :-10



* MCPS projection, modified according to Annual School Test guidelines (if applicable).





Oakland Terrace Elementary School

Year Facility Built: 1950
 Last Renovation: 1993
 GSF: 79,145 sq.ft.
 Site Size: 9.54 acres
 Relocatables: 2

Adjacent Schools
 Arcola ES
 Glen Haven ES
 Kensington-Parkwood ES
 Rock View ES
 Rosemary Hills/N. Chevy Chase ES
 Flora M. Singer ES

FY22 Annual School Test

- 4-Yr Projection
 - Utilization : 111.9%
 - Seat Deficit : -58



* MCPS projection, modified according to Annual School Test guidelines (if applicable).



Olney Elementary School

Year Facility Built: 1954
 Last Renovation: 1990
 GSF: 68,755 sq.ft.
 Site Size: 9.88 acres
 Relocatables: -



Adjacent Schools

Belmont ES
 Brooke Grove ES
 Cashell ES

Greenwood ES
 Sequoyah ES
 Sherwood ES

FY22 Annual School Test

- 4-Yr Projection
 - Utilization : 110.4%
 - Seat Deficit : -63



* MCPS projection, modified according to Annual School Test guidelines (if applicable).



William T. Page Elementary School



Year Facility Built: 1965
 Last Renovation: 2003
 GSF: 58,726 sq.ft.
 Site Size: 9.76 acres
 Relocatables: 13

Adjacent Schools

Cannon Road ES
 Dr. Charles R. Drew ES
 Fairland ES
 Galway ES

FY22 Annual School Test

- 4-Yr Projection
 - Utilization : 88.6%
 - Seat Surplus : 84
- Capacity projection reflects classroom addition (2023).



* MCPS projection, modified according to Annual School Test guidelines (if applicable).



Poolsville Elementary School



Year Facility Built: 1960
 Last Renovation: 1978
 GSF: 64,803 sq.ft.
 Site Size: 12.28 acres
 Relocatables: -

Adjacent Schools

Darnestown ES
 Monocacy ES

FY22 Annual School Test

- 4-Yr Projection
 - Utilization : 95.2%
 - Seat Surplus : 2



* MCPS projection, modified according to Annual School Test guidelines (if applicable).



Potomac Elementary School

Year Facility Built: 1949
 Last Renovation: 1976
 GSF: 57,713 sq.ft.
 Site Size: 9.61 acres
 Relocatables: -



Adjacent Schools

Bells Mill ES
 Carderock Springs ES
 Seven Locks ES

Stone Mill ES
 Travilah ES
 Wayside ES

FY22 Annual School Test

- 4-Yr Projection
 - Utilization : 70.6%
 - Seat Surplus : 141



* MCPS projection, modified according to Annual School Test guidelines (if applicable).



Judith A. Resnik Elementary School

Year Facility Built: 1991
 Last Renovation: -
 GSF: 78,547 sq.ft.
 Site Size: 12.77 acres
 Relocatables: 6



Adjacent Schools

Flower Hill ES
 Gaithersburg ES
 Goshen ES
 Laytonsville ES

Mill Creek Towne ES
 Sequoyah ES
 Strawberry Knoll ES
 Washington Grove ES

FY22 Annual School Test

- 4-Yr Projection
 - Utilization : 119.1%
 - Seat Deficit : -94



* MCPS projection, modified according to Annual School Test guidelines (if applicable).



Dr. Sally K. Ride Elementary School

Year Facility Built: 1994
 Last Renovation: -
 GSF: 78,686 sq.ft.
 Site Size: 13.48 acres
 Relocatables: 2



Adjacent Schools

Capt. James E. Daly ES
 Fox Chapel ES
 William B. Gibbs Jr. ES

Lake Seneca ES
 S. Christa McAuliffe
 Waters Landing ES

FY22 Annual School Test

- 4-Yr Projection
 - Utilization : 108.6%
 - Seat Deficit : -40



* MCPS projection, modified according to Annual School Test guidelines (if applicable).



Ritchie Park Elementary School



Year Facility Built: 1966
 Last Renovation: 1997
 GSF: 58,500 sq.ft.
 Site Size: 9.22 acres
 Relocatables: 3

Adjacent Schools

Beall ES
 Beverly Farms ES
 Cold Spring ES
 College Gardens ES
 Fallsmead ES
 Lakewood ES
 Rosemont ES
 Bayard Rustin ES
 Stone Mill ES

FY22 Annual School Test

- 4-Yr Projection
 - Utilization : 85.1%
 - Seat Surplus : 58



* MCPS projection, modified according to Annual School Test guidelines (if applicable).



Rock Creek Forest Elementary School



Year Facility Built: 1950
 Last Renovation: 2015
 GSF: 98,140 sq.ft.
 Site Size: 7.95 acres
 Relocatables: 2

Adjacent Schools

Rosemary Hills/Chevy Chase ES
 Rosemary Hills/N. Chevy Chase ES
 Woodlin ES

FY22 Annual School Test

- 4-Yr Projection
 - Utilization : 112.1%
 - Seat Deficit : -83



* MCPS projection, modified according to Annual School Test guidelines (if applicable).



Rock Creek Valley Elementary School

Year Facility Built: 1964
 Last Renovation: 2001
 GSF: 76,692 sq.ft.
 Site Size: 10.44 acres
 Relocatables: 3



Adjacent Schools

Lucy V. Barnsley ES
 Brookhaven ES
 Garrett Park ES

Meadow Hall ES
 Wheaton Woods ES

FY22 Annual School Test

- 4-Yr Projection
 - Utilization : 89.1%
 - Seat Surplus : 50



* MCPS projection, modified according to Annual School Test guidelines (if applicable).



Rock View Elementary School

Year Facility Built: 1955
 Last Renovation: 1999 (2011 add'n)
 GSF: 91,977 sq.ft.
 Site Size: 7.44 acres
 Relocatables: -



Adjacent Schools

Arcola ES
 Highland ES
 Kensington-Parkwood ES

Oakland Terrace ES
 Viers Mill ES

FY22 Annual School Test

- 4-Yr Projection
 - Utilization : 95.2%
 - Seat Surplus : 32



* MCPS projection, modified according to Annual School Test guidelines (if applicable).



Lois P. Rockwell Elementary School



Year Facility Built: 1992
 Last Renovation: -
 GSF: 75,520 sq.ft.
 Site Size: 10.56 acres
 Relocatables: -

Adjacent Schools

Cedar Grove ES
 Clearspring ES
 Damascus ES
 Woodfield ES

FY22 Annual School Test

- 4-Yr Projection
 - Utilization : 100.6%
 - Seat Deficit :-3



* MCPS projection, modified according to Annual School Test guidelines (if applicable).



Rolling Terrace Elementary School

Year Facility Built: 1988
 Last Renovation: -
 GSF: 88,835 sq.ft.
 Site Size: 4.33 acres
 Relocatables: 10



Adjacent Schools

East Silver Spring ES
 Montgomery Knolls/Pine Crest ES
 New Hampshire Est/Oak View ES

Sligo Creek ES
 Takoma Park/Piney Branch ES

FY22 Annual School Test

- 4-Yr Projection
 - Utilization : 104.3%
 - Seat Deficit : -31



* MCPS projection, modified according to Annual School Test guidelines (if applicable).



Rosemary Hills/Chevy Chase ES

FY22 Annual School Test



	Rosemary Hills	Chevy Chase
Year Facility Built:	1956	1936
Last Renovation:	1988 (2015 add'n)	2000 (2015 add'n)
GSF:	86,548 sq.ft.	70,976 sq.ft.
Site Size:	6.07 acres	3.78 acres
Relocatables:	-	-

Adjacent Schools

Bethesda ES
Rock Creek Forest ES
Rosemary Hills/N. Chevy Chase ES

Somerset ES
Woodlin ES

- 4-Yr Projection
 - Utilization : 92.9%
 - Seat Surplus : 78



* MCPS projection, modified according to Annual School Test guidelines (if applicable).



Rosemary Hills/North Chevy Chase ES



	Rosemary Hills	N. Chevy Chase
Year Facility Built:	1956	1953
Last Renovation:	1988 (2015 add'n)	1995
GSF:	86,548 sq.ft.	65,982 sq.ft.
Site Size:	6.07 acres	7.94 acres
Relocatables:	-	-

Adjacent Schools

Bethesda ES	Rosemary Hills/Chevy Chase ES
Kensington-Parkwood ES	Flora M. Singer ES
Oakland Terrace ES	Woodlin ES
Rock Creek Forest ES	Wyngate ES

FY21 Annual School Test:

- 4-Yr Projection
 - Utilization : 84.3%
 - Seat Surplus : 151



* MCPS projection, modified according to Annual School Test guidelines (if applicable).



Rosemont Elementary School

Year Facility Built: 1965
 Last Renovation: 1995
 GSF: 88,764 sq.ft.
 Site Size: 8.91 acres
 Relocatables: 4



Adjacent Schools

Rachel Carson ES
 College Gardens ES
 Fallsmead ES
 Fields Road ES
 Gaithersburg ES

Jones Lane ES
 Ritchie Park ES
 Stone Mill ES
 Summit Hall ES
 Washington Grove ES

FY22 Annual School Test

- 4-Yr Projection
 - Utilization : 91.3%
 - Seat Surplus : 51
- Enrollment projection modified to reflect student reassignment following opening of Gaithersburg ES#8 (2022).



* MCPS projection, modified according to Annual School Test guidelines (if applicable).



Bayard Rustin Elementary School

Year Facility Built: 2018
 Last Renovation: -
 GSF: 97,397 sq.ft.
 Site Size: 11.06 acres
 Relocatables: -



Adjacent Schools

Beall ES
 Fallsmead ES
 Farmland ES

Ritchie Park ES
 Twinbrook ES

FY22 Annual School Test

- 4-Yr Projection
 - Utilization : 93.7%
 - Seat Surplus : 48



* MCPS projection, modified according to Annual School Test guidelines (if applicable).



Sequoyah Elementary School

Year Facility Built: 1990
 Last Renovation: -
 GSF: 73,808 sq.ft.
 Site Size: 11.63 acres
 Relocatables: -



Adjacent Schools

Candlewood ES
 Cashell ES
 Flower Hill ES
 Flower Valley ES
 Laytonsville ES

Maryvale ES
 Mill Creek Towne ES
 Olney ES
 Judith A. Resnik ES

FY22 Annual School Test

- 4-Yr Projection
 - Utilization : 78.1%
 - Seat Surplus : 111



* MCPS projection, modified according to Annual School Test guidelines (if applicable).



Seven Locks Elementary School

Year Facility Built: 1964
 Last Renovation: 2012
 GSF: 66,915 sq.ft.
 Site Size: 9.98 acres
 Relocatables: -



Adjacent Schools

Ashburton ES
 Bannockburn ES
 Bells Mill ES

Burning Tree ES
 Carderock Springs ES
 Potomac ES

FY22 Annual School Test

- 4-Yr Projection
 - Utilization : 92.9%
 - Seat Surplus : 30



* MCPS projection, modified according to Annual School Test guidelines (if applicable).



Sherwood Elementary School

Year Facility Built: 1977
 Last Renovation: - (2010 add'n)
 GSF: 81,727 sq.ft.
 Site Size: 10.85 acres
 Relocatables: -



Adjacent Schools

Brooke Grove ES
 Cloverly ES
 Dr. Charles R. Drew ES
 Flower Valley ES

Greenwood ES
 Olney ES
 Stonegate ES

FY22 Annual School Test

- 4-Yr Projection
 - Utilization : 106.8%
 - Seat Deficit : -35



* MCPS projection, modified according to Annual School Test guidelines (if applicable).



Sargent Shriver Elementary School

Year Facility Built: 1954
 Last Renovation: 2006
 GSF: 91,628 sq.ft.
 Site Size: 9.17 acres
 Relocatables: 9



Adjacent Schools

Arcola ES
 Garrett Park ES
 Harmony Hills ES
 Highland ES

Viers Mill ES
 Weller Road ES
 Wheaton Woods ES

FY22 Annual School Test

- 4-Yr Projection
 - Utilization : 115.6%
 - Seat Deficit : -103



* MCPS projection, modified according to Annual School Test guidelines (if applicable).



Flora M. Singer Elementary School

Year Facility Built: 1950
 Last Renovation: 2012
 GSF: 95,831 sq.ft.
 Site Size: 12.67 acres
 Relocatables: 3



Adjacent Schools

Forest Knolls ES
 Glen Haven ES
 Montgomery Knolls/Pine Crest ES
 Oakland Terrace ES

Rosemary Hills/N. Chevy Chase ES
 Sligo Creek ES
 Woodlin ES

FY22 Annual School Test

- 4-Yr Projection
 - Utilization : 98.9%
 - Seat Surplus : 7



* MCPS projection, modified according to Annual School Test guidelines (if applicable).



Sligo Creek Elementary School

Year Facility Built: 1934
 Last Renovation: 1999
 GSF: 98,799 sq.ft.
 Site Size: 15.64 acres
 Relocatables: -



Adjacent Schools

East Silver Spring ES
 Highland View ES
 Montgomery Knolls/Pine Crest ES
 New Hampshire Est/Oak View ES

Rolling Terrace ES
 Flora M. Singer ES
 Woodlin ES

FY22 Annual School Test

- 4-Yr Projection
 - Utilization : 95.6%
 - Seat Surplus : 29



* MCPS projection, modified according to Annual School Test guidelines (if applicable).



Snowden Farm Elementary School

Year Facility Built: 2019
 Last Renovation: -
 GSF: 92,366 sq.ft.
 Site Size: 9.79 acres
 Relocatables: -



Adjacent Schools

Cedar Grove ES
 Clarksburg ES
 William B. Gibbs Jr. ES

Little Bennett ES
 Wilson Wims ES

FY22 Annual School Test

- 4-Yr Projection
 - Utilization : 96.4%
 - Seat Surplus : 28



* MCPS projection, modified according to Annual School Test guidelines (if applicable).



Somerset Elementary School

Year Facility Built: 1949
 Last Renovation: 2005
 GSF: 80,122 sq.ft.
 Site Size: 3.71 acres
 Relocatables: -



Adjacent Schools

Bethesda ES
 Bradley Hills ES
 Rosemary Hills/Chevy Chase ES

Westbrook ES
 Wood Acres ES

FY22 Annual School Test

- 4-Yr Projection
 - Utilization : 96.9%
 - Seat Surplus : 16
- Enrollment projection modified to reflect student reassignment between Westbrook/Somerset/Bethesda ESS (2022).



* MCPS projection, modified according to Annual School Test guidelines (if applicable).



South Lake Elementary School

Year Facility Built: 1972
 Last Renovation: -
 GSF: 83,038 sq.ft.
 Site Size: 10.2 acres
 Relocatables: 14



Adjacent Schools

Brown Station ES
 Capt. James E. Daly ES
 Fox Chapel ES
 Gaithersburg ES
 Goshen ES

Stedwick ES
 Strawberry Knoll ES
 Summit Hall ES
 Watkins Mill ES
 Whetstone ES

FY22 Annual School Test

- 4-Yr Projection
 - Utilization : 105.5%
 - Seat Deficit : -44
- Capacity projection reflects completion of Major Capital Project (2023).



* MCPS projection, modified according to Annual School Test guidelines (if applicable).



Stedwick Elementary School

Year Facility Built: 1974
 Last Renovation: - (2008 add'n)
 GSF: 109,677 sq.ft.
 Site Size: 10 acres
 Relocatables: -



Adjacent Schools

Capt. James E. Daly ES
 William B. Gibbs Jr. ES
 Goshen ES

South Lake ES
 Watkins Mill ES
 Whetstone ES

FY22 Annual School Test

- 4-Yr Projection
 - Utilization : 70.0%
 - Seat Surplus : 207



* MCPS projection, modified according to Annual School Test guidelines (if applicable).



Stone Mill Elementary School

Year Facility Built: 1988
 Last Renovation: -
 GSF: 78,617 sq.ft.
 Site Size: 11.76 acres
 Relocatables: -



Adjacent Schools

DuFief ES
 Lakewood ES
 Potomac ES
 Ritchie Park ES

Rosemont ES
 Travilah ES
 Wayside ES

FY22 Annual School Test

- 4-Yr Projection
 - Utilization : 77.5%
 - Seat Surplus : 156



* MCPS projection, modified according to Annual School Test guidelines (if applicable).



Stonegate Elementary School

Year Facility Built: 1971
 Last Renovation: -
 GSF: 52,468 sq.ft.
 Site Size: 10.26 acres
 Relocatables: 7



Adjacent Schools

Bel Pre/Strathmore ES
 Cloverly ES
 Dr. Charles R. Drew ES

Flower Valley ES
 Sherwood ES
 Westover ES

FY22 Annual School Test

- 4-Yr Projection
 - Utilization : 88.9%
 - Seat Surplus : 64
- Capacity projection reflects completion of Major Capital Project (2023).



* MCPS projection, modified according to Annual School Test guidelines (if applicable).



Strawberry Knoll Elementary School



Year Facility Built: 1988
Last Renovation: -
GSF: 78,723 sq.ft.
Site Size: 10.82 acres
Relocatables: 10

Adjacent Schools

Flower Hill ES Gaithersburg ES Goshen ES	Judith A. Resnik ES South Lake ES Whetstone ES
--	--

FY22 Annual School Test

- 4-Yr Projection
 - Utilization : 91.3%
 - Seat Surplus : 40
- Enrollment projection modified to reflect student reassignment following capacity solution at Gaithersburg ES#8 (2022)



* MCPS projection, modified according to Annual School Test guidelines (if applicable).



Summit Hall Elementary School

Year Facility Built: 1971
 Last Renovation: -
 GSF: 68,059 sq.ft.
 Site Size: 10.16 acres
 Relocatables: 16 (modular bldg.)



Adjacent Schools

Rachel Carson ES
 Gaithersburg ES
 Jones Lane ES

Thurgood Marshall ES
 Rosemont ES
 South Lake ES

FY22 Annual School Test

- 4-Yr Projection
 - Utilization : 91.2%
 - Seat Surplus : 40
- Enrollment projection modified to reflect student reassignment following opening of Gaithersburg ES#8(2022)



* MCPS projection, modified according to Annual School Test guidelines (if applicable).



Takoma Park/Piney Branch ES



FY22 Annual School Test

	Takoma Park	Piney Branch
Year Facility Built:	1979	1973
Last Renovation:	- (2010 add'n)	-
GSF:	85,553 sq.ft.	99,706 sq.ft.
Site Size:	4.7 acres	1.97 acres
Relocatables:	-	-

Adjacent Schools

East Silver Spring ES
New Hampshire Estates/Oak View ES
Rolling Terrace ES

- 4-Yr Projection
 - Utilization : 100.8%
 - Seat Deficit :-10



* MCPS projection, modified according to Annual School Test guidelines (if applicable).



Travilah Elementary School

Year Facility Built: 1960
 Last Renovation: 1992 (2008 add'n)
 GSF: 65,378 sq.ft.
 Site Size: 9.3 acres
 Relocatables: -



Adjacent Schools

Darnestown ES
 DuFief ES
 Jones Lane ES

Lakewood ES
 Potomac ES
 Stone Mill ES

FY22 Annual School Test

- 4-Yr Projection
 - Utilization : 60.3%
 - Seat Surplus : 209



* MCPS projection, modified according to Annual School Test guidelines (if applicable).



Twinbrook Elementary School



Year Facility Built: 1952
 Last Renovation: 1986
 GSF: 79,818 sq.ft.
 Site Size: 10.45 acres
 Relocatables: 4

Adjacent Schools

Farmland ES
 Garrett Park ES
 Meadow Hall ES
 Bayard Rustin ES

FY22 Annual School Test

- 4-Yr Projection
 - Utilization : 88.7%
 - Seat Surplus : 62



* MCPS projection, modified according to Annual School Test guidelines (if applicable).



Viers Mill Elementary School



Year Facility Built: 1950
 Last Renovation: 1991 (2013 add'n)
 GSF: 120,572 sq.ft.
 Site Size: 10.52 acres
 Relocatables: -

Adjacent Schools

Garrett Park ES
 Kensington-Parkwood ES
 Rock View ES
 Sargent Shriver ES

FY22 Annual School Test

- 4-Yr Projection
 - Utilization : 71.1%
 - Seat Surplus : 215



* MCPS projection, modified according to Annual School Test guidelines (if applicable).



Washington Grove Elementary School

Year Facility Built: 1956
 Last Renovation: 1984 (2010 add'n)
 GSF: 86,266 sq.ft.
 Site Size: 10.66 acres
 Relocatables: -



Adjacent Schools

Candlewood ES
 Flower Hill ES
 Gaithersburg ES

Mill Creek Towne ES
 Judith A. Resnik ES
 Rosemont ES

FY22 Annual School Test

- 4-Yr Projection
 - Utilization : 91.4%
 - Seat Surplus : 53
- Enrollment projection modified to reflect student reassignment following opening of Gaithersburg ES#8(2022).



* MCPS projection, modified according to Annual School Test guidelines (if applicable).



Waters Landing Elementary School



Year Facility Built: 1988
 Last Renovation: - (2014 add'n)
 GSF: 101,352 sq.ft.
 Site Size: 9.99 acres
 Relocatables: -

Adjacent Schools

Clarksburg ES
 William B. Gibbs Jr. ES
 Lake Seneca ES
 Dr. Salley K. Ride ES

FY22 Annual School Test

- 4-Yr Projection
 - Utilization : 83.0%
 - Seat Surplus : 132



* MCPS projection, modified according to Annual School Test guidelines (if applicable).



Watkins Mill Elementary School

Year Facility Built: 1970
 Last Renovation: - (2006 add'n)
 GSF: 80,923 sq.ft.
 Site Size: 10 acres
 Relocatables: 6



Adjacent Schools

Brown Station ES
 Fox Chapel ES
 S. Christa McAuliffe

South Lake ES
 Stedwick ES
 Whetstone ES

FY22 Annual School Test

- 4-Yr Projection
 - Utilization : 121.4%
 - Seat Deficit : -137



* MCPS projection, modified according to Annual School Test guidelines (if applicable).



Wayside Elementary School

Year Facility Built: 1969
 Last Renovation: 2017
 GSF: 93,453 sq.ft.
 Site Size: 9.26 acres
 Relocatables: -



Adjacent Schools

Bells Mill ES
 Beverly Farms ES
 Cold Spring ES
 Fallsmead ES

Lakewood ES
 Potomac ES
 Stone Mill ES

FY22 Annual School Test

- 4-Yr Projection
 - Utilization : 79.6%
 - Seat Surplus : 125



* MCPS projection, modified according to Annual School Test guidelines (if applicable).



Weller Road Elementary School

Year Facility Built: 1953
 Last Renovation: 2013
 GSF: 121,346 sq.ft.
 Site Size: 11.1 acres
 Relocatables: -



Adjacent Schools

Arcola ES
 Georgian Forest ES
 Glenallan ES

Harmony Hills ES
 Sargent Shriver ES

FY22 Annual School Test

- 4-Yr Projection
 - Utilization : 101.6%
 - Seat Deficit : -12



* MCPS projection, modified according to Annual School Test guidelines (if applicable).



Westbrook Elementary School



Year Facility Built: 1939
 Last Renovation: 1990 (2013 add'n)
 GSF: 91,359 sq.ft.
 Site Size: 12.46 acres
 Relocatables: -

Adjacent Schools

Bannockburn ES
 Somerset ES
 Wood Acres ES

FY22 Annual School Test

- 4-Yr Projection
 - Utilization : 96.7%
 - Seat Surplus : 20
- Projections modified to reflect student reassignment between Westbrook/Somerset/Bethesda ESS (2022) and classroom addition (2023).



* MCPS projection, modified according to Annual School Test guidelines (if applicable).



Westover Elementary School

Year Facility Built: 1946
 Last Renovation: 1998
 GSF: 54,645 sq.ft.
 Site Size: 7.56 acres
 Relocatables: 2



Adjacent Schools

Bel Pre/Strathmore ES
 Dr. Charles R. Drew ES
 Glenallan ES

Jackson Road ES
 Stonegate ES

FY22 Annual School Test

- 4-Yr Projection
 - Utilization : 121.4%
 - Seat Deficit : -57



* MCPS projection, modified according to Annual School Test guidelines (if applicable).





Wheaton Woods Elementary School

FY22 Annual School Test

Year Facility Built: 1952
 Last Renovation: 2017
 GSF: 120,154 sq.ft.
 Site Size: 8.03 acres
 Relocatables: -

Adjacent Schools
 Brookhaven ES
 Garrett Park ES
 Harmony Hills ES
 Rock Creek Valley ES
 Sargent Shriver ES

- 4-Yr Projection
 - Utilization : 62.8%
 - Seat Surplus : 279



* MCPS projection, modified according to Annual School Test guidelines (if applicable).



Whetstone Elementary School

Year Facility Built: 1968
 Last Renovation: - (2011 add'n)
 GSF: 96,946 sq.ft.
 Site Size: 8.82 acres
 Relocatables: 3



Adjacent Schools

Goshen ES
 South Lake ES
 Stedwick ES

Strawberry Knoll ES
 Watkins Mill ES

FY22 Annual School Test

- 4-Yr Projection
 - Utilization : 100.9%
 - Seat Deficit :-7



* MCPS projection, modified according to Annual School Test guidelines (if applicable).



Wilson Wims Elementary School



Year Facility Built: 2014
 Last Renovation: -
 GSF: 91,931 sq.ft.
 Site Size: 9.29 acres
 Relocatables: -

Adjacent Schools

Cedar Grove ES
 Little Bennett ES
 Snowden Farm ES

FY22 Annual School Test

- 4-Yr Projection
 - Utilization : 77.9%
 - Seat Surplus : 163



Wood Acres Elementary School



Year Facility Built: 1952
 Last Renovation: 2002 (2016 add'n)
 GSF: 96,358 sq.ft.
 Site Size: 4.78 acres
 Relocatables: -

Adjacent Schools

Bannockburn ES
 Bradley Hills ES
 Somerset ES
 Westbrook ES

FY22 Annual School Test

- 4-Yr Projection
 - Utilization : 82.6%
 - Seat Surplus : 126



* MCPS projection, modified according to Annual School Test guidelines (if applicable).



Woodfield Elementary School



Year Facility Built: 1962
 Last Renovation: 1985
 GSF: 53,212 sq.ft.
 Site Size: 10 acres
 Relocatables: -

Adjacent Schools

Cedar Grove ES
 Clearspring ES
 Laytonsville ES
 Lois P. Rockwell ES

FY22 Annual School Test

- 4-Yr Projection
 - Utilization : 101.4%
 - Seat Deficit :-5



* MCPS projection, modified according to Annual School Test guidelines (if applicable).



Woodlin Elementary School

Year Facility Built: 1944
 Last Renovation: 1974
 GSF: 60,725 sq.ft.
 Site Size: 10.97 acres
 Relocatables: 7



Adjacent Schools

Rock Creek Forest ES
 Rosemary Hills/Chevy Chase ES
 Rosemary Hills/N. Chevy Chase ES

Flora M. Singer ES
 Sligo Creek ES

FY22 Annual School Test

- 4-Yr Projection
 - Utilization : 76.4%
 - Seat Surplus : 154
- Capacity projection reflects completion of Major Capital Project (2025).



* MCPS projection, modified according to Annual School Test guidelines (if applicable).



Wyngate Elementary School

Year Facility Built: 1952
 Last Renovation: 1997 (2013 add'n)
 GSF: 89,204 sq.ft.
 Site Size: 9.45 acres
 Relocatables: -



Adjacent Schools

Ashburton ES
 Bethesda ES
 Bradley Hills ES
 Burning Tree ES

Garrett Park ES
 Kensington-Parkwood ES
 Rosemary Hills/Chewy Chase ES

FY22 Annual School Test

- 4-Yr Projection
 - Utilization : 93.8%
 - Seat Surplus : 48



* MCPS projection, modified according to Annual School Test guidelines (if applicable).



Index (by School Level)

HIGH SCHOOLS		MIDDLE SCHOOLS					
Bethesda-Chevy Chase	24	Argyle	50	Redland	75	Beverly Farms	100
Montgomery Blair	25	John T. Baker	51	Ridgeview	76	Bradley Hills	101
James Hubert Blake	26	Benjamin Banneker	52	Rocky Hill	77	Brooke Grove	102
Winston Churchill	27	Briggs Chaney	53	Shady Grove	78	Brookhaven	103
Clarksburg	28	Cabin John	54	Odessa Shannon	79	Brown Station	104
Damascus	29	Roberto Clemente	55	Silver Creek	80	Burning Tree	105
Albert Einstein	30	Eastern	56	Silver Spring International	81	Burnt Mills	106
Gaithersburg	31	William H. Farquhar	57	Sligo	82	Burtonsville	107
Walter Johnson	32	Forest Oak	58	Takoma Park	83	Candlewood	108
John F. Kennedy	33	Robert Frost	59	Tilden	84	Cannon Road	109
Col. Zadok Magruder	34	Gaithersburg	60	Hallie Wells	85	Carderock Springs	110
Richard Montgomery	35	Herbert Hoover	61	Julius West	86	Rachel Carson	111
Northwest	36	Francis Scott Key	62	Westland	87	Cashell	112
Northwood	37	Martin Luther King, Jr	63	White Oak	88	Cedar Grove	113
Paint Branch	38	Kingsview	64	Earle B. Wood	89	Clarksburg	114
Poolesville	39	Lakelands Park	65	ELEMENTARY SCHOOLS		Clearspring	115
Quince Orchard	40	A. Mario Loiederman	66	Arcola	91	Clopper Mill	116
Rockville	41	Montgomery Village	67	Ashburton	92	Cloverly	117
Seneca Valley	42	Neelsville	68	Bannockburn	93	Cold Spring	118
Sherwood	43	Newport Mill	69	Lucy V. Barnsley	94	College Gardens	119
Springbrook	44	North Bethesda	70	Beall	95	Capt. James E. Daly	120
Watkins Mill	45	Parkland	71	Bel Pre/Strathmore	96	Damascus	121
Wheaton	46	Rosa Parks	72	Bells Mill	97	Darnestown	122
Walt Whitman	47	John Poole	73	Belmont	98	Diamond	123
Thomas S. Wootton	48	Thomas W. Pyle	74	Bethesda	99	Dr. Charles R. Drew	124
						DuFief	125



East Silver Spring	126	Kemp Mill	152	Ritchie Park	178	Twinbrook	204
Fairland	127	Kensington-Parkwood	153	Rock Creek Forest	179	Viers Mill	205
Fallsmead	128	Lake Seneca	154	Rock Creek Valley	180	Washington Grove	206
Farmland	129	Lakewood	155	Rock View	181	Waters Landing	207
Fields Road	130	Laytonsville	156	Lois P. Rockwell	182	Watkins Mill	208
Flower Hill	131	JoAnn Leleck	157	Rolling Terrace	183	Wayside	209
Flower Valley	132	Little Bennett	158	Rosemary Hills/Chevy Chase	184	Weller Road	210
Forest Knolls	133	Luxmanor	159	Rosemary Hills/North Chevy Chase	185	Westbrook	211
Fox Chapel	134	Thurgood Marshall	160	Rosemont	186	Westover	212
Gaithersburg	135	Maryvale	161	Bayard Rustin	187	Wheaton Woods	213
Galway	136	Spark M. Matsunaga	162	Sequoyah	188	Whetstone	214
Garrett Park	137	S. Christa McAuliffe	163	Seven Locks	189	Wilson Wims	215
Georgian Forest	138	Ronald McNair	164	Sherwood	190	Wood Acres	216
Germantown	139	Meadow Hall	165	Sargent Shriver	191	Woodfield	217
William B. Gibbs Jr.	140	Mill Creek Towne	166	Flora M. Singer	192	Woodlin	218
Glen Haven	141	Monocacy	167	Sligo Creek	193	Wyngate	219
Glenallan	142	Montgomery Knolls/Pine Crest	168	Snowden Farm	194		
Goshen	143	New Hampshire Estates/Oak View	169	Somerset	195		
Great Seneca Creek	144	Roscoe R. Nix/Cresthaven	170	South Lake	196		
Greencastle	145	Oakland Terrace	171	Stedwick	197		
Greenwood	146	Olney	172	Stone Mill	198		
Harmony Hills	147	William T. Page	173	Stonegate	199		
Highland	148	Poolesville	174	Strawberry Knoll	200		
Highland View	149	Potomac	175	Summit Hall	201		
Jackson Road	150	Judith A. Resnik	176	Takoma Park/Piney Branch	202		
Jones Lane	151	Dr. Sally K. Ride	177	Travilah	203		



Index (by Cluster)

BETHESDA-CHEVY CHASE CLUSTER

Bethesda-Chevy Chase HS	24
Silver Creek MS	80
Westland MS	87
Bethesda ES	99
Rock Creek Forest ES	179
Rosemary Hills/Chevy Chase ES	184
Rosemary Hills/North Chevy Chase ES	185
Somerset ES	195
Westbrook ES	211

WINSTON CHURCHILL CLUSTER

Winston Churchill HS	27
Cabin John MS	54
Herbert Hoover MS	61
Bells Mill ES	97
Beverly Farms ES	100
Potomac ES	175
Seven Locks ES	189
Wayside ES	209

CLARKSBURG CLUSTER

Clarksburg HS	28
Rocky Hill MS	77
Hallie Wells MS	85
Clarksburg ES	114

Capt. James E. Daly ES	120
Fox Chapel ES	134
Little Bennett ES	158
Snowden Farm ES	194
Wilson Wims ES	215

DAMASCUS CLUSTER

Damascus HS	29
John T. Baker MS	51
Hallie Wells MS	85
Cedar Grove ES	113
Clearspring ES	115
Damascus ES	121
Lois P. Rockwell ES	182
Snowden Farm ES	194
Woodfield ES	217

DOWNCOUNTY CONSORTIUM

Montgomery Blair HS	25
Albert Einstein HS	30
John F. Kennedy HS	33
Northwood HS	37
Wheaton HS	46
Argyle MS	50
Eastern MS	56
A. Mario Loiederman MS	66

Newport Mill MS	69
Parkland MS	71
Odessa Shannon MS	79
Silver Spring International MS	81
Sligo MS	82
Takoma Park MS	83
Arcola ES	91
Bel Pre/Strathmore ES	96
Brookhaven ES	103
East Silver Spring ES	126
Forest Knolls ES	133
Georgian Forest ES	138
Glen Haven ES	141
Glenallan ES	142
Harmony Hills ES	147
Highland ES	148
Highland View ES	149
Kemp Mill ES	152
Montgomery Knolls/Pine Crest ES	168
New Hampshire Estates/Oak View ES	169
Oakland Terrace ES	171
Rock View ES	181
Rolling Terrace ES	183
Sargent Shriver ES	191
Flora M. Singer ES	192
Sligo Creek ES	193

Takoma Park/Piney Branch ES	202
Viers Mills ES	205
Weller Road ES	210
Wheaton Woods ES	213
Woodlin ES	218

GAITHERSBURG CLUSTER

Gaithersburg HS	31
Forest Oak MS	58
Gaithersburg MS	60
Gaithersburg ES	135
Goshen ES	143
Laytonsville ES	156
Rosemont ES	186
Strawberry Knoll ES	200
Summit Hall ES	201
Washington Grove ES	206

WALTER JOHNSON CLUSTER

Walter Johnson HS	32
North Bethesda MS	70
Tilden MS	84
Ashburton ES	92
Farmland ES	129
Garrett Park ES	137
Kensington-Parkwood ES	153



Luxmanor ES	159
Wyngate ES	219

COL. ZADOK MAGRUDER CLUSTER

Col. Zadok Magruder HS	34
Redland MS	75
Shady Grove MS	78
Candlewood ES	108
Cashell ES	112
Flower Hill ES	131
Mill Creek Towne ES	166
Judith A. Resnik ES	176
Sequoyah ES	188

RICHARD MONTGOMERY CLUSTER

Richard Montgomery HS	35
Julius West MS	86
Beall ES	95
College Gardens ES	119
Ritchie Park ES	178
Bayard Rustin ES	187
Twinbrook ES	204

NORTHEAST CONSORTIUM

James Hubert Blake HS	26
Paint Branch HS	38

Springbrook HS	44
Benjamin Banneker MS	52
Briggs Chaney MS	53
William H. Farquhar MS	57
Francis Scott Key MS	62
White Oak MS	88
Burnt Mills ES	106
Burtonsville ES	107
Cannon Road ES	109
Cloverly ES	117
Dr. Charles R. Drew ES	124
Fairland ES	127
Galway ES	136
Greencastle ES	145
Jackson Road ES	150
JoAnn Leleck ES	157
Roscoe R. Nix/Cresthaven ES	170
William T. Page ES	173
Sherwood ES	190
Stonegate ES	199
Westover ES	212

NORTHWEST CLUSTER

Northwest HS	36
Roberto Clemente MS	55
Kingsview MS	64

Lakelands Park MS	65
Clopper Mill ES	116
Darnestown ES	122
Diamond ES	123
Germantown ES	139
Great Seneca Creek ES	144
Spark M. Matsunaga ES	162
Ronald McNair ES	164

POOLESVILLE CLUSTER

Poolesville HS	39
John Poole MS	73
Monocacy ES	167
Poolesville ES	174

QUINCE ORCHARD CLUSTER

Quince Orchard HS	40
Lakelands Park MS	65
Ridgeview MS	76
Brown Station ES	104
Rachel Carson ES	111
Fields Road ES	130
Jones Lane ES	151
Thurgood Marshall ES	160

ROCKVILLE CLUSTER

Rockville HS	41
Earle B. Wood MS	89
Lucy V. Barnsley ES	94
Flower Valley ES	132
Maryvale ES	161
Meadow Hall ES	165
Rock Creek Valley ES	180

SENECA VALLEY CLUSTER

Seneca Valley HS	42
Roberto Clemente MS	55
Martin Luther King, Jr. MS	63
Neelsville MS	68
Clarksburg ES	114
Germantown ES	139
William B. Gibbs, Jr. ES	140
Lake Seneca ES	154
S. Christa McAuliffe ES	163
Dr. Sally K. Ride ES	177
Waters Landing ES	207

SHERWOOD CLUSTER

Sherwood HS	43
William H. Farquhar MS	57
Rosa Parks MS	72



Belmont ES	98
Brooke Grove ES	102
Greenwood ES	146
Olney ES	172
Sherwood ES	190

WATKINS MILL CLUSTER

Watkins Mill HS	45
Montgomery Village MS	67
Neelsville MS	68
South Lake ES	196
Stedwick ES	197
Watkins Mill ES	208
Whetstone ES	214

WALT WHITMAN CLUSTER

Walt Whitman HS	47
Thomas W. Pyle MS	74
Bannockburn ES	93
Bradley Hills ES	101
Burning Tree ES	105
Carderock Springs ES	110
Wood Acres ES	216

THOMAS S. WOOTTON CLUSTER

Thomas S. Wootton HS	48
----------------------	----

Cabin John MS	54
Robert Frost MS	59
Cold Spring ES	118
DuFief ES	125
Fallsmead ES	128
Lakewood ES	155
Stone Mill ES	198
Travilah ES	203

