



FY2024 SCHOOL UTILIZATION REPORT

Table of Contents

About the FY 2024 School Utilization Report	2
Future Utilization Reports	5
Countywide Utilization Report	6
Individual School Utilization Report – High Schools	23
Individual School Utilization Report – Middle Schools	49
Individual School Utilization Report – Elementary Schools	90
Index (by School Level)	221
Index (by Cluster)	223



About the School Utilization Report

On November 16, 2020, the Montgomery County Council adopted the 2020-2024 Growth and Infrastructure Policy, formerly known as the Subdivision Staging Policy. The new policy requires the Planning Department to provide a School Utilization Report along with the Annual School Test to provide supplemental information about the utilization of the county's public school infrastructure.

The report consists of two main parts: a countywide component and an individual school component. Each part provides a graphic representation of the enrollment and capacity data of Montgomery County Public Schools and their facility utilization trends.

- The *Countywide Utilization Report* includes:
 - Trends of the countywide enrollment, capacity, and utilization rates of all schools collectively, for each school level.
 - Trends of the share of school facilities operating at various adequacy levels, for each school level.
 - A snapshot of single-family home sales, residential development and total housing units for each school service area.

- The *Individual School Utilization Report* includes:
 - Trends of past and projected enrollment, capacity, and utilization rates of individual schools.

Data Sources & Modifications


The source of data and method of modifications is consistent with the Annual School Test.

- Past trends are based on the actual enrollment and capacity data reported in 'MCPS Educational Facilities Master Plan and Capital Improvements Program' publications each fiscal year.
- Projected trends are based on the enrollment and capacity projections provided in the current fiscal year's educational facilities master plan publication. However, in schools where the projections do not reflect an approved capacity solution, the rules outlined in the Annual School Test Guidelines are used to make modifications. The modification is applied to each school year following the anticipated completion or execution of the capacity solution.




Countywide Data

There are two types of graphs currently provided in the Countywide Utilization Report related to schools. The first is a combination bar and line graph that shows past and projected enrollment and capacity trends for MCPS' elementary, middle or high schools collectively. The past trend shows actual enrollment and capacity of the last 15 school years. The projected trend shows enrollment and capacity data for the next five school years. This graph also includes a trend line that shows the countywide capacity utilization rate for the school level.



The second type of graph is a stacked bar graph that shows the distribution of the county's public elementary, middle or high

schools by utilization rate. Again, the graph shows actual enrollment and capacity of the last 15 school years, and projected utilization rates for the next five school years. The levels of utilization are based on the utilization rate thresholds used to determine Utilization Premium Payments.¹



Since FY 2022, a snapshot of housing data has been included, showing the total annual single-family home sales, residential development and total housing units for each school service area.

¹ Utilization Premium Payment requirements are determined as part of the Annual School Test and are based on the combination of an individual school's projected utilization rate and seat deficit four years in the future.



Individual School Data


The Individual School Utilization Report includes one primary graph for each school. The combination bar and line graph shows the enrollment and capacity trends for the school – the actual trend of the last 15 school years, and the projected trend for the next five school years. This graph also includes a line that shows the corresponding rate of capacity utilization for the school.

In addition to the graph, information pertaining to the school facility and site are provided, including the year the facility was built, when the facility was last renovated and/or expanded, the facility's gross floor area and the size of the school site. The number of relocatable classrooms that were used to relieve overcrowding during the last school year is also included.

For each school, there is also a list of schools that share boundaries, and links are included to the corresponding page of each adjacent school.

Finally, information is provided regarding the status of the school in the Annual School Test. This includes identifying

what level of Utilization Premium Payment (UPP) is required, if any, for development approved in the school's service area. There is a graphic that demonstrates where the school's projected utilization falls relative to the UPP utilization rate thresholds and the seat deficit thresholds. In order to trigger a payment at a particular UPP tier, the projected utilization must meet the thresholds for both factors. The image below provides a visualization of how the UPP tier is determined based on the utilization rate and seat deficit thresholds.




Future Utilization Reports

School Utilization Reports will continue to be released in June of each year. Over time, additional information will be included as data are collected, reviewed and prepared for presentation. Such data may include information on individual school core capacity, as well as countywide trends in the use of relocatable classrooms. Trends in housing by school service area may also be provided to better demonstrate connections between these trends and school enrollment. The reports may also move to a purely digital format with interactive graphs.



Countywide Utilization Report

High Schools – Countywide Enrollment/Utilization Trend




School Year	2008	2009	2010	2011	2012	2013	2014	2015	2016	2017	2018	2019	2020	2021	2022	2023*	2024*	2025*	2026*	2027*	2028*
Capacity	44,701	44,694	44,855	45,149	45,666	47,436	47,402	48,062	48,026	47,969	49,195	49,147	50,253	50,489	50,730	50,730	51,068	51,068	54,668	56,887	56,887
Enrollment	44,239	44,577	44,828	44,837	44,838	44,854	45,368	45,964	47,325	48,546	49,315	50,432	50,519	50,434	51,949	52,670	54,786	55,241	55,060	55,973	56,891
Utilization	99.0%	99.7%	99.9%	99.3%	98.2%	94.6%	95.7%	95.6%	98.5%	101.2%	100.2%	102.6%	100.5%	99.9%	102.4%	103.8%	107.3%	108.2%	100.7%	98.4%	100.0%
Enrollment Growth	-6	338	251	9	1	16	514	596	1,361	1,221	769	1,117	87	-85	1,515	721	2,116	2,571	274	732	1,831

* MCPS projection.




High Schools – Individual School Utilization Level Trend

■ Util. Rate < 90%
 ■ 90% <= Util. Rate < 105%
 ■ 105% <= Util. Rate < 120%
 ■ 120% <= Util. Rate < 135%
 ■ Util. Rate >=135%



Middle Schools – Countywide Enrollment/Utilization Trend




School Year	2008	2009	2010	2011	2012	2013	2014	2015	2016	2017	2018	2019	2020	2021	2022	2023*	2024*	2025*	2026*	2027*	2028*
Capacity	34,591	34,619	35,153	35,321	35,250	36,341	36,295	36,219	37,422	38,349	38,815	38,840	39,694	39,777	39,963	40,184	40,175	40,263	40,263	40,263	40,263
Enrollment	30,714	30,719	30,639	31,036	31,308	32,201	33,219	34,183	35,034	36,069	36,489	37,637	37,304	36,307	35,853	35,709	36,517	36,956	36,867	36,699	36,591
Utilization	88.8%	88.7%	87.2%	87.9%	88.8%	88.6%	91.5%	94.4%	93.6%	94.1%	94.0%	96.9%	94.0%	91.3%	89.7%	88.9%	90.9%	91.8%	91.6%	91.1%	90.9%
Enrollment Growth	-50	5	-80	397	272	893	1,018	964	851	1,035	420	1,148	-333	-997	-454	-144	808	1,247	350	-257	-276

* MCPS projection.




Middle Schools – Individual School Utilization Level Trend

■ Util. Rate < 90%
 ■ 90% <= Util. Rate < 105%
 ■ 105% <= Util. Rate < 120%
 ■ 120% <= Util. Rate < 135%
 ■ Util. Rate >=135%



Elementary Schools – Countywide Enrollment/Utilization Trend




School Year	2008	2009	2010	2011	2012	2013	2014	2015	2016	2017	2018	2019	2020	2021	2022	2023*	2024*	2025*	2026*	2027*	2028*
Capacity	60,713	62,186	62,728	65,315	65,728	69,564	71,987	72,854	72,758	73,630	74,951	75,939	76,571	76,596	78,909	80,913	80,913	81,583	81,583	81,980	81,980
Enrollment	64,022	66,293	68,877	70,969	73,027	74,669	75,765	76,569	77,100	77,329	76,758	77,167	72,814	71,591	72,893	73,897	73,571	73,309	73,559	73,511	73,742
Utilization	105.5%	106.6%	109.8%	108.7%	111.1%	107.3%	105.2%	105.1%	106.0%	105.0%	102.4%	101.6%	95.1%	93.5%	92.4%	91.3%	90.9%	89.9%	90.2%	89.7%	90.0%
Enrollment Growth	1,709	2,271	2,584	2,092	2,058	1,642	1,096	804	531	229	-571	409	-4,353	-1,223	1,302	1,004	-326	-588	-12	202	183

* MCPS projection.



Elementary Schools – Individual School Utilization Level Trend


■ Util. Rate < 90%
 ■ 90% <= Util. Rate < 105%
 ■ 105% <= Util. Rate < 120%
 ■ 120% <= Util. Rate < 135%
 ■ Util. Rate >=135%



2022 Housing Analysis – HS Service Areas


Sold Units*

- Single-Family Detached Units
- Single-Family Attached Units
- * Includes sales of existing units and newly built units.




New Units

- Single-Family Units (Detached & Attached)
- Multi-Family Units



Total DUs



2022 Housing Analysis Data – HS Service Areas

	Gaithersburg HS	Watkins Mill HS	Churchill HS	Whitman HS	Walter Johnson HS	Seneca Valley HS	Einstein HS	Bethesda-Chevy Chase HS	Clarksburg HS	Richard Montgomery HS	Northwest HS	Quince Orchard HS	Northwood HS
Units Sold in 2022 (Single Family)													
SFD	284	75	401	496	413	197	402	445	164	270	179	200	342
SFA	523	476	129	21	89	301	59	13	260	153	231	194	45
SF Units	807	551	530	517	502	498	461	458	424	423	410	394	387
Units Built in 2022													
SF Units	39	49	17	17	21	24	4	18	57	25	3	11	-
MF Units	80	-	-	-	335	-	305	280	-	-	-	-	36
Total	119	49	17	17	356	24	309	298	57	25	3	11	36
Total Housing Units													
SF Units	13,164	9,171	14,134	13,007	13,834	11,381	12,156	13,104	8,865	9,976	11,583	9,683	11,372
MF Units	12,271	5,149	96	1,345	19,523	8,314	6,543	17,814	2,427	8,225	3,153	5,306	6,239
Total	25,435	14,320	14,230	14,352	33,357	19,695	18,699	30,918	11,292	18,201	14,736	14,989	17,611

	Magruder HS	Rockville HS	Sherwood HS	Wootton HS	Wheaton HS	Blair HS	Springbrook HS	Blake HS	Damascus HS	Paint Branch HS	Kennedy HS	Poolesville HS
Units Sold in 2022 (Single Family)												
SFD	241	323	266	281	259	281	274	211	226	179	160	146
SFA	134	42	93	76	54	23	30	92	62	98	101	26
SF Units	375	365	359	357	313	304	304	303	288	277	261	172
Units Built in 2022												
SF Units	5	-	5	17	8	1	4	1	5	1	-	5
MF Units	-	-	-	-	-	-	-	-	-	-	-	-
Total	5	-	5	17	8	1	4	1	5	1	-	5
Total Housing Units												
SF Units	10,193	9,074	10,169	9,814	8,943	8,607	8,833	9,034	7,853	9,705	7,957	3,345
MF Units	1,838	1,339	709	1,701	1,208	13,952	1,881	4,964	930	4,843	6,602	8
Total	12,031	10,413	10,878	11,515	10,151	22,559	10,714	13,998	8,783	14,548	14,559	3,353




2022 Housing Analysis – MS Service Areas

Sold Units*


- Single-Family Detached Units
- Single-Family Attached Units

* Includes sales of existing units and newly built units.




New Units

- Single-Family Units (Detached & Attached)
- Multi-Family Units



Total DUs



2022 Housing Analysis Data – MS Service Areas

	Pyle MS	Gaithersburg MS	West MS	Montgomery Village MS	Forest Oak MS	Wood MS	Rocky Hill MS	Neelsville MS	North Bethesda MS	Hoover MS	Lakelands Park MS	Cabin John MS	Newport Mill MS	Frost MS	Silver Creek MS
Units Sold in 2022 (Single Family)															
SFD	496	157	270	34	127	323	125	161	297	256	174	219	258	207	246
SFA	21	278	153	349	245	42	231	187	48	63	135	87	35	55	7
SF Units	517	435	423	383	372	365	356	348	345	319	309	306	293	262	253
Units Built in 2022															
SF Units	17	9	25	49	30	-	56	24	19	9	3	8	3	17	8
MF Units	-	60	-	-	20	-	-	-	-	-	-	-	-	-	280
Total	17	69	25	49	50	-	56	24	19	9	3	8	3	17	288
Total Housing Units															
SF Units	13,007	6,852	9,976	5,475	6,312	9,074	6,525	7,049	8,823	8,639	7,078	8,580	7,154	6,729	7,178
MF Units	1,345	6,056	8,225	3,860	6,215	1,339	1,877	2,565	7,086	24	3,820	72	998	1,701	3,810
Total	14,352	12,908	18,201	9,335	12,527	10,413	8,402	9,614	15,909	8,663	10,898	8,652	8,152	8,430	10,988

	Baker MS	Key MS	Odessa Shannon MS	Silver Spring Int'l MS	Clemente MS	Farquhar MS	Loiederman MS	Rosa Parks MS	Briggs Chaney MS	Sligo MS	Ridgeview MS	Shady Grove MS	Westland MS	Kingsview MS	Banneker MS
Units Sold in 2022 (Single Family)															
SFD	204	187	180	219	17	149	178	191	161	183	114	116	199	88	102
SFA	41	52	57	16	213	80	49	35	57	32	96	92	6	107	80
SF Units	245	239	237	235	230	229	227	226	218	215	210	208	205	195	182
Units Built in 2022															
SF Units	5	5	-	-	-	5	8	-	1	1	11	5	10	-	-
MF Units	-	-	-	36	-	-	-	-	-	305	-	-	-	-	-
Total	5	5	-	36	-	5	8	-	1	306	11	5	10	-	-
Total Housing Units															
SF Units	6,450	6,648	6,678	6,592	5,279	5,880	6,225	6,818	7,176	6,607	5,887	5,037	5,926	6,279	6,483
MF Units	633	4,011	5,012	8,164	2,513	288	175	421	1,981	6,095	2,227	1,129	14,004	1,843	3,349
Total	7,083	10,659	11,690	14,756	7,792	6,168	6,400	7,239	9,157	12,702	8,114	6,166	19,930	8,122	9,832


	King MS	Poole MS	Redland MS	Takoma Park MS	Tilden MS	Argyle MS	White Oak MS	Hallie Wells MS	Eastern MS	Parkland MS
Units Sold in 2022 (Single Family)										
SFD	63	146	125	151	116	83	140	61	92	100
SFA	115	26	42	6	41	67	9	50	15	5
SF Units	178	172	167	157	157	150	149	111	107	105
Units Built in 2022										
SF Units	-	5	-	1	2	-	-	1	-	-
MF Units	-	-	-	-	335	-	-	-	-	-
Total	-	5	-	1	337	-	-	1	-	-
Total Housing Units										
SF Units	4,771	3,345	5,156	4,454	5,011	4,465	4,736	3,743	3,344	3,516
MF Units	5,094	8	709	5,598	12,437	4,142	2,347	847	2,187	2,173
Total	9,865	3,353	5,865	10,052	17,448	8,607	7,083	4,590	5,531	5,689



2022 Housing Analysis – ES Service Areas (1/3)


Sold Units*

- Single-Family Detached Units
- Single-Family Attached Units
- * Includes sales of existing units and newly built units.




New Units

- Single-Family Units (Detached & Attached)
- Multi-Family Units




Total DUs



2022 Housing Analysis – ES Service Areas (2/3)


Sold Units*

- Single-Family Detached Units
- Single-Family Attached Units
- * Includes sales of existing units and newly built units.




New Units

- Single-Family Units (Detached & Attached)
- Multi-Family Units




Total DUs



2022 Housing Analysis – ES Service Areas (3/3)


Sold Units*

- Single-Family Detached Units
- Single-Family Attached Units
- * Includes sales of existing units and newly built units.




New Units

- Single-Family Units (Detached & Attached)
- Multi-Family Units



Total DUs



2022 Housing Analysis Data – ES Service Areas (1/3)

	Clarksburg ES	Whetstone ES	Washington Grove ES	Rosemont ES	Rock View ES	Wyngate ES	Bayard Rustin ES	Wood Acres ES	Carson ES	Poolesville ES	Beverly Farms ES	Potomac ES	Sherwood ES	Bradley Hills ES	Seven Locks ES
Units Sold in 2022 (Single Family)															
SFD	119	22	33	27	146	146	41	140	66	105	73	123	89	119	83
SFA	158	230	181	162	9	2	104	4	67	26	55	-	32	-	35
SF Units	277	252	214	189	155	148	145	144	133	131	128	123	121	119	118
Units Built in 2022															
SF Units	47	49	9	30	1	12	25	5	-	4	8	1	5	2	8
MF Units	-	-	60	20	-	-	-	-	-	-	-	-	-	-	-
Total	47	49	69	50	1	12	25	5	-	4	8	1	5	2	8
Total Housing Units															
SF Units	3,179	2,854	2,041	1,172	3,102	3,259	2,345	3,246	2,460	2,441	3,265	3,052	2,828	2,910	2,767
MF Units	661	505	3,382	4,872	610	-	1,144	1,145	1,714	8	24	-	-	-	60
Total	3,840	3,359	5,423	6,044	3,712	3,259	3,489	4,391	4,174	2,449	3,289	3,052	2,828	2,910	2,827

	Goshen ES	Rosemary Hills/ Chevy Chase ES	Stedwick ES	Viers Mill ES	Ashburton ES	Takoma Park/ Piney Branch ES	Travilah ES	Flower Valley ES	Montgomery Knolls/ Pine Crest ES	Rosemary Hills/N Chevy Chase ES	Waters Landing ES	Laytonville ES	Westbrook ES	Bel Pre/Strathmore ES	McAuliffe ES
Units Sold in 2022 (Single Family)															
SFD	52	117	34	68	86	113	93	74	98	100	29	86	101	50	7
SFA	65	-	83	49	30	2	18	34	9	7	77	18	2	51	94
SF Units	117	117	117	117	116	115	111	108	107	107	106	104	103	101	101
Units Built in 2022															
SF Units	-	5	-	8	5	1	17	-	-	2	-	-	3	-	-
MF Units	-	-	-	-	-	-	-	-	-	280	-	-	-	-	-
Total	-	5	-	8	5	1	17	-	-	282	-	-	3	-	-
Total Housing Units															
SF Units	2,774	3,241	2,658	2,368	3,140	3,252	1,791	2,920	3,160	3,183	2,287	2,772	2,470	3,227	2,148
MF Units	-	1,542	33	12	5,950	2,482	-	498	755	917	2,666	11	3,765	2,567	952
Total	2,774	4,783	2,691	2,380	9,090	5,734	1,791	3,418	3,915	4,100	4,953	2,783	6,235	5,794	3,100

	South Lake ES	Burning Tree ES	Roscoe R. Nix/Cresthaven ES	Bells Mill ES	Burtonsville ES	Marshall ES	Ritchie Park ES	Glenallan ES	Greenwood ES	Cloverly ES	Flora M. Singer ES	Oakland Terrace ES	Clopper Mill ES	Watkins Mill ES
Units Sold in 2022 (Single Family)														
SFD	12	93	86	62	48	49	62	58	79	85	74	78	-	7
SFA	87	4	8	31	45	44	31	34	11	2	13	9	83	76
SF Units	99	97	94	93	93	93	93	92	90	87	87	87	83	83
Units Built in 2022														
SF Units	-	4	-	-	-	9	-	-	-	1	-	2	-	-
MF Units	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Total	-	4	-	-	-	9	-	-	-	1	-	2	-	-
Total Housing Units														
SF Units	2,107	2,525	2,530	2,728	3,180	1,732	2,150	2,694	2,540	2,427	2,400	2,281	1,824	1,552
MF Units	1,256	-	1,880	12	312	909	1,307	1,320	-	2	755	388	929	3,355
Total	3,363	2,525	4,410	2,740	3,492	2,641	3,457	4,014	2,540	2,429	3,155	2,669	2,753	4,907



2022 Housing Analysis Data – ES Service Areas (2/3)

	Kensington-Parkwood ES	Little Bennett ES	Woodlin ES	Candlewood ES	Kemp Mill ES	McNair ES	Carderock Springs ES	Bannockburn ES	Fairland ES	Stonegate ES	Twinbrook ES	Lucy V. Barnsley ES	William B. Gibbs Jr. ES	Forest Knolls ES	Mill Creek Towne ES
Units Sold in 2022 (Single Family)															
SFD	65	36	70	43	76	28	75	69	48	67	72	73	64	64	53
SFA	16	45	11	37	4	52	4	9	29	9	3	-	7	6	17
SF Units	81	81	81	80	80	80	79	78	77	76	75	73	71	70	70
Units Built in 2022															
SF Units	2	6	1	5	-	-	-	6	-	-	-	-	27	-	-
MF Units	-	-	305	-	-	-	-	-	-	-	-	-	-	-	-
Total	2	6	306	5	-	-	-	6	-	-	-	-	27	-	-
Total Housing Units															
SF Units	2,424	1,869	2,602	1,723	2,138	2,557	1,896	2,430	2,011	2,455	1,919	1,708	1,939	1,887	1,886
MF Units	1,136	225	4,790	375	563	78	13	187	934	-	1,824	435	876	-	-
Total	3,560	2,094	7,392	2,098	2,701	2,635	1,909	2,617	2,945	2,455	3,743	2,143	2,815	1,887	1,886

	Olney ES	Garrett Park ES	Wayside ES	Darnestown ES	Rockwell ES	Sequoyah ES	Beall ES	Belmont ES	Arcola ES	Diamond ES	Galway ES	Rock Creek Valley ES	Strawberry Knoll ES	Meadow Hall ES	Great Seneca Creek ES
Units Sold in 2022 (Single Family)															
SFD	57	36	60	67	51	59	63	55	46	26	47	61	25	63	25
SFA	13	32	8	-	16	8	3	11	19	39	18	4	39	-	37
SF Units	70	68	68	67	67	67	66	66	65	65	65	65	64	63	62
Units Built in 2022															
SF Units	-	1	-	3	1	-	-	-	-	-	-	-	-	-	-
MF Units	-	335	-	-	-	-	-	-	-	-	-	-	-	-	-
Total	-	336	-	3	1	-	-	-	-	-	-	-	-	-	-
Total Housing Units															
SF Units	2,569	2,226	2,322	1,741	1,644	2,024	2,020	1,709	1,846	1,708	2,396	1,617	1,470	1,743	1,917
MF Units	421	5,146	-	-	212	242	2,486	-	3,129	741	958	-	-	330	1,663
Total	2,990	7,372	2,322	1,741	1,856	2,266	4,506	1,709	4,975	2,449	3,354	1,617	1,470	2,073	3,580

	Clearspring ES	Gaithersburg ES	Bethesda ES	Daly ES	Lakewood ES	Westover ES	Cannon Road ES	Flower Hill ES	Stone Mill ES	Fallsmead ES	Maryvale ES	Sargent Shriver ES	Woodfield ES
Units Sold in 2022 (Single Family)													
SFD	45	20	55	12	43	54	49	20	37	37	52	56	49
SFA	15	40	4	47	16	5	9	38	21	19	4	-	7
SF Units	60	60	59	59	59	59	58	58	58	56	56	56	56
Units Built in 2022													
SF Units	-	-	5	-	-	-	-	-	-	-	-	-	4
MF Units	-	-	-	-	-	-	-	-	-	-	-	-	-
Total	-	-	5	-	-	-	-	-	-	-	-	-	4
Total Housing Units													
SF Units	1,628	758	1,820	1,374	1,720	1,510	1,461	1,428	2,125	1,829	1,086	1,962	1,305
MF Units	184	2,663	6,406	663	520	-	374	754	-	1,181	76	163	4
Total	1,812	3,421	8,226	2,037	2,240	1,510	1,835	2,182	2,125	3,010	1,162	2,125	1,309



2022 Housing Analysis Data – ES Service Areas (3/3)

	Brooke Grove ES	Damascus ES	Fields Road ES	Jones Lane ES	Weller Road ES	Spark M. Matsunaga ES	Resnik ES	Brown Station ES	Highland ES	Drew ES	Farmland ES	Georgian Forest ES	Jackson Road ES	Cashell ES	Fox Chapel ES
Units Sold in 2022 (Single Family)															
SFD	16	52	15	45	54	35	38	20	34	36	48	33	45	28	14
SFA	39	3	40	10	-	18	14	31	17	14	2	16	4	20	34
SF Units	55	55	55	55	54	53	52	51	51	50	50	49	49	48	48
Units Built in 2022															
SF Units	-	-	-	2	-	-	-	-	-	4	-	-	-	-	-
MF Units	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Total	-	-	-	2	-	-	-	-	-	4	-	-	-	-	-
Total Housing Units															
SF Units	1,561	1,684	2,181	1,807	1,895	1,805	1,671	1,336	1,771	1,514	1,597	1,238	1,682	1,461	1,517
MF Units	288	233	1,291	27	-	570	467	1,365	-	-	2,938	1,575	1,296	-	728
Total	1,849	1,917	3,472	1,834	1,895	2,375	2,138	2,701	1,771	1,514	4,535	2,813	2,978	1,461	2,245

	Glen Haven ES	Wilson Wims ES	Harriet R. Tubman ES	Wheaton Woods ES	College Gardens ES	Greencastle ES	Highland View ES	Page ES	Ride ES	Somerset ES	Burnt Mills ES	East Silver Spring ES	Brookhaven ES	Monocacy ES	Sligo Creek ES
Units Sold in 2022 (Single Family)															
SFD	39	28	37	45	32	11	41	34	26	43	21	38	36	41	36
SFA	8	19	9	-	12	33	3	10	18	-	21	4	5	-	5
SF Units	47	47	46	45	44	44	44	44	44	43	42	42	41	41	41
Units Built in 2022															
SF Units	-	1	-	-	-	-	-	-	-	2	1	-	-	1	-
MF Units	-	-	-	-	-	-	-	-	-	-	-	-	-	-	36
Total	-	1	-	-	-	-	-	-	-	2	1	-	-	1	36
Total Housing Units															
SF Units	1,605	1,547	1,673	1,237	1,542	2,012	1,286	1,827	1,484	1,636	1,429	1,202	1,481	904	1,591
MF Units	550	132	887	636	1,464	3,037	887	87	302	3,833	1,757	3,116	147	-	5,377
Total	2,155	1,679	2,560	1,873	3,006	5,049	2,173	1,914	1,786	5,469	3,186	4,318	1,628	904	6,968

	New Hampshire Est/Oak View ES	Rolling Terrace ES	Luxmanor ES	Lake Seneca ES	Cold Spring ES	Dufief ES	Germantown ES	Snowden Farm ES	Cedar Grove ES	Rock Creek Forest ES	Summit Hall ES	Harmony Hills ES	JoAnn Leleck ES
Units Sold in 2022 (Single Family)													
SFD	34	38	32	8	37	34	10	17	16	29	11	19	3
SFA	6	2	7	30	-	2	26	16	15	-	9	-	-
SF Units	40	40	39	38	37	36	36	33	31	29	20	19	3
Units Built in 2022													
SF Units	-	-	1	-	-	-	-	-	-	1	-	-	-
MF Units	-	-	-	-	-	-	-	-	-	-	-	-	-
Total	-	-	1	-	-	-	-	-	-	1	-	-	-
Total Housing Units													
SF Units	1,203	809	1,188	1,274	960	1,389	1,033	1,213	983	754	693	798	100
MF Units	1,432	1,900	4,353	1,742	-	-	548	468	247	1,351	456	1,390	1,051
Total	2,635	2,709	5,541	3,016	960	1,389	1,581	1,681	1,230	2,105	1,149	2,188	1,151



Individual School Utilization Report

High Schools



Bethesda-Chevy Chase High School

FY24 Annual School Test

Year Facility Built: 1934
Last Renovation: 2001 (2018 add'n)
Gross Floor Area: 392,833 sq.ft.
Site Size: 16.4 acres
Relocatables in 2022: -

Adjacent Schools
 Albert Einstein HS
 Walter Johnson HS
 Walt Whitman HS

- 4-Yr Projection
 - Utilization : 97.8%
 - Seat Surplus : 55
- Enrollment projection modified to reflect student reassignment between BCC, DCC, Walter Johnson, Whitman and Woodward HSs in 2026.



* MCPS projection, modified according to Annual School Test guidelines (if applicable).



Montgomery Blair High School



FY24 Annual School Test

Year Facility Built:	1998
Last Renovation:	-
Gross Floor Area:	386,567 sq.ft.
Site Size:	30.2 acres
Relocatables in 2022:	19

<h3>Adjacent Schools</h3> <ul style="list-style-type: none"> <li style="color: #0070C0; margin-bottom: 5px;">James H. Blake HS <li style="color: #0070C0; margin-bottom: 5px;">Albert Einstein HS <li style="color: #0070C0; margin-bottom: 5px;">Northwood HS <li style="color: #0070C0; margin-bottom: 5px;">Springbrook HS

- 4-Yr Projection
 - Utilization : 97.8%
 - Seat Surplus : 63

- Enrollment projection modified to reflect student reassignment between BCC, DCC, Walter Johnson, Whitman and Woodward HSs in 2026.



* MCPS projection, modified according to Annual School Test guidelines (if applicable).





James Hubert Blake High School

FY24 Annual School Test

Year Facility Built:	1998
Last Renovation:	-
Gross Floor Area:	297,125 sq.ft.
Site Size:	91.1 acres
Relocatables in 2022:	1

Adjacent Schools	
Montgomery Blair HS John F. Kennedy HS Col. Zadok Magruder HS Northwood HS	Paint Branch HS Rockville HS Sherwood HS Springbrook HS

- 4-Yr Projection
 - Utilization : 111.0%
 - Seat Deficit : -192



* MCPS projection, modified according to Annual School Test guidelines (if applicable).



Winston Churchill High School



FY24 Annual School Test

Year Facility Built: 1964
 Last Renovation: 2001
 Gross Floor Area: 322,078 sq.ft.
 Site Size: 30.3 acres
 Relocatables in 2022: 4

Adjacent Schools

Richard Montgomery HS
 Walter Johnson HS
 Walt Whitman HS
 Thomas S. Wootton HS

- 4-Yr Projection
 - Utilization : 106.9%
 - Seat Deficit : -138



* MCPS projection, modified according to Annual School Test guidelines (if applicable).



Clarksburg High School



FY24 Annual School Test

Year Facility Built: 1995
Last Renovation: 2006 (2015 add'n)
Gross Floor Area: 344,574 sq.ft.
Site Size: 62.7 acres
Relocatables in 2022: 14

Adjacent Schools

 Damascus HS
 Poolesville HS
 Seneca Valley HS
 Watkins Mill HS

- 4-Yr Projection
 - Utilization : 128.4%
 - Seat Deficit : -578



* MCPS projection, modified according to Annual School Test guidelines (if applicable).





Damascus High School

FY24 Annual School Test

Year Facility Built:	1950
Last Renovation:	1978
Gross Floor Area:	235,986 sq.ft.
Site Size:	32.7 acres
Relocatables in 2022:	-

<h3>Adjacent Schools</h3> <ul style="list-style-type: none"> <li style="margin-bottom: 5px;">Clarksburg HS <li style="margin-bottom: 5px;">Gaithersburg HS <li style="margin-bottom: 5px;">Seneca Valley HS <li style="margin-bottom: 5px;">Sherwood HS

- 4-Yr Projection
 - Utilization : 68.1%
 - Seat Surplus : 717



* MCPS projection, modified according to Annual School Test guidelines (if applicable).



Albert Einstein High School



FY24 Annual School Test

Year Facility Built: 1962
 Last Renovation: 1997 (2007 add'n)
 Gross Floor Area: 276,462 sq.ft.
 Site Size: 26.6 acres
 Relocatables in 2022: 11

Adjacent Schools

Bethesda-Chevy Chase HS
 Montgomery Blair HS
 Northwood HS
 Walter Johnson HS
 Wheaton HS

- 4-Yr Projection
 - Utilization : 97.8%
 - Seat Surplus : 35
- Enrollment projection modified to reflect student reassignment between BCC, DCC, Walter Johnson, Whitman and Woodward HSs in 2026.



* MCPS projection, modified according to Annual School Test guidelines (if applicable).



Gaithersburg High School



FY24 Annual School Test

Year Facility Built: 1951
Last Renovation: 2013
Gross Floor Area: 427,048 sq.ft.
Site Size: 41 acres
Relocatables in 2022: -

Adjacent Schools

Damascus HS Col. Zadok Magruder HS Quince Orchard HS Richard Montgomery HS	Seneca Valley HS Sherwood HS Watkins Mill HS Thomas S. Wootton HS
---	--

- 4-Yr Projection
 - Utilization : 95.6%
 - Seat Surplus : 110
- Enrollment projection modified to reflect student reassignment between Gaithersburg, RM, Northwest, QO, Wootton, and Crown HSs in 2027.



* MCPS projection, modified according to Annual School Test guidelines (if applicable).



Walter Johnson High School

FY24 Annual School Test



Year Facility Built: 1956
 Last Renovation: 2009
 Gross Floor Area: 365,138 sq.ft.
 Site Size: 30.9 acres
 Relocatables in 2022: 15

Adjacent Schools

Bethesda-Chevy Chase HS
 Winston Churchill HS
 Albert Einstein HS
 Richard Montgomery HS

Rockville HS
 Wheaton HS
 Walt Whitman HS

- 4-Yr Projection
 - Utilization : 97.8%
 - Seat Surplus : 51
- Enrollment projection modified to reflect student reassignment between BCC, DCC, Walter Johnson, Whitman and Woodward HSs in 2026.



* MCPS projection, modified according to Annual School Test guidelines (if applicable).



John F. Kennedy High School



FY24 Annual School Test

Year Facility Built: 1964
Last Renovation: 1999 (2022 add'n)
Gross Floor Area: 332,133 sq.ft.
Site Size: 29.1 acres
Relocatables in 2022: -

Adjacent Schools

James H. Blake HS
 Northwood HS
 Rockville HS
 Springbrook HS
 Wheaton HS

- 4-Yr Projection
 - Utilization : 97.8%
 - Seat Surplus : 48
- Enrollment projection modified to reflect student reassignment between BCC, DCC, Walter Johnson, Whitman and Woodward HSs in 2026.



* MCPS projection, modified according to Annual School Test guidelines (if applicable).





Col. Zadok Magruder High School

FY24 Annual School Test

Year Facility Built: 1970
Last Renovation: -
Gross Floor Area: 295,478 sq.ft.
Site Size: 30 acres
Relocatables in 2022: -

Adjacent Schools
 James H. Blake HS
 Gaithersburg HS
 Richard Montgomery HS
 Rockville HS
 Sherwood HS

- 4-Yr Projection
 - Utilization : 97.1%
 - Seat Surplus : 55



* MCPS projection, modified according to Annual School Test guidelines (if applicable).



Richard Montgomery High School



FY24 Annual School Test

Year Facility Built: 1942
Last Renovation: 2007
Gross Floor Area: 311,500 sq.ft.
Site Size: 29 acres
Relocatables in 2022: 9

Adjacent Schools

Winston Churchill HS Gaithersburg HS Col. Zadok Magruder HS	Rockville HS Walter Johnson HS Thomas S. Wootton HS
---	---

- 4-Yr Projection
 - Utilization : 95.6%
 - Seat Surplus : 100
- Enrollment projection modified to reflect student reassignment between Gaithersburg, RM, Northwest, QO, Wootton, and Crown HSs in 2027.



* MCPS projection, modified according to Annual School Test guidelines (if applicable).



Northwest High School



FY24 Annual School Test

Year Facility Built: 1998
Last Renovation: - (2006 add'n)
Gross Floor Area: 342,101 sq.ft.
Site Size: 34.6 acres
Relocatables in 2022: 11

Adjacent Schools

Pooleville HS
Quince Orchard HS
Seneca Valley HS
Thomas S. Wootton HS

- 4-Yr Projection
 - Utilization : 95.5%
 - Seat Surplus : 102
- Enrollment projection modified to reflect student reassignment between Gaithersburg, RM, Northwest, QO, Wootton, and Crown HSs in 2027.



* MCPS projection, modified according to Annual School Test guidelines (if applicable).





Northwood High School

FY24 Annual School Test

Year Facility Built:	1956
Last Renovation:	2004
Gross Floor Area:	254,054 sq.ft.
Site Size:	29.6 acres
Relocatables in 2022:	14

Adjacent Schools	
Montgomery Blair HS James H. Blake HS Albert Einstein HS	John F. Kennedy HS Springbrook HS Wheaton HS

- 4-Yr Projection
 - Utilization : 97.8%
 - Seat Surplus : 50
- Enrollment projection modified to reflect student reassignment between BCC, DCC, Walter Johnson, Whitman and Woodward HSs in 2026.



* MCPS projection, modified according to Annual School Test guidelines (if applicable).



Paint Branch High School



FY24 Annual School Test

Year Facility Built: 1969
Last Renovation: 2012
Gross Floor Area: 347,169 sq.ft.
Site Size: 46 acres
Relocatables in 2022: 3

Adjacent Schools

 James H. Blake HS
 Sherwood HS
 Springbrook HS

- 4-Yr Projection
 - Utilization : 114.4%
 - Seat Deficit : -285



* MCPS projection, modified according to Annual School Test guidelines (if applicable).



Pooleville High School

FY24 Annual School Test



Year Facility Built: 1953
Last Renovation: 1978 (2009 add'n)
Gross Floor Area: 165,056 sq.ft.
Site Size: 37.2 acres
Relocatables in 2022: -

Adjacent Schools

 Clarksburg HS
 Northwest HS
 Seneca Valley HS

- 4-Yr Projection
 - Utilization : 95.4%
 - Seat Surplus : 69

- Capacity projection assumes completion of Major Capital Project in 2025.



* MCPS projection, modified according to Annual School Test guidelines (if applicable).



Quince Orchard High School



Year Facility Built: 1988
 Last Renovation: -
 Gross Floor Area: 284,912 sq.ft.
 Site Size: 30.1 acres
 Relocatables in 2022: 12

Adjacent Schools

Gaithersburg HS
 Northwest HS
 Seneca Valley HS
 Watkins Mill HS
 Thomas S. Wootton HS

FY24 Annual School Test

- 4-Yr Projection
 - Utilization : 95.6%
 - Seat Surplus : 80
- Enrollment projection modified to reflect student reassignment between Gaithersburg, RM, Northwest, QO, Wootton, and Crown HSs in 2027.



* MCPS projection, modified according to Annual School Test guidelines (if applicable).



Rockville High School

FY24 Annual School Test



Year Facility Built: 1968
 Last Renovation: 2004
 Gross Floor Area: 317,731 sq.ft.
 Site Size: 30.3 acres
 Relocatables in 2022: -

Adjacent Schools

James H. Blake HS
 John F. Kennedy HS
 Col. Zadok Magruder HS
 Richard Montgomery HS

Sherwood HS
 Walter Johnson HS
 Wheaton HS

- 4-Yr Projection
 - Utilization : 105.8%
 - Seat Deeficit : -89



* MCPS projection, modified according to Annual School Test guidelines (if applicable).





Seneca Valley High School

FY24 Annual School Test

Year Facility Built:	1974
Last Renovation:	2020
Gross Floor Area:	439,346 sq.ft.
Site Size:	29.4 acres
Relocatables in 2022:	-

Adjacent Schools	
Clarksburg HS Damascus HS Gaithersburg HS Northwest HS	Poolesville HS Quince Orchard HS Watkins Mill HS

- 4-Yr Projection
 - Utilization : 101.2%
 - Seat Deficit : -31



* MCPS projection, modified according to Annual School Test guidelines (if applicable).



Sherwood High School



FY24 Annual School Test

Year Facility Built: 1950
Last Renovation: 1991 (2007 add'n)
Gross Floor Area: 333,154 sq.ft.
Site Size: 49.3 acres
Relocatables in 2022: -

Adjacent Schools

James H. Blake HS Damascus HS Gaithersburg HS Col. Zadok Magruder HS	Paint Branch HS Rockville HS Springbrook HS
---	---

- 4-Yr Projection
 - Utilization : 90.2%
 - Seat Surplus : 211



* MCPS projection, modified according to Annual School Test guidelines (if applicable).



Springbrook High School



FY24 Annual School Test

Year Facility Built: 1960
Last Renovation: 1994
Gross Floor Area: 305,006 sq.ft.
Site Size: 25.1 acres
Relocatables in 2022: -

Adjacent Schools

Montgomery Blair HS James H. Blake HS John F. Kennedy HS	Northwood HS Paint Branch HS Sherwood HS
--	--

- 4-Yr Projection
 - Utilization : 92.1%
 - Seat Surplus : 168



* MCPS projection, modified according to Annual School Test guidelines (if applicable).





Watkins Mill High School

FY24 Annual School Test

Year Facility Built:	1989
Last Renovation:	-
Gross Floor Area:	305,288 sq.ft.
Site Size:	51 acres
Relocatables in 2022:	-

<h3>Adjacent Schools</h3> <ul style="list-style-type: none"> <li style="margin-bottom: 5px;">Clarksburg HS <li style="margin-bottom: 5px;">Gaithersburg HS <li style="margin-bottom: 5px;">Quince Orchard HS <li style="margin-bottom: 5px;">Seneca Valley HS

- 4-Yr Projection
 - Utilization : 101.5%
 - Seat Deficit : -26



* MCPS projection, modified according to Annual School Test guidelines (if applicable).





Wheaton High School

FY24 Annual School Test

Year Facility Built: 1954
Last Renovation: 2016 (2018 add'n)
Gross Floor Area: 373,825 sq.ft.
Site Size: 28.2 acres
Relocatables in 2022: -

Adjacent Schools
 Albert Einstein HS
 John F. Kennedy HS
 Northwood HS
 Rockville HS
 Walter Johnson HS

- 4-Yr Projection
 - Utilization : 97.8%
 - Seat Surplus : 50
- Enrollment projection modified to reflect student reassignment between BCC, DCC, Walter Johnson, Whitman and Woodward HSs in 2026.



* MCPS projection, modified according to Annual School Test guidelines (if applicable).



Walt Whitman High School



FY24 Annual School Test

Year Facility Built: 1962
 Last Renovation: 1992 (2021 add'n)
 Gross Floor Area:
 Site Size: 312,270 sq.ft.
 Relocatables in 2022: 30.7 acres

Adjacent Schools

Bethesda-Chevy Chase HS
 Winston Churchill HS
 Walter Johnson HS

- 4-Yr Projection
 - Utilization : 97.8%
 - Seat Surplus : 49
- Enrollment projection modified to reflect student reassignment between BCC, DCC, Walter Johnson, Whitman and Woodward HSs in 2026.



* MCPS projection, modified according to Annual School Test guidelines (if applicable).



Thomas S. Wootton High School



FY24 Annual School Test

Year Facility Built: 1970
 Last Renovation: -
 Gross Floor Area: 295,620 sq.ft.
 Site Size: 27.4 acres
 Relocatables in 2022: 3

Adjacent Schools

Winston Churchill HS
 Gaithersburg HS
 Northwest HS
 Quince Orchard HS
 Richard Montgomery HS

- 4-Yr Projection
 - Utilization : 95.6%
 - Seat Surplus : 94



* MCPS projection, modified according to Annual School Test guidelines (if applicable).



Individual School Utilization Report

Middle Schools

Argyle Middle School



FY24 Annual School Test

Year Facility Built: 1971
Last Renovation: 1993
Gross Floor Area: 120,205 sq.ft.
Site Size: 19.9 acres
Relocatables in 2022: 3

Adjacent Schools

William H. Farquhar MS Odessa Shannon MS A. Mario Loiederman MS	Parkland MS White Oak MS Earle B. Wood MS
---	---

- 4-Yr Projection
 - Utilization : 108.8%
 - Seat Deficit : -79



* MCPS projection, modified according to Annual School Test guidelines (if applicable).



John T. Baker Middle School



FY24 Annual School Test

Year Facility Built: 1971
 Last Renovation: -
 Gross Floor Area: 120,532 sq.ft.
 Site Size: 22 acres
 Relocatables in 2022: 2

Adjacent Schools

Gaithersburg MS
 Rocky Hill MS
 Rosa Parks MS
 Hallie Wells MS

- 4-Yr Projection
 - Utilization : 109.2%
 - Seat Deficit :-70



* MCPS projection, modified according to Annual School Test guidelines (if applicable).





Benjamin Banneker Middle School

FY24 Annual School Test

Year Facility Built:	1974
Last Renovation:	-
Gross Floor Area:	117,035 sq.ft.
Site Size:	20 acres
Relocatables in 2022:	2

<h3>Adjacent Schools</h3> <p style="color: #0072bc; margin-top: 10px;">Briggs Chaney MS Francis Scott Key MS</p>
--

- 4-Yr Projection
 - Utilization : 113.8%
 - Seat Deficit : -110



* MCPS projection, modified according to Annual School Test guidelines (if applicable).





Briggs Chaney Middle School

FY24 Annual School Test

Year Facility Built: 1991
Last Renovation: -
Gross Floor Area: 115,000 sq.ft.
Site Size: 29.4 acres
Relocatables in 2022: -

Adjacent Schools
 Benjamin Banneker MS
 William H. Farquhar MS
 Francis Scott Key MS
 White Oak MS

- 4-Yr Projection
 - Utilization : 90.7%
 - Seat Surplus : 86



* MCPS projection, modified according to Annual School Test guidelines (if applicable).



Cabin John Middle School



FY24 Annual School Test

Year Facility Built: 1967
Last Renovation: 2011
Gross Floor Area: 159,514 sq.ft.
Site Size: 18.2 acres
Relocatables in 2022: -

Adjacent Schools

Forest Oak MS Robert Frost MS Herbert Hoover MS North Bethesda MS	Thomas W. Pyle MS Ridgeview MS Julius West MS
--	---

- 4-Yr Projection
 - Utilization : 94.8%
 - Seat Surplus : 58



* MCPS projection, modified according to Annual School Test guidelines (if applicable).





Roberto Clemente Middle School

FY24 Annual School Test

Year Facility Built: 1992
Last Renovation: -
Gross Floor Area: 148,246 sq.ft.
Site Size: 19.9 acres
Relocatables in 2022: -

Adjacent Schools
 Martin Luther King, Jr. MS
 Kingsview MS
 Lakelands Park MS
 Montgomery Village MS
 Rocky Hill MS

- 4-Yr Projection
 - Utilization : 69.3%
 - Seat Surplus : 374



* MCPS projection, modified according to Annual School Test guidelines (if applicable).



Eastern Middle School



FY24 Annual School Test

Year Facility Built: 1951
Last Renovation: 1976
Gross Floor Area: 152,030 sq.ft.
Site Size: 14.5 acres
Relocatables in 2022: -

Adjacent Schools

Francis Scott Key MS
Silver Spring International MS
Takoma Park MS
White Oak MS

- 4-Yr Projection
 - Utilization : 90.9%
 - Seat Surplus : 92



* MCPS projection, modified according to Annual School Test guidelines (if applicable).



William H. Farquhar Middle School



FY24 Annual School Test

Year Facility Built: 1968
Last Renovation: 2016
Gross Floor Area: 135,626 sq.ft.
Site Size: 37.1 acres
Relocatables in 2022: -

Adjacent Schools

Argyle MS Briggs Chaney MS Rosa Parks MS	Redland MS White Oak MS Earle B. Wood MS
--	--

- 4-Yr Projection
 - Utilization : 84.9%
 - Seat Surplus : 123



* MCPS projection, modified according to Annual School Test guidelines (if applicable).



Forest Oak Middle School



FY24 Annual School Test

Year Facility Built: 1999
Last Renovation: -
Gross Floor Area: 132,259 sq.ft.
Site Size: 41.2 acres
Relocatables in 2022: -

Adjacent Schools

Cabin John MS Robert Frost MS Gaithersburg MS Lakelands Park MS Montgomery Village MS	Neelsville MS Redland MS Ridgeview MS Julius West MS
---	---

- 4-Yr Projection
 - Utilization : 95.3%
 - Seat Surplus : 45



* MCPS projection, modified according to Annual School Test guidelines (if applicable).



Robert Frost Middle School



FY24 Annual School Test

Year Facility Built: 1971
 Last Renovation: -
 Gross Floor Area: 143,757 sq.ft.
 Site Size: 24.8 acres
 Relocatables in 2022: -

Adjacent Schools

Cabin John MS	Lakelands Park MS
Forest Oak MS	Ridgeview MS
Gaithersburg MS	Julius West MS
Herbert Hoover MS	

- 4-Yr Projection
 - Utilization : 91.8%
 - Seat Surplus : 86



* MCPS projection, modified according to Annual School Test guidelines (if applicable).



Gaithersburg Middle School



FY24 Annual School Test

Year Facility Built: 1960
 Last Renovation: 1988
 Gross Floor Area: 157,694 sq.ft.
 Site Size: 22.8 acres
 Relocatables in 2022: -

Adjacent Schools

John T. Baker MS	Redland MS
Forest Oak MS	Ridgeview MS
Robert Frost MS	Shady Grove MS
Montgomery Village MS	Hallie Wells MS
Neelsville MS	Julius West MS
Rosa Parks MS	

- 4-Yr Projection
 - Utilization : 87.3%
 - Seat Surplus : 126



* MCPS projection, modified according to Annual School Test guidelines (if applicable).



Herbert Hoover Middle School



FY24 Annual School Test

Year Facility Built: 1966
Last Renovation: 2013
Gross Floor Area: 165,367 sq.ft.
Site Size: 19.1 acres
Relocatables in 2022: -

Adjacent Schools

Cabin John MS Robert Frost MS North Bethesda MS	Thomas W. Pyle MS Tilden MS Julius West MS
---	--

- 4-Yr Projection
 - Utilization : 89.3%
 - Seat Surplus : 122



* MCPS projection, modified according to Annual School Test guidelines (if applicable).



Francis Scott Key Middle School



FY24 Annual School Test

Year Facility Built: 1966
Last Renovation: 2009
Gross Floor Area: 147,424 sq.ft.
Site Size: 20.6 acres
Relocatables in 2022: -

Adjacent Schools

Benjamin Banneker MS	Odessa Shannon MS
Briggs Chaney MS	Silver Spring International MS
Eastern MS	White Oak MS

- 4-Yr Projection
 - Utilization : 97.5%
 - Seat Surplus : 24



* MCPS projection, modified according to Annual School Test guidelines (if applicable).





Dr. Martin Luther King, Jr. Middle School

FY24 Annual School Test

Year Facility Built:	1996
Last Renovation:	-
Gross Floor Area:	135,867 sq.ft.
Site Size:	18.6 acres
Relocatables in 2022:	-

Adjacent Schools
Roberto Clemente MS Kingsview MS Neelsville MS Rocky Hill MS

- 4-Yr Projection
 - Utilization : 107.1%
 - Seat Deficit :-65



* MCPS projection, modified according to Annual School Test guidelines (if applicable).



Kingsview Middle School



FY24 Annual School Test

Year Facility Built: 1997
 Last Renovation: -
 Gross Floor Area: 140,398 sq.ft.
 Site Size: 18.5 acres
 Relocatables in 2022: -

Adjacent Schools

Roberto Clemente MS	Neelsville MS
Martin Luther King, Jr. MS	John Poole MS
Lakelands Park MS	Ridgeview MS

- 4-Yr Projection
 - Utilization : 94.6%
 - Seat Surplus : 56



* MCPS projection, modified according to Annual School Test guidelines (if applicable).



Lakelands Park Middle School



FY24 Annual School Test

Year Facility Built: 2005
 Last Renovation: -
 Gross Floor Area: 153,588 sq.ft.
 Site Size: 8.1 acres
 Relocatables in 2022: -

Adjacent Schools

Roberto Clemente MS	Montgomery Village MS
Forest Oak MS	Neelsville MS
Robert Frost MS	John Poole MS
Kingsview MS	Ridgeview MS

- 4-Yr Projection
 - Utilization : 94.4%
 - Seat Surplus : 64



* MCPS projection, modified according to Annual School Test guidelines (if applicable).



A. Mario Loiederman Middle School



FY24 Annual School Test

Year Facility Built: 1956
Last Renovation: 2005 (2020 add'n)
Gross Floor Area: 148,718 sq.ft.
Site Size: 17.1 acres
Relocatables in 2022: 2

Adjacent Schools

Argyle MS Newport Mill MS North Bethesda MS	Parkland MS Odessa Shannon MS Tilden MS
---	---

- 4-Yr Projection
 - Utilization : 109.8%
 - Seat Deficit : -97



* MCPS projection, modified according to Annual School Test guidelines (if applicable).





Montgomery Village Middle School

FY24 Annual School Test

Year Facility Built:	1968
Last Renovation:	2003
Gross Floor Area:	141,615 sq.ft.
Site Size:	15.1 acres
Relocatables in 2022:	-

Adjacent Schools	
Roberto Clemente MS Forest Oak MS Gaithersburg MS	Lakelands Park MS Neelsville MS Rocky Hill MS

- 4-Yr Projection
 - Utilization : 100.0%
 - Seat Surplus : 0



* MCPS projection, modified according to Annual School Test guidelines (if applicable).



Neelsville Middle School



FY24 Annual School Test

Year Facility Built:	1981
Last Renovation:	-
Gross Floor Area:	131,432 sq.ft.
Site Size:	29.2 acres
Relocatables in 2022:	-

Adjacent Schools	
Forest Oak MS	Montgomery Village MS
Gaithersburg MS	John Poole MS
Martin Luther King, Jr. MS	Ridgeview MS
Kingsview MS	Rocky Hill MS
Lakelands Park MS	Hallie Wells MS

- 4-Yr Projection
 - Utilization : 98.5%
 - Seat Surplus : 14

- Capacity projection assumes completion of Major Capital Project in 2024.



* MCPS projection, modified according to Annual School Test guidelines (if applicable).



Newport Mill Middle School



FY24 Annual School Test

Year Facility Built: 1958
 Last Renovation: 2002
 Gross Floor Area: 109,011 sq.ft.
 Site Size: 8.4 acres
 Relocatables in 2022: -

Adjacent Schools

A. Mario Loiederman MS
 North Bethesda MS
 Odessa Shannon MS
 Silver Creek MS
 Sligo MS

- 4-Yr Projection
 - Utilization : 73.1%
 - Seat Surplus : 225



* MCPS projection, modified according to Annual School Test guidelines (if applicable).



North Bethesda Middle School



FY24 Annual School Test

Year Facility Built: 1955
Last Renovation: 1999 (2018 add'n)
Gross Floor Area: 178,252 sq.ft.
Site Size: 19.9 acres
Relocatables in 2022: -

Adjacent Schools

Cabin John MS Herbert Hoover MS A. Mario Loiederman MS Newport Mill MS	Thomas W. Pyle MS Silver Creek MS Tilden MS Westland MS
---	--

- 4-Yr Projection
 - Utilization : 91.1%
 - Seat Surplus : 110



* MCPS projection, modified according to Annual School Test guidelines (if applicable).



Parkland Middle School



FY24 Annual School Test

Year Facility Built: 1963
 Last Renovation: 2007
 Gross Floor Area: 151,169 sq.ft.
 Site Size: 9.2 acres
 Relocatables in 2022: 4

Adjacent Schools

Argyle MS
 A. Mario Loiederman MS
 Tilden MS
 Earle B. Wood MS

- 4-Yr Projection
 - Utilization : 84.1%
 - Seat Surplus : 191
- Capacity projection assumes completion of classroom addition project in 2023.



* MCPS projection, modified according to Annual School Test guidelines (if applicable).





Rosa Parks Middle School

FY24 Annual School Test

Year Facility Built: 1992
Last Renovation: -
Gross Floor Area: 137,469 sq.ft.
Site Size: 24.1 acres
Relocatables in 2022: -

Adjacent Schools
 John T. Baker MS
 William H. Farquhar MS
 Gaithersburg MS
 Redland MS
 Earle B. Wood MS

- 4-Yr Projection
 - Utilization : 97.7%
 - Seat Surplus : 22



* MCPS projection, modified according to Annual School Test guidelines (if applicable).





John Poole Middle School

FY24 Annual School Test

Year Facility Built:	1997
Last Renovation:	-
Gross Floor Area:	85,669 sq.ft.
Site Size:	20.5 acres
Relocatables in 2022:	-

<h3>Adjacent Schools</h3> <ul style="list-style-type: none"> <li style="margin-bottom: 5px;">Kingsview MS <li style="margin-bottom: 5px;">Lakelands Park MS <li style="margin-bottom: 5px;">Neelsville MS <li style="margin-bottom: 5px;">Rocky Hill MS

- 4-Yr Projection
 - Utilization : 102.1%
 - Seat Deficit :-10



* MCPS projection, modified according to Annual School Test guidelines (if applicable).



Thomas W. Pyle Middle School



FY24 Annual School Test

Year Facility Built: 1962
Last Renovation: 1993 (2020 add'n)
Gross Floor Area: 209,464 sq.ft.
Site Size: 14.3 acres
Relocatables in 2022: -

Adjacent Schools

Cabin John MS
Herbert Hoover MS
North Bethesda MS
Westland MS

- 4-Yr Projection
 - Utilization : 85.4%
 - Seat Surplus : 222



* MCPS projection, modified according to Annual School Test guidelines (if applicable).





Redland Middle School

FY24 Annual School Test

Year Facility Built:	1971
Last Renovation:	-
Gross Floor Area:	112,297 sq.ft.
Site Size:	20.6 acres
Relocatables in 2022:	-

Adjacent Schools	
William H. Farquhar MS	Rosa Parks MS
Forest Oak MS	Shady Grove MS
Gaithersburg MS	Earle B. Wood MS

- 4-Yr Projection
 - Utilization : 76.4%
 - Seat Surplus : 179



* MCPS projection, modified according to Annual School Test guidelines (if applicable).



Ridgeview Middle School



FY24 Annual School Test

Year Facility Built: 1975
Last Renovation: -
Gross Floor Area: 145,168 sq.ft.
Site Size: 20 acres
Relocatables in 2022: -

Adjacent Schools

Cabin John MS Forest Oak MS Robert Frost MS Gaithersburg MS	Kingsview MS Lakelands Park MS Neelsville MS
--	--

- 4-Yr Projection
 - Utilization : 76.1%
 - Seat Surplus : 236



* MCPS projection, modified according to Annual School Test guidelines (if applicable).



Rocky Hill Middle School



FY24 Annual School Test

Year Facility Built: 2004
Last Renovation: -
Gross Floor Area: 148,065 sq.ft.
Site Size: 23.3 acres
Relocatables in 2022: -

Adjacent Schools

John T. Baker MS Roberto Clemente MS Martin Luther King, Jr. MS Montgomery Village MS	Neelsville MS John Poole MS Hallie Wells MS
--	---

- 4-Yr Projection
 - Utilization : 102.3%
 - Seat Deficit : -23



* MCPS projection, modified according to Annual School Test guidelines (if applicable).



Shady Grove Middle School



FY24 Annual School Test

Year Facility Built: 1995
 Last Renovation: 1999
 Gross Floor Area: 129,206 sq.ft.
 Site Size: 20.5 acres
 Relocatables in 2022: -

Adjacent Schools

Gaithersburg MS
 Redland MS
 Julius West MS
 Earle B. Wood MS

- 4-Yr Projection
 - Utilization : 58.2%
 - Seat Surplus : 354



* MCPS projection, modified according to Annual School Test guidelines (if applicable).



Odessa Shannon Middle School



FY24 Annual School Test

Year Facility Built: 1966
 Last Renovation: 2022
 Gross Floor Area: 164,307 sq.ft.
 Site Size: 16.5 acres
 Relocatables in 2022: -

Adjacent Schools

Argyle MS Silver Spring International MS
 Francis Scott Key MS Sligo MS
 A. Mario Loiederman MS White Oak MS
 Newport Mill MS

- 4-Yr Projection
 - Utilization : 94.4%
 - Seat Surplus : 50



* MCPS projection, modified according to Annual School Test guidelines (if applicable).





Silver Creek Middle School

FY24 Annual School Test

Year Facility Built:	2017
Last Renovation:	-
Gross Floor Area:	174,743 sq.ft.
Site Size:	13.3 acres
Relocatables in 2022:	-

Adjacent Schools
Newport Mill MS
North Bethesda MS
Sligo MS
Westland MS

- 4-Yr Projection
 - Utilization : 85.1%
 - Seat Surplus : 133



* MCPS projection, modified according to Annual School Test guidelines (if applicable).





Silver Spring International Middle School

FY24 Annual School Test

Year Facility Built: 1934
Last Renovation: 1999
Gross Floor Area: 152,731 sq.ft.
Site Size: 15.6 acres
Relocatables in 2022: -

Adjacent Schools
 Eastern MS
 Francis Scott Key MS
 Odessa Shannon MS
 Sligo MS
 Takoma Park MS

- 4-Yr Projection
 - Utilization : 97.1%
 - Seat Surplus : 34
- Capacity projection assumes completion of classroom addition project in 2025.



* MCPS projection, modified according to Annual School Test guidelines (if applicable).



Sligo Middle School



FY24 Annual School Test

Year Facility Built: 1959
Last Renovation: 1991
Gross Floor Area: 149,527 sq.ft.
Site Size: 21.7 acres
Relocatables in 2022: -

Adjacent Schools

Newport Mill MS
Odessa Shannon MS
Silver Creek MS
Silver Spring International MS

- 4-Yr Projection
 - Utilization : 71.6%
 - Seat Surplus : 272



* MCPS projection, modified according to Annual School Test guidelines (if applicable).





Takoma Park Middle School

FY24 Annual School Test

Year Facility Built: 1939
 Last Renovation: 1999 (2021 add'n)
 Gross Floor Area: 195,739 sq.ft.
 Site Size: 18.8 acres
 Relocatables in 2022: -

Adjacent Schools
 Eastern MS
 Silver Spring International MS

- 4-Yr Projection
 - Utilization : 77.3%
 - Seat Surplus : 302



* MCPS projection, modified according to Annual School Test guidelines (if applicable).



Tilden Middle School



FY24 Annual School Test

Year Facility Built: 1967
 Last Renovation: 2020
 Gross Floor Area: 244,561 sq.ft.
 Site Size: 28.1 acres
 Relocatables in 2022: -

Adjacent Schools

Herbert Hoover MS Parkland MS
 A. Mario Loiederman MS Julius West MS
 North Bethesda MS Earle B. Wood MS

- 4-Yr Projection
 - Utilization : 91.6%
 - Seat Surplus : 105



* MCPS projection, modified according to Annual School Test guidelines (if applicable).





Hallie Wells Middle School

FY24 Annual School Test

Year Facility Built:	2016
Last Renovation:	-
Gross Floor Area:	150,089 sq.ft.
Site Size:	22.4 acres
Relocatables in 2022:	-

Adjacent Schools
John T. Baker MS Gaithersburg MS Neelsville MS Rocky Hill MS

- 4-Yr Projection
 - Utilization : 102.2%
 - Seat Deficit :-21



* MCPS projection, modified according to Annual School Test guidelines (if applicable).



Julius West Middle School



FY24 Annual School Test

Year Facility Built: 1961
Last Renovation: 1995 (2016 add'n)
GSF: 182,617 sq.ft.
Site Size: 21.3 acres
Relocatables in 2022: -

Adjacent Schools

Cabin John MS Forest Oak MS Robert Frost MS Gaithersburg MS	Herbert Hoover MS Shady Grove MS Tilden MS Earle B. Wood MS
--	--

- 4-Yr Projection
 - Utilization : 94.6%
 - Seat Surplus : 78



* MCPS projection, modified according to Annual School Test guidelines (if applicable).



Westland Middle School



FY24 Annual School Test

Year Facility Built: 1951
Last Renovation: 1997
Gross Floor Area: 146,006 sq.ft.
Site Size: 25.1 acres
Relocatables in 2022: -

Adjacent Schools

 North Bethesda MS
 Thomas W. Pyle MS
 Silver Creek MS

- 4-Yr Projection
 - Utilization : 80.3%
 - Seat Surplus : 211



* MCPS projection, modified according to Annual School Test guidelines (if applicable).



White Oak Middle School



FY24 Annual School Test

Year Facility Built: 1962
Last Renovation: 1993
Gross Floor Area: 141,163 sq.ft.
Site Size: 17.3 acres
Relocatables in 2022: -

Adjacent Schools

Argyle MS Briggs Chaney MS Eastern MS	William H. Farquhar MS Francis Scott Key MS Odessa Shannon MS
---	---

- 4-Yr Projection
 - Utilization : 88.1%
 - Seat Surplus : 118



* MCPS projection, modified according to Annual School Test guidelines (if applicable).





Earle B. Wood Middle School

FY24 Annual School Test

Year Facility Built:	1965
Last Renovation:	2001
Gross Floor Area:	152,588 sq.ft.
Site Size:	8.5 acres
Relocatables in 2022:	-

Adjacent Schools	
Argyle MS	Redland MS
William H. Farquhar MS	Shady Grove MS
Parkland MS	Tilden MS
Rosa Parks MS	Julius West MS

- 4-Yr Projection
 - Utilization : 107.8%
 - Seat Deficit :-73



* MCPS projection, modified according to Annual School Test guidelines (if applicable).



Individual School Utilization Report

Elementary Schools

Arcola Elementary School

FY24 Annual School Test



Year Facility Built: 1956
 Last Renovation: 2007 (2015 add'n)
 Gross Floor Area: 95,421 sq.ft.
 Site Size: 5 acres
 Relocatables in 2022: 6

Adjacent Schools

Forest Knolls ES
 Glen Haven ES
 Glenallan ES
 Highland ES
 Kemp Mill ES

Oakland Terrace ES
 Rock View ES
 Sargent Shriver ES
 Weller Road ES

- 4-Yr Projection
 - Utilization : 113.1%
 - Seat Deficit : -86



* MCPS projection, modified according to Annual School Test guidelines (if applicable).



Ashburton Elementary School

FY24 Annual School Test



Year Facility Built: 1957
 Last Renovation: 1993 (2019 add'n)
 Gross Floor Area: 91,178 sq.ft.
 Site Size: 8.3 acres
 Relocatables in 2022: 8 (modular bldg)

Adjacent Schools

Bells Mill ES
 Beverly Farms ES
 Burning Tree ES
 Farmland ES
 Garrett Park ES

Kensington-Parkwood ES
 Luxmanor ES
 Seven Locks ES
 Wyngate ES

- 4-Yr Projection
 - Utilization : 121.0%
 - Seat Deficit : -166



* MCPS projection, modified according to Annual School Test guidelines (if applicable).



Bannockburn Elementary School



FY24 Annual School Test

Year Facility Built: 1957
 Last Renovation: 1988
 Gross Floor Area: 54,234 sq.ft.
 Site Size: 8.3 acres
 Relocatables in 2022: 2

Adjacent Schools

Bradley Hills ES Seven Locks ES
 Burning Tree ES Westbrook ES
 Carderock Springs ES Wood Acres ES

- 4-Yr Projection
 - Utilization : 87.1%
 - Seat Surplus : 50



* MCPS projection, modified according to Annual School Test guidelines (if applicable).



Lucy V. Barnsley Elementary School



FY24 Annual School Test

Year Facility Built: 1965
Last Renovation: 1998 (2018 add'n)
Gross Floor Area: 97,524 sq.ft.
Site Size: 10 acres
Relocatables in 2022: -

Adjacent Schools

Bel Pre/Strathmore ES Brookhaven ES Flower Valley ES	Harmony Hills ES Meadow Hall ES Rock Creek Valley ES
--	--

- 4-Yr Projection
 - Utilization : 102.8%
 - Seat Deficit : -19



* MCPS projection, modified according to Annual School Test guidelines (if applicable).



Beall Elementary School

FY24 Annual School Test



Year Facility Built: 1954
 Last Renovation: 1991
 Gross Floor Area: 79,477 sq.ft.
 Site Size: 8.4 acres
 Relocatables in 2022: -

Adjacent Schools

College Gardens ES
 Fallsmead ES
 Maryvale ES
 Meadow Hall ES

Ritchie Park ES
 Bayard Rustin ES
 Twinbrook ES

- 4-Yr Projection
 - Utilization : 60.9%
 - Seat Surplus : 259



* MCPS projection, modified according to Annual School Test guidelines (if applicable).



Bel Pre/Strathmore Elementary School



FY24 Annual School Test

	<u>Bel Pre</u>	/	<u>Strathmore</u>
Year Facility Built:	1968	/	1970
Last Renovation:	2014	/	-
GSF:	102,198 sq.ft.	/	59,497 sq.ft.
Site Size:	8.9 acres	/	10.8 acres
Relocatables in 2022:	-	/	-

Adjacent Schools

Lucy V. Barnsley ES	Glenallan ES
Brookhaven ES	Harmony Hills ES
Flower Valley ES	Stonegate ES
Georgian Forest ES	Westover ES

- 4-Yr Projection
 - Utilization : 83.1%
 - Seat Surplus : 185



* MCPS projection, modified according to Annual School Test guidelines (if applicable).



Bells Mill Elementary School



FY24 Annual School Test

Year Facility Built: 1968
 Last Renovation: 2009
 Gross Floor Area: 77,244 sq.ft.
 Site Size: 9.6 acres
 Relocatables in 2022: -

Adjacent Schools

Ashburton ES
 Beverly Farms ES
 Potomac ES
 Seven Locks ES
 Wayside ES

- 4-Yr Projection
 - Utilization : 107.3%
 - Seat Deficit :-46



* MCPS projection, modified according to Annual School Test guidelines (if applicable).



Belmont Elementary School



FY24 Annual School Test

Year Facility Built: 1974
 Last Renovation: -
 Gross Floor Area: 49,279 sq.ft.
 Site Size: 10.5 acres
 Relocatables in 2022: -

Adjacent Schools

Cashell ES
 Greenwood ES
 Laytonsville ES
 Olney ES
 Sequoyah ES

- 4-Yr Projection
 - Utilization : 93.0%
 - Seat Surplus : 28



* MCPS projection, modified according to Annual School Test guidelines (if applicable).



Bethesda Elementary School

FY24 Annual School Test



Year Facility Built: 1952
Last Renovation: 1999 (2015 add'n)
Gross Floor Area: 75,421 sq.ft.
Site Size: 8.4 acres
Relocatables in 2022: 4

Adjacent Schools

Bradley Hills ES
 Rosemary Hills/Chevy Chase ES
 Rosemary Hills/N. Chevy Chase ES

Somerset ES
 Westbrook ES
 Wyngate ES

- 4-Yr Projection
 - Utilization : 96.1%
 - Seat Surplus : 22



* MCPS projection, modified according to Annual School Test guidelines (if applicable).



Beverly Farms Elementary School

FY24 Annual School Test



Year Facility Built: 1965
 Last Renovation: 2012
 Gross Floor Area: 98,916 sq.ft.
 Site Size: 5 acres
 Relocatables in 2022: -

Adjacent Schools

Ashburton ES
 Bells Mill ES
 Cold Spring ES
 Farmland ES

Luxmanor ES
 Ritchie Park ES
 Bayard Rustin ES
 Wayside ES

- 4-Yr Projection
 - Utilization : 84.9%
 - Seat Surplus : 109



* MCPS projection, modified according to Annual School Test guidelines (if applicable).



Bradley Hills Elementary School

FY24 Annual School Test



Year Facility Built: 1951
 Last Renovation: 1984 (2013 add'n)
 Gross Floor Area: 76,745 sq.ft.
 Site Size: 6.7 acres
 Relocatables in 2022: -

Adjacent Schools

Bannockburn ES
 Bethesda ES
 Burning Tree ES

Westbrook ES
 Wood Acres ES
 Wyngate ES

- 4-Yr Projection
 - Utilization : 64.2%
 - Seat Surplus : 246



* MCPS projection, modified according to Annual School Test guidelines (if applicable).





Brooke Grove Elementary School

FY24 Annual School Test

Year Facility Built:	1990
Last Renovation:	-
Gross Floor Area:	73,080 sq.ft.
Site Size:	11 acres
Relocatables in 2022:	-

Adjacent Schools
Greenwood ES Olney ES Sherwood ES

- 4-Yr Projection
 - Utilization : 77.9%
 - Seat Surplus : 114



* MCPS projection, modified according to Annual School Test guidelines (if applicable).



Brookhaven Elementary School



FY24 Annual School Test

Year Facility Built: 1961
Last Renovation: 1995 (2011 add'n)
Gross Floor Area: 81,320 sq.ft.
Site Size: 8.6 acres
Relocatables in 2022: -

Adjacent Schools

Lucy V. Barnsley ES	Harmony Hills ES
Bel Pre/Strathmore ES	Rock Creek Valley ES
Flower Valley ES	Wheaton Woods ES
Georgian Forest ES	

- 4-Yr Projection
 - Utilization : 89.8%
 - Seat Surplus : 52



* MCPS projection, modified according to Annual School Test guidelines (if applicable).



Brown Station Elementary School



FY24 Annual School Test

Year Facility Built: 1969
Last Renovation: 2017
Gross Floor Area: 113,998 sq.ft.
Site Size: 9 acres
Relocatables in 2022: -

Adjacent Schools

Rachel Carson ES Clopper Mill ES Diamond ES Great Seneca Creek ES Thurgood Marshall ES	S. Christa McAuliffe Rosemont ES South Lake ES Watkins Mill ES
--	---

- 4-Yr Projection
 - Utilization : 97.6%
 - Seat Surplus : 18



* MCPS projection, modified according to Annual School Test guidelines (if applicable).





Burning Tree Elementary School

FY24 Annual School Test

Year Facility Built:	1958
Last Renovation:	1991
Gross Floor Area:	68,119 sq.ft.
Site Size:	6.8 acres
Relocatables in 2022:	4

Adjacent Schools	
Ashburton ES	Seven Locks ES
Bannockburn ES	Wood Acres ES
Bradley Hills ES	Wyngate ES

- 4-Yr Projection
 - Utilization : 116.8%
 - Seat Deficit : -65



* MCPS projection, modified according to Annual School Test guidelines (if applicable).



Burnt Mills Elementary School



Year Facility Built: 1964
Last Renovation: 1990
Gross Floor Area: 57,318 sq.ft.
Site Size: 15.1 acres
(At Fairland holding facility in 2022)

Adjacent Schools

Fairland ES	Kemp Mill ES
Forest Knolls ES	Montgomery Knolls/Pine Crest ES
Galway ES	Roscoe R. Nix/Cresthaven ES
Jackson Road ES	

FY24 Annual School Test

- 4-Yr Projection
 - Utilization : 92.3%
 - Seat Surplus : 50
- Capacity projection assumes completion of Major Capital Project in 2023.



* MCPS projection, modified according to Annual School Test guidelines (if applicable).



Burtonsville Elementary School



FY24 Annual School Test

Year Facility Built: 1952
 Last Renovation: 1993
 Gross Floor Area: 71,349 sq.ft.
 Site Size: 11.9 acres
 Relocatables in 2022: 6

Adjacent Schools

Cloverly ES
 Greencastle ES

- 4-Yr Projection
 - Utilization : 91.8%
 - Seat Surplus : 62



* MCPS projection, modified according to Annual School Test guidelines (if applicable).



Candlewood Elementary School

FY24 Annual School Test



Year Facility Built: 1968
 Last Renovation: 2015
 Gross Floor Area: 82,222 sq.ft.
 Site Size: 11.8 acres
 Relocatables in 2022: -

Adjacent Schools

College Gardens ES
 Maryvale ES
 Mill Creek Towne ES

Sequoyah ES
 Washington Grove ES

- 4-Yr Projection
 - Utilization : 74.7%
 - Seat Surplus : 132



* MCPS projection, modified according to Annual School Test guidelines (if applicable).



Cannon Road Elementary School



FY24 Annual School Test

Year Facility Built: 1967
 Last Renovation: 2012
 Gross Floor Area: 83,377 sq.ft.
 Site Size: 4.4 acres
 Relocatables in 2022: -

Adjacent Schools

Dr. Charles R. Drew ES Roscoe R. Nix/Cresthaven ES
 Fairland ES William T. Page ES
 Jackson Road ES Westover ES

- 4-Yr Projection
 - Utilization : 88.2%
 - Seat Surplus : 60



* MCPS projection, modified according to Annual School Test guidelines (if applicable).



Carderock Springs Elementary School



FY24 Annual School Test

Year Facility Built: 1966
 Last Renovation: 2010
 Gross Floor Area: 75,351 sq.ft.
 Site Size: 9 acres
 Relocatables in 2022: -

Adjacent Schools

Bannockburn ES
 Potomac ES
 Seven Locks ES

- 4-Yr Projection
 - Utilization : 85.8%
 - Seat Surplus : 61



* MCPS projection, modified according to Annual School Test guidelines (if applicable).



Rachel Carson Elementary School

FY24 Annual School Test



Year Facility Built: 1990
 Last Renovation: -
 Gross Floor Area: 78,547 sq.ft.
 Site Size: 12.4 acres
 Relocatables in 2022: 3

Adjacent Schools

Brown Station ES
 Diamond ES
 DuFief ES
 Fields Road ES

Jones Lane ES
 Thurgood Marshall ES
 Rosemont ES
 Summit Hall ES

- 4-Yr Projection
 - Utilization : 102.9%
 - Seat Deficit : -21



* MCPS projection, modified according to Annual School Test guidelines (if applicable).



Cashell Elementary School



FY24 Annual School Test

Year Facility Built: 1969
 Last Renovation: 2009
 Gross Floor Area: 71,171 sq.ft.
 Site Size: 10.2 acres
 Relocatables in 2022: 2

Adjacent Schools

Belmont ES
 Flower Valley ES
 Olney ES
 Sequoyah ES
 Sherwood ES

- 4-Yr Projection
 - Utilization : 105.9%
 - Seat Deficit : -20



* MCPS projection, modified according to Annual School Test guidelines (if applicable).



Cedar Grove Elementary School

FY24 Annual School Test



Year Facility Built: 1960
 Last Renovation: 1987
 Gross Floor Area: 57,037 sq.ft.
 Site Size: 10.1 acres
 Relocatables in 2022: 3

Adjacent Schools

Damascus ES
 William B. Gibbs Jr. ES
 Laytonsville ES
 Little Bennett ES

Lois P. Rockwell ES
 Snowden Farm ES
 Wilson Wims ES
 Woodfield ES

- 4-Yr Projection
 - Utilization : 85.9%
 - Seat Surplus : 60



* MCPS projection, modified according to Annual School Test guidelines (if applicable).



Clarksburg Elementary School

FY24 Annual School Test



Year Facility Built: 1952
Last Renovation: 1993
Gross Floor Area: 54,983 sq.ft.
Site Size: 10 acres
Relocatables in 2022: 20

Adjacent Schools

Clarksburg ES #9
William B. Gibbs Jr. ES
Little Bennett ES

Monocacy ES
Snowden Farm ES

- 4-Yr Projection
 - Utilization : 90.9%
 - Seat Surplus : 32
- Enrollment projection reflects student reassignment in 2023 according to the approved boundary study.



* MCPS projection, modified according to Annual School Test guidelines (if applicable).




Clarksburg Elementary School #9

Year Facility Built:	2023
Last Renovation:	-
Gross Floor Area:	- sq.ft.
Site Size:	- acres
Relocatables in 2022:	-

Adjacent Schools
Clarksburg ES William B. Gibbs Jr. ES Monocacy ES

FY24 Annual School Test

- 4-Yr Projection
 - Utilization : 87.1%
 - Seat Surplus : 93
- Enrollment projection reflects student reassignment in 2023 according to the approved boundary study.



* MCPS projection, modified according to Annual School Test guidelines (if applicable).



Clearspring Elementary School



FY24 Annual School Test

Year Facility Built: 1988
 Last Renovation: -
 Gross Floor Area: 77,535 sq.ft.
 Site Size: 10 acres
 Relocatables in 2022: 2

Adjacent Schools

Damascus ES
 Laytonville ES
 Lois P. Rockwell ES
 Woodfield ES

- 4-Yr Projection
 - Utilization : 101.8%
 - Seat Deficit :-11



* MCPS projection, modified according to Annual School Test guidelines (if applicable).



Clopper Mill Elementary School



FY24 Annual School Test

Year Facility Built: 1986
 Last Renovation: -
 Gross Floor Area: 64,851 sq.ft.
 Site Size: 9 acres
 Relocatables in 2022: 6

Adjacent Schools

Brown Station ES	Spark M. Matsunaga ES
Germantown ES	S. Christa McAuliffe
Great Seneca Creek ES	Ronald McNair ES
Lake Seneca ES	

- 4-Yr Projection
 - Utilization : 79.3%
 - Seat Surplus : 106



* MCPS projection, modified according to Annual School Test guidelines (if applicable).



Cloverly Elementary School



FY24 Annual School Test

Year Facility Built: 1961
 Last Renovation: 1989
 Gross Floor Area: 61,991 sq.ft.
 Site Size: 10 acres
 Relocatables in 2022: 2

Adjacent Schools

Burtonsville ES
 Dr. Charles R. Drew ES
 Fairland ES
 Greencastle ES
 Sherwood ES
 Stonegate ES

- 4-Yr Projection
 - Utilization : 94.8%
 - Seat Surplus : 25



* MCPS projection, modified according to Annual School Test guidelines (if applicable).





Cold Spring Elementary School

FY24 Annual School Test

Year Facility Built:	1972
Last Renovation:	-
Gross Floor Area:	55,158 sq.ft.
Site Size:	12.4 acres
Relocatables in 2022:	1

Adjacent Schools Beverly Farms ES Fallsmead ES Ritchie Park ES Wayside ES
--

- 4-Yr Projection
 - Utilization : 80.5%
 - Seat Surplus : 94



* MCPS projection, modified according to Annual School Test guidelines (if applicable).



College Gardens Elementary School



FY24 Annual School Test

Year Facility Built: 1967
 Last Renovation: 2008
 Gross Floor Area: 96,986 sq.ft.
 Site Size: 7.9 acres
 Relocatables in 2022: -

Adjacent Schools

Beall ES
 Candlewood ES
 Maryvale ES
 Ritchie Park ES
 Washington Grove ES

- 4-Yr Projection
 - Utilization : 68.5%
 - Seat Surplus : 226



* MCPS projection, modified according to Annual School Test guidelines (if applicable).





Capt. James E. Daly Elementary School

FY24 Annual School Test

Year Facility Built:	1989
Last Renovation:	-
Gross Floor Area:	78,386 sq.ft.
Site Size:	10 acres
Relocatables in 2022:	4

Adjacent Schools
Fox Chapel ES
William B. Gibbs Jr. ES
Dr. Salley K. Ride ES
South Lake ES
Stedwick ES

- 4-Yr Projection
 - Utilization : 78.7%
 - Seat Surplus : 125



* MCPS projection, modified according to Annual School Test guidelines (if applicable).





Damascus Elementary School

FY24 Annual School Test

Year Facility Built:	1934
Last Renovation:	1980
Gross Floor Area:	53,239 sq.ft.
Site Size:	9.4 acres
Relocatables in 2022:	4

Adjacent Schools
Cedar Grove ES
Clearspring ES
Laytonsville ES
Little Bennett ES
Lois P. Rockwell ES

- 4-Yr Projection
 - Utilization : 113.3%
 - Seat Deficit : -43



* MCPS projection, modified according to Annual School Test guidelines (if applicable).



Darnestown Elementary School

FY24 Annual School Test



Year Facility Built: 1954
 Last Renovation: 1980 (2013 add'n)
 Gross Floor Area: 64,840 sq.ft.
 Site Size: 7.2 acres
 Relocatables in 2022: -

Adjacent Schools

Great Seneca Creek ES
 Jones Lane ES
 Thurgood Marshall ES
 Spark M. Matsunaga ES

Monocacy ES
 Poolesville ES
 Travilah ES

- 4-Yr Projection
 - Utilization : 88.3%
 - Seat Surplus : 47



* MCPS projection, modified according to Annual School Test guidelines (if applicable).



Diamond Elementary School



FY24 Annual School Test

Year Facility Built: 1975
 Last Renovation: - (2017 add'n)
 Gross Floor Area: 85,404 sq.ft.
 Site Size: 10 acres
 Relocatables in 2022: 4

Adjacent Schools

Brown Station ES Great Seneca Creek ES
 Rachel Carson ES Jones Lane ES
 Fields Road ES Thurgood Marshall ES

- 4-Yr Projection
 - Utilization : 97.6%
 - Seat Surplus : 16



* MCPS projection, modified according to Annual School Test guidelines (if applicable).





Dr. Charles R. Drew Elementary School

FY24 Annual School Test

Year Facility Built:	1991
Last Renovation:	-
Gross Floor Area:	73,975 sq.ft.
Site Size:	12 acres
Relocatables in 2022:	2

Adjacent Schools	
Cannon Road ES Cloverly ES Fairland ES Jackson Road ES	William T. Page ES Sherwood ES Stonegate ES Westover ES

- 4-Yr Projection
 - Utilization : 101.0%
 - Seat Deficit :-5



* MCPS projection, modified according to Annual School Test guidelines (if applicable).



DuFief Elementary School

FY24 Annual School Test



Year Facility Built: 1975
 Last Renovation: -
 Gross Floor Area: 59,013 sq.ft.
 Site Size: 10 acres
 Relocatables in 2022: 1

Adjacent Schools

Rachel Carson ES
 Fields Road ES
 Jones Lane ES
 Thurgood Marshall ES

Rosemont ES
 Stone Mill ES
 Travilah ES

- 4-Yr Projection
 - Utilization : 65.9%
 - Seat Surplus : 149



* MCPS projection, modified according to Annual School Test guidelines (if applicable).



East Silver Spring Elementary School



FY24 Annual School Test

Year Facility Built: 1929
Last Renovation: 1975 (2010 add'n)
Gross Floor Area: 88,895 sq.ft.
Site Size: 8.4 acres
Relocatables in 2022: -

Adjacent Schools

Rolling Terrace ES
Sligo Creek ES
Takoma Park/Piney Branch ES

- 4-Yr Projection
 - Utilization : 73.8%
 - Seat Surplus : 158



* MCPS projection, modified according to Annual School Test guidelines (if applicable).



Fairland Elementary School



FY24 Annual School Test

Year Facility Built: 1992
Last Renovation: - (2011 add'n)
Gross Floor Area: 92,227 sq.ft.
Site Size: 11.8 acres
Relocatables in 2022: 2

Adjacent Schools

Burnt Mills ES	Galway ES
Cannon Road ES	Greencastle ES
Cloverly ES	Jackson Road ES
Dr. Charles R. Drew ES	William T. Page ES

- 4-Yr Projection
 - Utilization : 81.0%
 - Seat Surplus : 123



* MCPS projection, modified according to Annual School Test guidelines (if applicable).



Fallsmead Elementary School



FY24 Annual School Test

Year Facility Built: 1974
Last Renovation: - (2008 add'n)
Gross Floor Area: 67,472 sq.ft.
Site Size: 9 acres
Relocatables in 2022: -

Adjacent Schools

Beall ES	Ritchie Park ES
Cold Spring ES	Rosemont ES
Fields Road ES	Bayard Rustin ES
Jones Lane ES	Washington Grove ES
Lakewood ES	Wayside ES

- 4-Yr Projection
 - Utilization : 103.0%
 - Seat Deficit : -17



* MCPS projection, modified according to Annual School Test guidelines (if applicable).



Farmland Elementary School

FY24 Annual School Test



Year Facility Built: 1963
 Last Renovation: 2011
 Gross Floor Area: 89,988 sq.ft.
 Site Size: 4.8 acres
 Relocatables in 2022: 4

Adjacent Schools

Ashburton ES
 Beverly Farms ES
 Garrett Park ES
 Luxmanor ES

Ritchie Park ES
 Bayard Rustin ES
 Twinbrook ES

- 4-Yr Projection
 - Utilization : 104.6%
 - Seat Deficit : -34



* MCPS projection, modified according to Annual School Test guidelines (if applicable).



Fields Road Elementary School

FY24 Annual School Test



Year Facility Built: 1973
 Last Renovation: - (2008 add'n)
 Gross Floor Area: 72,302 sq.ft.
 Site Size: 10 acres
 Relocatables in 2022: 4

Adjacent Schools

Rachel Carson ES
 Diamond ES
 DuFief ES
 Fallsmead ES

Jones Lane ES
 Rosemont ES
 Stone Mill ES

- 4-Yr Projection
 - Utilization : 104.4%
 - Seat Deficit : -20



* MCPS projection, modified according to Annual School Test guidelines (if applicable).



Flower Hill Elementary School

FY24 Annual School Test



Year Facility Built: 1985
 Last Renovation: -
 Gross Floor Area: 58,770 sq.ft.
 Site Size: 10 acres
 Relocatables in 2022: 3

Adjacent Schools

Gaithersburg ES
 Mill Creek Towne ES
 Judith A. Resnik ES

Sequoyah ES
 Strawberry Knoll ES
 Washington Grove ES

- 4-Yr Projection
 - Utilization : 88.1%
 - Seat Surplus : 61



* MCPS projection, modified according to Annual School Test guidelines (if applicable).



Flower Valley Elementary School



FY24 Annual School Test

Year Facility Built: 1967
 Last Renovation: 1996
 Gross Floor Area: 61,567 sq.ft.
 Site Size: 9.3 acres
 Relocatables in 2022: 2

Adjacent Schools

Lucy V. Barnsley ES	Meadow Hall ES
Bel Pre/Strathmore ES	Olney ES
Brookhaven ES	Sequoyah ES
Cashell ES	Sherwood ES
Maryvale ES	Stonegate ES

- 4-Yr Projection
 - Utilization : 114.0%
 - Seat Deficit : -65



* MCPS projection, modified according to Annual School Test guidelines (if applicable).



Forest Knolls Elementary School



FY24 Annual School Test

Year Facility Built: 1960
Last Renovation: 1993 (2006 add'n)
Gross Floor Area: 89,850 sq.ft.
Site Size: 7.77 acres
Relocatables in 2022: -

Adjacent Schools

Arcola ES Burnt Mills ES Glen Haven ES	Kemp Mill ES Montgomery Knolls/Pine Crest ES Flora M. Singer ES
--	---

- 4-Yr Projection
 - Utilization : 94.7%
 - Seat Surplus : 31



* MCPS projection, modified according to Annual School Test guidelines (if applicable).



Fox Chapel Elementary School



FY24 Annual School Test

Year Facility Built: 1974
 Last Renovation: - (2011 add'n)
 Gross Floor Area: 85,182 sq.ft.
 Site Size: 10.3 acres
 Relocatables in 2022: -

Adjacent Schools

Capt. James E. Daly ES
 S. Christa McAuliffe
 Dr. Salley K. Ride ES
 South Lake ES
 Watkins Mill ES

- 4-Yr Projection
 - Utilization : 88.4%
 - Seat Surplus : 77



* MCPS projection, modified according to Annual School Test guidelines (if applicable).



Gaithersburg Elementary School

FY24 Annual School Test



Year Facility Built: 1947
 Last Renovation: 1983
 Gross Floor Area: 94,468 sq.ft.
 Site Size: 9.2 acres
 Relocatables in 2022: 7

Adjacent Schools

Flower Hill ES
 Judith A. Resnik ES
 Rosemont ES
 South Lake ES

Strawberry Knoll ES
 Harriet R. Tubman ES
 Whetstone ES

- 4-Yr Projection
 - Utilization : 88.3%
 - Seat Surplus : 92



* MCPS projection, modified according to Annual School Test guidelines (if applicable).



Galway Elementary School

FY24 Annual School Test



Year Facility Built: 1967
 Last Renovation: 2009
 Gross Floor Area: 103,170 sq.ft.
 Site Size: 9 acres
 Relocatables in 2022: 2

Adjacent Schools

Burnt Mills ES
 Fairland ES
 Greencastle ES

Jackson Road ES
 Roscoe R. Nix/Cresthaven ES
 William T. Page ES

- 4-Yr Projection
 - Utilization : 100.4%
 - Seat Deficit : -3



* MCPS projection, modified according to Annual School Test guidelines (if applicable).



Garrett Park Elementary School



FY24 Annual School Test

Year Facility Built: 1948
 Last Renovation: 2012
 Gross Floor Area: 96,348 sq.ft.
 Site Size: 4.4 acres
 Relocatables in 2022: -

Adjacent Schools

Ashburton ES	Sargent Shriver ES
Farmland ES	Twinbrook ES
Kensington-Parkwood ES	Viers Mill ES
Luxmanor ES	Wheaton Woods ES
Meadow Hall ES	Wyngate ES
Rock Creek Valley ES	

- 4-Yr Projection
 - Utilization : 86.0%
 - Seat Surplus : 109



* MCPS projection, modified according to Annual School Test guidelines (if applicable).





Georgian Forest Elementary School

FY24 Annual School Test

Year Facility Built: 1961
Last Renovation: 1995 (2013 add'n)
Gross Floor Area: 88,111 sq.ft.
Site Size: 10.94 acres
Relocatables in 2022: -

Adjacent Schools
 Bel Pre/Strathmore ES
 Brookhaven ES
 Glenallan ES
 Harmony Hills ES
 Weller Road ES

- 4-Yr Projection
 - Utilization : 80.9%
 - Seat Surplus : 129



* MCPS projection, modified according to Annual School Test guidelines (if applicable).





Germantown Elementary School

FY24 Annual School Test

Year Facility Built: 1935
Last Renovation: 1978
Gross Floor Area: 57,668 sq.ft.
Site Size: 7.8 acres
Relocatables in 2022: 3

Adjacent Schools
 Clopper Mill ES
 Great Seneca Creek ES
 Spark M. Matsunaga ES
 S. Christa McAuliffe ES
 Ronald McNair ES

- 4-Yr Projection
 - Utilization : 90.1%
 - Seat Surplus : 29



* MCPS projection, modified according to Annual School Test guidelines (if applicable).





William B. Gibbs, Jr. Elementary School

FY24 Annual School Test

Year Facility Built:	2009
Last Renovation:	-
Gross Floor Area:	88,042 sq.ft.
Site Size:	10.8 acres
Relocatables in 2022:	-

Adjacent Schools	
Cedar Grove ES	Ronald McNair ES
Clarksburg ES	Monocacy ES
Clarksburg ES #9	Dr. Salley K. Ride ES
Capt. James E. Daly ES	Snowden Farm ES
Goshen ES	Spark M. Matsunaga ES
Lake Seneca ES	Stedwick ES
Laytonsville ES	Waters Landing ES

- 4-Yr Projection
 - Utilization : 88.1%
 - Seat Surplus : 89
- Enrollment projection reflects student reassignment in 2023 according to the approved boundary study.



* MCPS projection, modified according to Annual School Test guidelines (if applicable).



Glen Haven Elementary School



FY24 Annual School Test

Year Facility Built: 1950
 Last Renovation: 2004
 Gross Floor Area: 85,845 sq.ft.
 Site Size: 10 acres
 Relocatables in 2022: -

Adjacent Schools

Arcola ES
 Forest Knolls ES
 Oakland Terrace ES
 Flora M. Singer ES

- 4-Yr Projection
 - Utilization : 96.8%
 - Seat Surplus : 18



* MCPS projection, modified according to Annual School Test guidelines (if applicable).



Glenallan Elementary School

FY24 Annual School Test



Year Facility Built: 1966
 Last Renovation: 2013
 Gross Floor Area: 98,700 sq.ft.
 Site Size: 12.1 acres
 Relocatables in 2022: 2

Adjacent Schools

Arcola ES
 Bel Pre/Strathmore ES
 Georgian Forest ES
 Jackson Road ES

Kemp Mill ES
 Weller Road ES
 Westover ES

- 4-Yr Projection
 - Utilization : 85.3%
 - Seat Surplus : 112



* MCPS projection, modified according to Annual School Test guidelines (if applicable).



Goshen Elementary School

FY24 Annual School Test



Year Facility Built: 1988
 Last Renovation: -
 Gross Floor Area: 76,740 sq.ft.
 Site Size: 10.5 acres
 Relocatables in 2022: 2

Adjacent Schools

William B. Gibbs Jr. ES
 Laytonville ES
 Judith A. Resnik ES
 South Lake ES

Stedwick ES
 Strawberry Knoll ES
 Whetstone ES

- 4-Yr Projection
 - Utilization : 75.4%
 - Seat Surplus : 146



* MCPS projection, modified according to Annual School Test guidelines (if applicable).





Great Seneca Creek Elementary School

FY24 Annual School Test

Year Facility Built:	2006
Last Renovation:	-
Gross Floor Area:	82,511 sq.ft.
Site Size:	13.7 acres
Relocatables in 2022:	-

Adjacent Schools	
Brown Station ES	Germantown ES
Clopper Mill ES	Thurgood Marshall ES
Darnestown ES	Spark M. Matsunaga ES
Diamond ES	Ronald McNair ES

- 4-Yr Projection
 - Utilization : 89.4%
 - Seat Surplus : 59



* MCPS projection, modified according to Annual School Test guidelines (if applicable).



Greencastle Elementary School



FY24 Annual School Test

Year Facility Built: 1988
 Last Renovation: -
 Gross Floor Area: 78,275 sq.ft.
 Site Size: 18.9 acres
 Relocatables in 2022: 10

Adjacent Schools

Burtonsville ES
 Cloverly ES
 Fairland ES
 Galway ES

- 4-Yr Projection
 - Utilization : 89.6%
 - Seat Surplus : 80
- Capacity projection assumes completion of classroom addition project in 2025.



* MCPS projection, modified according to Annual School Test guidelines (if applicable).



Greenwood Elementary School



FY24 Annual School Test

Year Facility Built: 1970
 Last Renovation: -
 Gross Floor Area: 64,609 sq.ft.
 Site Size: 10 acres
 Relocatables in 2022: -

Adjacent Schools

Belmont ES
 Brooke Grove ES
 Laytonsville ES
 Olney ES
 Sherwood ES

- 4-Yr Projection
 - Utilization : 97.5%
 - Seat Surplus : 14



* MCPS projection, modified according to Annual School Test guidelines (if applicable).



Harmony Hills Elementary School

FY24 Annual School Test



Year Facility Built: 1957
 Last Renovation: 1999 (2011 add'n)
 Gross Floor Area: 85,648 sq.ft.
 Site Size: 10.2 acres
 Relocatables in 2022: 7

Adjacent Schools

Lucy V. Barnsley ES
 Bel Pre/Strathmore ES
 Brookhaven ES
 Georgian Forest ES

Sargent Shriver ES
 Weller Road ES
 Wheaton Woods ES

- 4-Yr Projection
 - Utilization : 97.7%
 - Seat Surplus : 18



* MCPS projection, modified according to Annual School Test guidelines (if applicable).



Highland Elementary School



FY24 Annual School Test

Year Facility Built: 1950
 Last Renovation: 1989
 Gross Floor Area: 87,491 sq.ft.
 Site Size: 11 acres
 Relocatables in 2022: -

Adjacent Schools

Arcola ES
 Kemp Mill ES
 Rock View ES
 Sargent Shriver ES
 Viers Mill ES

- 4-Yr Projection
 - Utilization : 78.7%
 - Seat Surplus : 128



* MCPS projection, modified according to Annual School Test guidelines (if applicable).





Highland View Elementary School

FY24 Annual School Test

Year Facility Built:	1953
Last Renovation:	1994
Gross Floor Area:	59,307 sq.ft.
Site Size:	6.6 acres
Relocatables in 2022:	6

<h3>Adjacent Schools</h3> <p style="color: #0070c0; font-size: 0.9em;"> Montgomery Knolls/Pine Crest ES New Hampshire Estates/Oak View ES Sligo Creek ES Woodlin ES </p>

- 4-Yr Projection
 - Utilization : 86.6%
 - Seat Surplus : 63



* MCPS projection, modified according to Annual School Test guidelines (if applicable).



Jackson Road Elementary School



FY24 Annual School Test

Year Facility Built: 1959
Last Renovation: 1995 (2011 add'n)
Gross Floor Area: 91,465 sq.ft.
Site Size: 8.8 acres
Relocatables in 2022: 3

Adjacent Schools

Burnt Mills ES	Glenallan ES
Cannon Road ES	Kemp Mill ES
Dr. Charles R. Drew ES	Roscoe R. Nix/Cresthaven ES
Fairland ES	Westover ES
Galway ES	

- 4-Yr Projection
 - Utilization : 87.9%
 - Seat Surplus : 86



* MCPS projection, modified according to Annual School Test guidelines (if applicable).



Jones Lane Elementary School



FY24 Annual School Test

Year Facility Built: 1987
 Last Renovation: -
 Gross Floor Area: 60,679 sq.ft.
 Site Size: 12.1 acres
 Relocatables in 2022: -

Adjacent Schools

Rachel Carson ES	Thurgood Marshall ES
Darnestown ES	Rosemont ES
Diamond ES	Summit Hall ES
DuFief ES	Travilah ES
Fallsmead ES	Washington Grove ES
Fields Road ES	

- 4-Yr Projection
 - Utilization : 85.8%
 - Seat Surplus : 73



* MCPS projection, modified according to Annual School Test guidelines (if applicable).



Kemp Mill Elementary School

FY24 Annual School Test



Year Facility Built: 1960
 Last Renovation: 1996
 Gross Floor Area: 68,222 sq.ft.
 Site Size: 10 acres
 Relocatables in 2022: 3

Adjacent Schools

Arcola ES
 Burnt Mills ES
 Forest Knolls ES

Glenallan ES
 Highland ES
 Jackson Road ES

- 4-Yr Projection
 - Utilization : 86.6%
 - Seat Surplus : 63



* MCPS projection, modified according to Annual School Test guidelines (if applicable).



Kensington-Parkwood Elementary School



FY24 Annual School Test

Year Facility Built: 1952
Last Renovation: 2006 (2018 add'n)
Gross Floor Area: 102,382
Site Size: 9.9 acres
Relocatables in 2022: -

Adjacent Schools

Ashburton ES	Rock View ES
Garrett Park ES	Rosemary Hills/N. Chevy Chase ES
Luxmanor ES	Viers Mill ES
Oakland Terrace ES	Wyngate ES

- 4-Yr Projection
 - Utilization : 69.5%
 - Seat Surplus : 240



* MCPS projection, modified according to Annual School Test guidelines (if applicable).



Lake Seneca Elementary School

FY24 Annual School Test



Year Facility Built: 1985
 Last Renovation: -
 Gross Floor Area: 58,770 sq.ft.
 Site Size: 9.4 acres
 Relocatables in 2022: 9

Adjacent Schools

Clopper Mill ES
 William B. Gibbs Jr. ES
 Spark M. Matsunaga ES
 S. Christa McAuliffe ES

Ronald McNair ES
 Dr. Salley K. Ride ES
 Waters Landing ES

- 4-Yr Projection
 - Utilization : 117.6%
 - Seat Deficit : -75



* MCPS projection, modified according to Annual School Test guidelines (if applicable).



Lakewood Elementary School

FY24 Annual School Test



Year Facility Built: 1968
 Last Renovation: 2003
 Gross Floor Area: 77,526 sq.ft.
 Site Size: 13.1 acres
 Relocatables in 2022: -

Adjacent Schools

Fallsmead ES
 Potomac ES
 Ritchie Park ES

Stone Mill ES
 Travilah ES
 Wayside ES

- 4-Yr Projection
 - Utilization : 78.1%
 - Seat Surplus : 124



* MCPS projection, modified according to Annual School Test guidelines (if applicable).



Laytonville Elementary School



FY24 Annual School Test

Year Facility Built: 1951
 Last Renovation: 1989
 Gross Floor Area: 64,160 sq.ft.
 Site Size: 10.4 acres
 Relocatables in 2022: -

Adjacent Schools

Belmont ES	Greenwood ES
Cedar Grove ES	Olney ES
Clearspring ES	Judith A. Resnik ES
Damascus ES	Sequoyah ES
William B. Gibbs Jr. ES	Woodfield ES
Goshen ES	

- 4-Yr Projection
 - Utilization : 87.9%
 - Seat Surplus : 59



* MCPS projection, modified according to Annual School Test guidelines (if applicable).



JoAnn Leleck Elementary School



FY24 Annual School Test

Year Facility Built: 1952
 Last Renovation: 1974 (2006 add'n)
 Gross Floor Area: 88,922 sq.ft.
 Site Size: 6.2 acres
 Relocatables in 2022: 12

Adjacent Schools

Montgomery Knolls/Pine Crest ES
 New Hampshire Estates/Oak View ES
 Roscoe R. Nix/Cresthaven ES

- 4-Yr Projection
 - Utilization : 71.0%
 - Seat Surplus : 350
- Capacity projection assumes completion of new facility for grades 3-5 in 2025.



* MCPS projection, modified according to Annual School Test guidelines (if applicable).



Little Bennett Elementary School



FY24 Annual School Test

Year Facility Built: 2006
 Last Renovation: -
 Gross Floor Area: 82,511 sq.ft.
 Site Size: 4.8 acres
 Relocatables in 2022: -

Adjacent Schools

Cedar Grove ES
 Clarksburg ES
 Damascus ES
 Snowden Farm ES
 Wilson Wims ES

- 4-Yr Projection
 - Utilization : 91.6%
 - Seat Surplus : 52
- Enrollment projection reflects student reassignment in 2023 according to the approved boundary study.



* MCPS projection, modified according to Annual School Test guidelines (if applicable).



Luxmanor Elementary School

FY24 Annual School Test



Year Facility Built: 1966
 Last Renovation: 2020
 Gross Floor Area: 99,376 sq.ft.
 Site Size: 6.5 acres
 Relocatables in 2022: -

Adjacent Schools

Ashburton ES
 Beverly Farms ES
 Farmland ES

Garrett Park ES
 Kensington-Parkwood ES
 Viers Mill ES

- 4-Yr Projection
 - Utilization : 107.1%
 - Seat Deficit : -53



* MCPS projection, modified according to Annual School Test guidelines (if applicable).





Thurgood Marshall Elementary School

FY24 Annual School Test

Year Facility Built:	1993
Last Renovation:	-
Gross Floor Area:	77,798 sq.ft.
Site Size:	12 acres
Relocatables in 2022:	5

Adjacent Schools	
Brown Station ES Rachel Carson ES Darnestown ES Diamond ES DuFief ES	Great Seneca Creek ES Jones Lane ES Rosemont ES South Lake ES

- 4-Yr Projection
 - Utilization : 90.4%
 - Seat Surplus : 53



* MCPS projection, modified according to Annual School Test guidelines (if applicable).



Maryvale Elementary School

FY24 Annual School Test



Year Facility Built: 1969
 Last Renovation: 2020
 Gross Floor Area: 178,625 sq.ft.
 Site Size: 17.7 acres
 Relocatables in 2022: -

Adjacent Schools

Beall ES
 Candlewood ES
 College Gardens ES

Flower Valley ES
 Meadow Hall ES
 Sequoyah ES

- 4-Yr Projection
 - Utilization : 94.7%
 - Seat Surplus : 35



* MCPS projection, modified according to Annual School Test guidelines (if applicable).





Spark M. Matsunaga Elementary School

FY24 Annual School Test

Year Facility Built:	2001
Last Renovation:	-
Gross Floor Area:	90,718 sq.ft.
Site Size:	11.8 acres
Relocatables in 2022:	3

Adjacent Schools	
Clopper Mill ES	Lake Seneca ES
Darnestown ES	S. Christa McAuliffe ES
Germantown ES	Ronald McNair ES
William B. Gibbs Jr. ES	Monocacy ES
Great Seneca Creek ES	

- 4-Yr Projection
 - Utilization : 86.3%
 - Seat Surplus : 81



* MCPS projection, modified according to Annual School Test guidelines (if applicable).





S. Christa McAuliffe Elementary School

FY24 Annual School Test

Year Facility Built: 1987
Last Renovation: - (2019 add'n)
Gross Floor Area: 102,111 sq.ft.
Site Size: 10.6 acres
Relocatables in 2022: -

Adjacent Schools
 Brown Station ES Lake Seneca ES
 Clopper Mill ES Spark M. Matsunaga ES
 Fox Chapel ES Dr. Salley K. Ride ES
 Germantown ES Watkins Mill ES

- 4-Yr Projection
 - Utilization : 62.8%
 - Seat Surplus : 272



* MCPS projection, modified according to Annual School Test guidelines (if applicable).



Ronald McNair Elementary School



FY24 Annual School Test

Year Facility Built: 1990
 Last Renovation: -
 Gross Floor Area: 78,275 sq.ft.
 Site Size: 10 acres
 Relocatables in 2022: 7

Adjacent Schools

Clopper Mill ES Great Seneca Creek ES
 Germantown ES Lake Seneca ES
 William B. Gibbs Jr. ES Spark M. Matsunaga ES

- 4-Yr Projection
 - Utilization : 85.1%
 - Seat Surplus : 119
- Capacity projection assumes completion of classroom addition project in 2023.



* MCPS projection, modified according to Annual School Test guidelines (if applicable).





Meadow Hall Elementary School

FY24 Annual School Test

Year Facility Built: 1956
Last Renovation: 1994
Gross Floor Area: 61,964 sq.ft.
Site Size: 8.4 acres
Relocatables in 2022: 7

Adjacent Schools
 Lucy V. Barnsley ES
 Beall ES
 Flower Valley ES
 Garrett Park ES
 Maryvale ES
 Rock Creek Valley ES
 Bayard Rustin ES
 Twinbrook ES

- 4-Yr Projection
 - Utilization : 90.7%
 - Seat Surplus : 33



* MCPS projection, modified according to Annual School Test guidelines (if applicable).





Mill Creek Towne Elementary School

FY24 Annual School Test

Year Facility Built:	1966
Last Renovation:	2000
Gross Floor Area:	67,465 sq.ft.
Site Size:	8.4 acres
Relocatables in 2022:	9

Adjacent Schools
Candlewood ES
Flower Hill ES
Judith A. Resnik ES
Sequoyah ES
Washington Grove ES

- 4-Yr Projection
 - Utilization : 141.8%
 - Seat Deficit : -148



* MCPS projection, modified according to Annual School Test guidelines (if applicable).





Monocacy Elementary School

FY24 Annual School Test

Year Facility Built:	1961
Last Renovation:	1989
Gross Floor Area:	42,482 sq.ft.
Site Size:	9.7 acres
Relocatables in 2022:	-

Adjacent Schools	
Clarksburg ES Clarksburg ES #9 Darnestown ES	William B. Gibbs Jr. ES Spark M. Matsunaga ES Poolesville ES

- 4-Yr Projection
 - Utilization : 100.0%
 - Seat Surplus : 0



* MCPS projection, modified according to Annual School Test guidelines (if applicable).



Montgomery Knolls/Pine Crest ES



FY24 Annual School Test

	Mont. Knolls	Pine Crest
Year Facility Built:	1952	1941
Last Renovation:	1989 (2020 add'n)	1992 (2020 add'n)
GSF:	109,733 sq.ft.	77,121 sq.ft.
Site Size:	10.3 acres	5.6 acres
Relocatables in 2022:	-	-

Adjacent Schools

Burnt Mills ES	Roscoe R. Nix/Cresthaven ES
Forest Knolls ES	Rolling Terrace ES
Highland View ES	Sligo Creek ES
JoAnn Leleck ES	Flora M. Singer ES
New Hampshire Est/Oak View ES	

- 4-Yr Projection
 - Utilization : 70.3%
 - Seat Surplus : 407



* MCPS projection, modified according to Annual School Test guidelines (if applicable).



New Hampshire Estates/Oak View ES



FY24 Annual School Test

	<u>NHE</u>		<u>Oak View</u>
Year Facility Built:	1954	/	1949
Last Renovation:	1988	/	1985
GSF:	73,306 sq.ft.	/	57,560 sq.ft.
Site Size:	5.4 acres	/	11.3 acres
Relocatables in 2022:	-	/	3

Adjacent Schools

Highland View ES Rolling Terrace ES
 JoAnn Leleck ES Sligo Creek ES
 Montgomery Knolls/Pine Crest ES Takoma Park/Piney Branch ES

- 4-Yr Projection
 - Utilization : 94.7%
 - Seat Surplus : 45



* MCPS projection, modified according to Annual School Test guidelines (if applicable).



Roscoe R. Nix/Cresthaven ES

FY24 Annual School Test



	<u>Roscoe R. Nix</u>	<u>Cresthaven</u>
Year Facility Built:	2006	/ 1962
Last Renovation:	-	/ 2010
GSF:	88,351 sq.ft.	/ 76,862 sq.ft.
Site Size:	9 acres	/ 9.8 acres
Relocatables in 2022:	-	/ 2

Adjacent Schools

Burnt Mills ES
 Cannon Road ES
 Forest Knolls ES
 Galway ES

Jackson Road ES
 JoAnn Leleck ES
 Montgomery Knolls/Pine Crest ES

- 4-Yr Projection
 - Utilization : 95.4%
 - Seat Surplus : 44



* MCPS projection, modified according to Annual School Test guidelines (if applicable).



Oakland Terrace Elementary School

FY24 Annual School Test



Year Facility Built: 1950
Last Renovation: 1993
Gross Floor Area: 79,145 sq.ft.
Site Size: 9.5 acres
Relocatables in 2022: 2

Adjacent Schools

Arcola ES
 Glen Haven ES
 Kensington-Parkwood ES

Rock View ES
 Rosemary Hills/N. Chevy Chase ES
 Flora M. Singer ES

- 4-Yr Projection
 - Utilization : 129.9%
 - Seat Deficit : -153



* MCPS projection, modified according to Annual School Test guidelines (if applicable).



Olney Elementary School



FY24 Annual School Test

Year Facility Built: 1954
Last Renovation: 1990
Gross Floor Area: 68,755 sq.ft.
Site Size: 9.9 acres
Relocatables in 2022: -

Adjacent Schools

Belmont ES	Greenwood ES
Brooke Grove ES	Laytonsville ES
Cashell ES	Sequoyah ES
Flower Valley ES	Sherwood ES

- 4-Yr Projection
 - Utilization : 100.3%
 - Seat Deficit :-2



* MCPS projection, modified according to Annual School Test guidelines (if applicable).





William T. Page Elementary School

FY24 Annual School Test

Year Facility Built:	1965
Last Renovation:	2003
Gross Floor Area:	58,726 sq.ft.
Site Size:	9.8 acres
Relocatables in 2022:	13

Adjacent Schools
Cannon Road ES Dr. Charles R. Drew ES Fairland ES Galway ES

- 4-Yr Projection
 - Utilization : 97.9%
 - Seat Surplus : 16
- Capacity projection assumes completion of classroom addition project in 2023.



* MCPS projection, modified according to Annual School Test guidelines (if applicable).





Pooleville Elementary School

FY24 Annual School Test

Year Facility Built:	1960
Last Renovation:	1978
Gross Floor Area:	64,803 sq.ft.
Site Size:	12.3 acres
Relocatables in 2022:	-

Adjacent Schools
Darnestown ES Monocacy ES

- 4-Yr Projection
 - Utilization : 107.1%
 - Seat Deficit :-40



* MCPS projection, modified according to Annual School Test guidelines (if applicable).



Potomac Elementary School



FY24 Annual School Test

Year Facility Built: 1949
 Last Renovation: 2020
 Gross Floor Area: 86,550 sq.ft.
 Site Size: 9.6 acres
 Relocatables in 2022: -

Adjacent Schools

Bells Mill ES	Stone Mill ES
Carderock Springs ES	Travilah ES
Lakewood ES	Wayside ES
Seven Locks ES	

- 4-Yr Projection
 - Utilization : 86.2%
 - Seat Surplus : 66



* MCPS projection, modified according to Annual School Test guidelines (if applicable).





Judith A. Resnik Elementary School

FY24 Annual School Test

Year Facility Built:	1991
Last Renovation:	-
Gross Floor Area:	78,547 sq.ft.
Site Size:	12.8 acres
Relocatables in 2022:	6

Adjacent Schools	
Flower Hill ES	Sequoyah ES
Gaithersburg ES	Strawberry Knoll ES
Goshen ES	Harriet R. Tubman ES
Laytonsville ES	Washington Grove ES
Mill Creek Towne ES	

- 4-Yr Projection
 - Utilization : 112.2%
 - Seat Deficit : -64



* MCPS projection, modified according to Annual School Test guidelines (if applicable).





Dr. Sally K. Ride Elementary School

FY24 Annual School Test

Year Facility Built:	1994
Last Renovation:	-
Gross Floor Area:	78,686 sq.ft.
Site Size:	13.5 acres
Relocatables in 2022:	2

Adjacent Schools	
Capt. James E. Daly ES Fox Chapel ES William B. Gibbs Jr. ES	Lake Seneca ES S. Christa McAuliffe ES Waters Landing ES

- 4-Yr Projection
 - Utilization : 110.9%
 - Seat Deficit : -55



* MCPS projection, modified according to Annual School Test guidelines (if applicable).



Ritchie Park Elementary School



FY24 Annual School Test

Year Facility Built: 1966
 Last Renovation: 1997
 Gross Floor Area: 58,500 sq.ft.
 Site Size: 9.2 acres
 Relocatables in 2022: -

Adjacent Schools

Beall ES	Lakewood ES
Beverly Farms ES	Rosemont ES
Cold Spring ES	Bayard Rustin ES
College Gardens ES	Stone Mill ES
Fallsmead ES	Washington Grove ES
Farmland ES	

- 4-Yr Projection
 - Utilization : 84.7%
 - Seat Surplus : 63



* MCPS projection, modified according to Annual School Test guidelines (if applicable).





Rock Creek Forest Elementary School

FY24 Annual School Test

Year Facility Built:	1950
Last Renovation:	2015
Gross Floor Area:	98,140 sq.ft.
Site Size:	8 acres
Relocatables in 2022:	2

Adjacent Schools
Rosemary Hills/Chevy Chase ES Rosemary Hills/N. Chevy Chase ES Woodlin ES

- 4-Yr Projection
 - Utilization : 96.0%
 - Seat Surplus : 27



* MCPS projection, modified according to Annual School Test guidelines (if applicable).





Rock Creek Valley Elementary School

FY24 Annual School Test

Year Facility Built:	1964
Last Renovation:	2001
Gross Floor Area:	76,692 sq.ft.
Site Size:	10.4 acres
Relocatables in 2022:	3

Adjacent Schools	
Lucy V. Barnsley ES	Meadow Hall ES
Brookhaven ES	Twinbrook ES
Garrett Park ES	Wheaton Woods ES

- 4-Yr Projection
 - Utilization : 95.1%
 - Seat Surplus : 22



* MCPS projection, modified according to Annual School Test guidelines (if applicable).





Rock View Elementary School

FY24 Annual School Test

Year Facility Built:	1955
Last Renovation:	1999 (2011 add'n)
Gross Floor Area:	91,977 sq.ft.
Site Size:	7.4 acres
Relocatables in 2022:	-

Adjacent Schools	
Arcola ES Highland ES Kensington-Parkwood ES	Oakland Terrace ES Sargent Shriver ES Viers Mill ES

- 4-Yr Projection
 - Utilization : 102.2%
 - Seat Deficit :-15



* MCPS projection, modified according to Annual School Test guidelines (if applicable).





Lois P. Rockwell Elementary School

FY24 Annual School Test

Year Facility Built:	1992
Last Renovation:	-
Gross Floor Area:	75,520 sq.ft.
Site Size:	10.6 acres
Relocatables in 2022:	-

Adjacent Schools
Cedar Grove ES Clearspring ES Damascus ES Woodfield ES

- 4-Yr Projection
 - Utilization : 96.4%
 - Seat Surplus : 20



* MCPS projection, modified according to Annual School Test guidelines (if applicable).





Rolling Terrace Elementary School

FY24 Annual School Test

Year Facility Built:	1950
Last Renovation:	1989
Gross Floor Area:	92,241 sq.ft.
Site Size:	4.3 acres
Relocatables in 2022:	6

Adjacent Schools
East Silver Spring ES
Montgomery Knolls/Pine Crest ES
New Hampshire Est/Oak View ES
Sligo Creek ES
Takoma Park/Piney Branch ES

- 4-Yr Projection
 - Utilization : 106.6%
 - Seat Deficit :-48



* MCPS projection, modified according to Annual School Test guidelines (if applicable).



Rosemary Hills/Chevy Chase ES

FY24 Annual School Test



	Rosemary Hills	Chevy Chase
Year Facility Built:	1956	1936
Last Renovation:	1988 (2015 add'n)	2000
GSF:	87,298 sq.ft.	70,976 sq.ft.
Site Size:	6.1 acres	3.8 acres
Relocatables in 2022:	-	-

Adjacent Schools

Bethesda ES
 Rock Creek Forest ES
 Rosemary Hills/N. Chevy Chase ES

Somerset ES
 Westbrook ES
 Woodlin ES

- 4-Yr Projection
 - Utilization : 92.9%
 - Seat Surplus : 79



* MCPS projection, modified according to Annual School Test guidelines (if applicable).



Rosemary Hills/North Chevy Chase ES



FY24 Annual School Test

	Rosemary Hills	N. Chevy Chase
Year Facility Built:	1956	1953
Last Renovation:	1988 (2015 add'n)	1995 (2015 add'n)
GSF:	87,298 sq.ft.	65,982 sq.ft.
Site Size:	6.1 acres	7.9 acres
Relocatables in 2022:	-	-

Adjacent Schools

Bethesda ES	Flora M. Singer ES
Kensington-Parkwood ES	Somerset ES
Oakland Terrace ES	Woodlin ES
Rock Creek Forest ES	Wyngate ES
Rosemary Hills/Chevy Chase ES	

- 4-Yr Projection
 - Utilization : 79.3%
 - Seat Surplus : 212



* MCPS projection, modified according to Annual School Test guidelines (if applicable).



Rosemont Elementary School



FY24 Annual School Test

Year Facility Built: 1965
 Last Renovation: 1995
 Gross Floor Area: 88,764 sq.ft.
 Site Size: 8.9 acres
 Relocatables in 2022: 4

Adjacent Schools

Brown Station ES	Ritchie Park ES
Rachel Carson ES	Thurgood Marshall ES
Dufief ES	South Lake ES
Fallsmead ES	Stone Mill ES
Fields Road ES	Summit Hall ES
Gaithersburg ES	Harriet R. Tubman ES
Jones Lane ES	Washington Grove ES

- 4-Yr Projection
 - Utilization : 94.9%
 - Seat Surplus : 31



* MCPS projection, modified according to Annual School Test guidelines (if applicable).



Bayard Rustin Elementary School

FY24 Annual School Test



Year Facility Built: 2018
 Last Renovation: -
 Gross Floor Area: 97,397 sq.ft.
 Site Size: 11 acres
 Relocatables in 2022: -

Adjacent Schools

Beall ES
 Beverly Farms ES
 Fallsmead ES
 Farmland ES

Meadow Hall ES
 Ritchie Park ES
 Twinbrook ES

- 4-Yr Projection
 - Utilization : 95.3%
 - Seat Surplus : 37



* MCPS projection, modified according to Annual School Test guidelines (if applicable).



Sequoyah Elementary School



FY24 Annual School Test

Year Facility Built: 1990
 Last Renovation: -
 GSF: 73,080 sq.ft.
 Site Size: 11.6 acres
 Relocatables in 2022: -

Adjacent Schools

Belmont ES	Maryvale ES
Candlewood ES	Mill Creek Towne ES
Cashell ES	Olney ES
Flower Hill ES	Judith A. Resnik ES
Flower Valley ES	Washington Grove ES
Laytonsville ES	

- 4-Yr Projection
 - Utilization : 110.4%
 - Seat Deficit : -47



* MCPS projection, modified according to Annual School Test guidelines (if applicable).



Seven Locks Elementary School

FY24 Annual School Test



Year Facility Built: 1964
 Last Renovation: 2012
 Gross Floor Area: 66,915 sq.ft.
 Site Size: 9.9 acres
 Relocatables in 2022: -

Adjacent Schools

Ashburton ES
 Bannockburn ES
 Bells Mill ES

Burning Tree ES
 Carderock Springs ES
 Potomac ES

- 4-Yr Projection
 - Utilization : 85.0%
 - Seat Surplus : 67



* MCPS projection, modified according to Annual School Test guidelines (if applicable).



Sherwood Elementary School



FY24 Annual School Test

Year Facility Built: 1977
 Last Renovation: - (2010 add'n)
 Gross Floor Area: 81,727 sq.ft.
 Site Size: 10.9 acres
 Relocatables in 2022: -

Adjacent Schools

Brooke Grove ES	Flower Valley ES
Cashell ES	Greenwood ES
Cloverly ES	Olney ES
Dr. Charles R. Drew ES	Stonegate ES

- 4-Yr Projection
 - Utilization : 114.1%
 - Seat Deficit : -73



* MCPS projection, modified according to Annual School Test guidelines (if applicable).





Sargent Shriver Elementary School

FY24 Annual School Test

Year Facility Built:	1954
Last Renovation:	2006
Gross Floor Area:	91,628 sq.ft.
Site Size:	9.2 acres
Relocatables in 2022:	9

Adjacent Schools	
Arcola ES	Rock View ES
Garrett Park ES	Viers Mill ES
Harmony Hills ES	Weller Road ES
Highland ES	Wheaton Woods ES

- 4-Yr Projection
 - Utilization : 112.2%
 - Seat Deficit : -81



* MCPS projection, modified according to Annual School Test guidelines (if applicable).



Flora M. Singer Elementary School



FY24 Annual School Test

Year Facility Built: 2012
 Last Renovation: -
 Gross Floor Area: 95,831 sq.ft.
 Site Size: 12.7 acres
 Relocatables in 2022: 3

Adjacent Schools

Forest Knolls ES Rosemary Hills/N. Chevy Chase ES
 Glen Haven ES Sligo Creek ES
 Montgomery Knolls/Pine Crest ES Woodlin ES
 Oakland Terrace ES

- 4-Yr Projection
 - Utilization : 97.8%
 - Seat Surplus : 13



* MCPS projection, modified according to Annual School Test guidelines (if applicable).



Sligo Creek Elementary School

FY24 Annual School Test



Year Facility Built: 1934
 Last Renovation: 1999
 Gross Floor Area: 98,799 sq.ft.
 Site Size: 15.6 acres
 Relocatables in 2022: -

Adjacent Schools

East Silver Spring ES
 Highland View ES
 Montgomery Knolls/Pine Crest ES
 New Hampshire Est/Oak View ES

Rolling Terrace ES
 Flora M. Singer ES
 Woodlin ES

- 4-Yr Projection
 - Utilization : 95.9%
 - Seat Surplus : 28



* MCPS projection, modified according to Annual School Test guidelines (if applicable).





Snowden Farm Elementary School

FY24 Annual School Test

Year Facility Built:	2019
Last Renovation:	-
Gross Floor Area:	92,366 sq.ft.
Site Size:	9.8 acres
Relocatables in 2022:	-

Adjacent Schools	
Cedar Grove ES	Little Bennett ES
Clarksburg ES	Wilson Wims ES
William B. Gibbs Jr. ES	

- 4-Yr Projection
 - Utilization : 82.5%
 - Seat Surplus : 133



* MCPS projection, modified according to Annual School Test guidelines (if applicable).



Somerset Elementary School



FY24 Annual School Test

Year Facility Built: 1949
 Last Renovation: 2005
 Gross Floor Area: 80,122 sq.ft.
 Site Size: 3.7 acres
 Relocatables in 2022: -

Adjacent Schools

Bethesda ES
 Rosemary Hills/Chevy Chase ES
 Rosemary Hills/N. Chevy Chase ES
 Westbrook ES

- 4-Yr Projection
 - Utilization : 68.3%
 - Seat Surplus : 171



* MCPS projection, modified according to Annual School Test guidelines (if applicable).



South Lake Elementary School



FY24 Annual School Test

Year Facility Built: 1972
 Last Renovation: -
 Gross Floor Area: 83,038 sq.ft.
 Site Size: 10.2 acres
 (At Emory Grove holding facility in 2022)

Adjacent Schools

Brown Station ES	Thurgood Marshall ES
Capt. James E. Daly ES	Rosemont ES
Fox Chapel ES	Stedwick ES
Gaithersburg ES	Watkins Mill ES
Goshen ES	Whetstone ES

- 4-Yr Projection
 - Utilization : 95.0%
 - Seat Surplus : 40
- Capacity projection assumes completion of Major Capital Project in 2023.



* MCPS projection, modified according to Annual School Test guidelines (if applicable).



Stedwick Elementary School

FY24 Annual School Test



Year Facility Built: 1974
 Last Renovation: - (2008 add'n)
 Gross Floor Area: 109,677 sq.ft.
 Site Size: 10 acres
 Relocatables in 2022: -

Adjacent Schools

Capt. James E. Daly ES
 William B. Gibbs Jr. ES
 Goshen ES

South Lake ES
 Watkins Mill ES
 Whetstone ES

- 4-Yr Projection
 - Utilization : 69.7
 - Seat Surplus : 216



* MCPS projection, modified according to Annual School Test guidelines (if applicable).



Stone Mill Elementary School

FY24 Annual School Test



Year Facility Built: 1988
 Last Renovation: -
 Gross Floor Area: 78,617 sq.ft.
 Site Size: 11.8 acres
 Relocatables in 2022: -

Adjacent Schools

DuFief ES
 Fields Road ES
 Lakewood ES
 Potomac ES

Ritchie Park ES
 Rosemont ES
 Travilah ES
 Wayside ES

- 4-Yr Projection
 - Utilization : 68.7%
 - Seat Surplus : 223



* MCPS projection, modified according to Annual School Test guidelines (if applicable).



Stonegate Elementary School

Year Facility Built: 1971
 Last Renovation: -
 Gross Floor Area: 52,468 sq.ft.
 Site Size: 10.3 acres

(At North Lake holding facility in 2022)



Adjacent Schools

Bel Pre/Strathmore ES
 Cloverly ES
 Dr. Charles R. Drew ES

Flower Valley ES
 Sherwood ES
 Westover ES

FY24 Annual School Test

- 4-Yr Projection
 - Utilization : 80.7%
 - Seat Surplus : 115
- Capacity projection assumes completion of Major Capital Project in 2023.



* MCPS projection, modified according to Annual School Test guidelines (if applicable).





Strawberry Knoll Elementary School

FY24 Annual School Test

Year Facility Built:	1988
Last Renovation:	-
Gross Floor Area:	78,723 sq.ft.
Site Size:	10.8 acres
Relocatables in 2022:	6

Adjacent Schools
Flower Hill ES
Gaithersburg ES
Goshen ES
Judith A. Resnik ES
Whetstone ES

- 4-Yr Projection
 - Utilization : 87.8%
 - Seat Surplus : 61



* MCPS projection, modified according to Annual School Test guidelines (if applicable).



Summit Hall Elementary School


FY24 Annual School Test

Year Facility Built: 1971
 Last Renovation: -
 Gross Floor Area: 68,059 sq.ft.
 Site Size: 10.2 acres
 Relocatables in 2022: 16 (modular bldg.)

Adjacent Schools

Rachel Carson ES
 Jones Lane ES
 Rosemont ES
 Harriet R. Tubman ES
 Washington Grove ES

- 4-Yr Projection
 - Utilization : 89.9%
 - Seat Surplus : 50



* MCPS projection, modified according to Annual School Test guidelines (if applicable).



Takoma Park/Piney Branch ES



FY24 Annual School Test

	Takoma Park	Piney Branch
Year Facility Built:	1979	1973
Last Renovation:	(2010 add'n)	-
GSF:	85,553 sq.ft.	99,706 sq.ft.
Site Size:	4.7 acres	1.9 acres
Relocatables in 2022:	-	-

Adjacent Schools

East Silver Spring ES
 New Hampshire Estates/Oak View ES
 Rolling Terrace ES

- 4-Yr Projection
 - Utilization : 90.2%
 - Seat Surplus : 120



* MCPS projection, modified according to Annual School Test guidelines (if applicable).



Travilah Elementary School

FY24 Annual School Test



Year Facility Built: 1960
Last Renovation: 1992 (2008 add'n)
Gross Floor Area: 65,378 sq.ft.
Site Size: 9.3 acres
Relocatables in 2022: -

Adjacent Schools

Darnestown ES
 DuFief ES
 Jones Lane ES

Lakewood ES
 Potomac ES
 Stone Mill ES

- 4-Yr Projection
 - Utilization : 71.9%
 - Seat Surplus : 148



* MCPS projection, modified according to Annual School Test guidelines (if applicable).





Harriet R. Tubman Elementary School

FY24 Annual School Test

Year Facility Built:	2022
Last Renovation:	-
Gross Floor Area:	101,963 sq.ft.
Site Size:	5.7 acres
Relocatables in 2022:	-

Adjacent Schools
Gaithersburg ES
Judith A. Resnik ES
Rosemont ES
Summit Hall ES
Washington Grove ES

- 4-Yr Projection
 - Utilization : 83.8%
 - Seat Surplus : 109



* MCPS projection, modified according to Annual School Test guidelines (if applicable).



Twinbrook Elementary School

FY24 Annual School Test



Year Facility Built: 1952
 Last Renovation: 1986
 Gross Floor Area: 79,818 sq.ft.
 Site Size: 10.5 acres
 Relocatables in 2022: 4

Adjacent Schools

Beall ES
 Farmland ES
 Garrett Park ES

Meadow Hall ES
 Bayard Rustin ES
 Twinbrook ES

- 4-Yr Projection
 - Utilization : 63.6%
 - Seat Surplus : 229



* MCPS projection, modified according to Annual School Test guidelines (if applicable).



Viers Mill Elementary School

FY24 Annual School Test



Year Facility Built: 1950
 Last Renovation: 1991 (2013 add'n)
 Gross Floor Area: 120,572 sq.ft.
 Site Size: 10.5 acres
 Relocatables in 2022: -

Adjacent Schools

Garrett Park ES
 Highland ES
 Kensington-Parkwood ES

Luxmanor ES
 Rock View ES
 Sargent Shriver ES

- 4-Yr Projection
 - Utilization : 63.3%
 - Seat Surplus : 276



* MCPS projection, modified according to Annual School Test guidelines (if applicable).





Washington Grove Elementary School

FY24 Annual School Test

Year Facility Built:	1956
Last Renovation:	1984 (2010 add'n)
Gross Floor Area:	86,266 sq.ft.
Site Size:	10.7 acres
Relocatables in 2022:	-

Adjacent Schools	
Candlewood ES	Judith A. Resnik ES
College Gardens ES	Ritchie Park ES
Fallsmead ES	Rosemont ES
Flower Hill ES	Sequoyah ES
Jones Lane ES	Summit Hall ES
Mill Creek Towne ES	Harriet R. Tubman ES

- 4-Yr Projection
 - Utilization : 74.4%
 - Seat Surplus : 161



* MCPS projection, modified according to Annual School Test guidelines (if applicable).



Waters Landing Elementary School



FY24 Annual School Test

Year Facility Built: 1988
Last Renovation: - (2014 add'n)
Gross Floor Area: 101,352 sq.ft.
Site Size: 10 acres
Relocatables in 2022: -

Adjacent Schools

William B. Gibbs Jr. ES
 Lake Seneca ES
 Dr. Salley K. Ride ES

- 4-Yr Projection
 - Utilization : 88.2%
 - Seat Surplus : 91



* MCPS projection, modified according to Annual School Test guidelines (if applicable).



Watkins Mill Elementary School

FY24 Annual School Test



Year Facility Built: 1970
 Last Renovation: - (2006 add'n)
 Gross Floor Area: 80,923 sq.ft.
 Site Size: 10 acres
 Relocatables in 2022: 6

Adjacent Schools

Brown Station ES
 Fox Chapel ES
 S. Christa McAuliffe

South Lake ES
 Stedwick ES
 Whetstone ES

- 4-Yr Projection
 - Utilization : 98.9%
 - Seat Surplus : 8



* MCPS projection, modified according to Annual School Test guidelines (if applicable).



Wayside Elementary School

FY24 Annual School Test



Year Facility Built: 1969
 Last Renovation: 2017
 Gross Floor Area: 93,453 sq.ft.
 Site Size: 9.3 acres
 Relocatables in 2022: -

Adjacent Schools

Bells Mill ES
 Beverly Farms ES
 Cold Spring ES
 Fallsmead ES

Lakewood ES
 Potomac ES
 Stone Mill ES

- 4-Yr Projection
 - Utilization : 67.5%
 - Seat Surplus : 205



* MCPS projection, modified according to Annual School Test guidelines (if applicable).



Weller Road Elementary School



FY24 Annual School Test

Year Facility Built: 1953
 Last Renovation: 2013
 Gross Floor Area: 121,346 sq.ft.
 Site Size: 11.1 acres
 Relocatables in 2022: -

Adjacent Schools

Arcola ES
 Georgian Forest ES
 Glenallan ES
 Harmony Hills ES
 Sargent Shriver ES

- 4-Yr Projection
 - Utilization : 98.5%
 - Seat Surplus : 12



* MCPS projection, modified according to Annual School Test guidelines (if applicable).



Westbrook Elementary School

FY24 Annual School Test



Year Facility Built: 1939
 Last Renovation: 1990 (2013 add'n)
 Gross Floor Area: 91,359 sq.ft.
 Site Size: 12.5 acres
 Relocatables in 2022: -

Adjacent Schools

Bannockburn ES
 Bethesda ES
 Bradley Hills ES

Rosemary Hills/Chewy Chase ES
 Somerset ES
 Wood Acres ES

- 4-Yr Projection
 - Utilization : 81.8%
 - Seat Surplus : 116



* MCPS projection, modified according to Annual School Test guidelines (if applicable).





Westover Elementary School

FY24 Annual School Test

Year Facility Built:	1964
Last Renovation:	1998
Gross Floor Area:	54,645 sq.ft.
Site Size:	7.6 acres
Relocatables in 2022:	2

Adjacent Schools	
Bel Pre/Strathmore ES Cannon Road ES Dr. Charles R. Drew ES	Glenallan ES Jackson Road ES Stonegate ES

- 4-Yr Projection
 - Utilization : 112.4%
 - Seat Deficit : -33



* MCPS projection, modified according to Annual School Test guidelines (if applicable).





Wheaton Woods Elementary School

FY24 Annual School Test

Year Facility Built:	1952
Last Renovation:	2017
Gross Floor Area:	120,154 sq.ft.
Site Size:	8 acres
Relocatables in 2022:	-

<h3>Adjacent Schools</h3> <ul style="list-style-type: none"> <li style="margin-bottom: 5px;">Brookhaven ES <li style="margin-bottom: 5px;">Garrett Park ES <li style="margin-bottom: 5px;">Harmony Hills ES <li style="margin-bottom: 5px;">Rock Creek Valley ES <li style="margin-bottom: 5px;">Sargent Shriver ES
--

- 4-Yr Projection
 - Utilization : 77.3%
 - Seat Surplus : 164



* MCPS projection, modified according to Annual School Test guidelines (if applicable).



Whetstone Elementary School

FY24 Annual School Test



Year Facility Built: 1968
 Last Renovation: - (2011 add'n)
 Gross Floor Area: 96,946 sq.ft.
 Site Size: 8.8 acres
 Relocatables in 2022: 3

Adjacent Schools

Gaithersburg ES
 Goshen ES
 South Lake ES

Stedwick ES
 Strawberry Knoll ES
 Watkins Mill ES

- 4-Yr Projection
 - Utilization : 91.1%
 - Seat Surplus : 70



* MCPS projection, modified according to Annual School Test guidelines (if applicable).



Wilson Wims Elementary School



FY24 Annual School Test

Year Facility Built: 2014
 Last Renovation: -
 Gross Floor Area: 91,931 sq.ft.
 Site Size: 9.3 acres
 Relocatables in 2022: -

Adjacent Schools

Cedar Grove ES
 Little Bennett ES
 Snowden Farm ES

- 4-Yr Projection
 - Utilization : 82.9%
 - Seat Surplus : 126



* MCPS projection, modified according to Annual School Test guidelines (if applicable).



Wood Acres Elementary School



FY24 Annual School Test

Year Facility Built: 1952
 Last Renovation: 2002 (2016 add'n)
 Gross Floor Area: 96,358 sq.ft.
 Site Size: 4.8 acres
 Relocatables in 2022: -

Adjacent Schools

Bannockburn ES
 Bradley Hills ES
 Burning Tree ES
 Westbrook ES

- 4-Yr Projection
 - Utilization : 79.1%
 - Seat Surplus : 157



* MCPS projection, modified according to Annual School Test guidelines (if applicable).



Woodfield Elementary School



FY24 Annual School Test

Year Facility Built: 1962
 Last Renovation: 1985
 Gross Floor Area: 53,212 sq.ft.
 Site Size: 10 acres
 Relocatables in 2022: -

Adjacent Schools

Cedar Grove ES
 Clearspring ES
 Laytonsville ES
 Lois P. Rockwell ES

- 4-Yr Projection
 - Utilization : 98.4%
 - Seat Surplus : 6



* MCPS projection, modified according to Annual School Test guidelines (if applicable).



Woodlin Elementary School

FY24 Annual School Test



Year Facility Built: 1944
 Last Renovation: 1974
 Gross Floor Area: 60,725 sq.ft.
 Site Size: 11 acres

(At Grosvenor holding facility in 2022)

Adjacent Schools

Highland View ES Rosemary Hills/N. Chevy Chase ES
 Rock Creek Forest ES Flora M. Singer ES
 Rosemary Hills/Chevy Chase ES Sligo Creek ES

- 4-Yr Projection
 - Utilization : 93.6%
 - Seat Surplus : 42
- Capacity projection assumes completion of Major Capital Project in Jan 2024.



* MCPS projection, modified according to Annual School Test guidelines (if applicable).



Wyngate Elementary School

FY24 Annual School Test



Year Facility Built: 1952
 Last Renovation: 1997 (2013 add'n)
 Gross Floor Area: 89,104 sq.ft.
 Site Size: 9.5 acres
 Relocatables in 2022: -

Adjacent Schools

Ashburton ES
 Bethesda ES
 Bradley Hills ES
 Burning Tree ES

Garrett Park ES
 Kensington-Parkwood ES
 Rosemary Hills/N. Chevy Chase ES

- 4-Yr Projection
 - Utilization : 80.2%
 - Seat Surplus : 154



* MCPS projection, modified according to Annual School Test guidelines (if applicable).



Index (by School Level)

HIGH SCHOOLS		MIDDLE SCHOOLS					
Bethesda-Chevy Chase	24	Argyle	50	Redland	75	Beverly Farms	100
Montgomery Blair	25	John T. Baker	51	Ridgeview	76	Bradley Hills	101
James Hubert Blake	26	Benjamin Banneker	52	Rocky Hill	77	Brooke Grove	102
Winston Churchill	27	Briggs Chaney	53	Shady Grove	78	Brookhaven	103
Clarksburg	28	Cabin John	54	Odessa Shannon	79	Brown Station	104
Damascus	29	Roberto Clemente	55	Silver Creek	80	Burning Tree	105
Albert Einstein	30	Eastern	56	Silver Spring International	81	Burnt Mills	106
Gaithersburg	31	William H. Farquhar	57	Sligo	82	Burtonsville	107
Walter Johnson	32	Forest Oak	58	Takoma Park	83	Candlewood	108
John F. Kennedy	33	Robert Frost	59	Tilden	84	Cannon Road	109
Col. Zadok Magruder	34	Gaithersburg	60	Hallie Wells	85	Carderock Springs	110
Richard Montgomery	35	Herbert Hoover	61	Julius West	86	Rachel Carson	111
Northwest	36	Francis Scott Key	62	Westland	87	Cashell	112
Northwood	37	Dr. Martin Luther King, Jr	63	White Oak	88	Cedar Grove	113
Paint Branch	38	Kingsview	64	Earle B. Wood	89	Clarksburg	114
Poolesville	39	Lakelands Park	65			Clarksburg ES #9	115
Quince Orchard	40	A. Mario Loiederman	66	ELEMENTARY SCHOOLS		Clearspring	116
Rockville	41	Montgomery Village	67	Arcola	91	Clopper Mill	117
Seneca Valley	42	Neelsville	68	Ashburton	92	Cloverly	118
Sherwood	43	Newport Mill	69	Bannockburn	93	Cold Spring	119
Springbrook	44	North Bethesda	70	Lucy V. Barnsley	94	College Gardens	120
Watkins Mill	45	Parkland	71	Beall	95	Capt. James E. Daly	121
Wheaton	46	Rosa Parks	72	Bel Pre/Strathmore	96	Damascus	122
Walt Whitman	47	John Poole	73	Bells Mill	97	Darnestown	123
Thomas S. Wootton	48	Thomas W. Pyle	74	Belmont	98	Diamond	124
				Bethesda	99	Dr. Charles R. Drew	125



DuFief	126	Jones Lane	152	Dr. Sally K. Ride	178	Travilah	204
East Silver Spring	127	Kemp Mill	153	Ritchie Park	179	Harriet R. Tubman	205
Fairland	128	Kensington-Parkwood	154	Rock Creek Forest	180	Twinbrook	206
Fallsmead	129	Lake Seneca	155	Rock Creek Valley	181	Viers Mill	207
Farmland	130	Lakewood	156	Rock View	182	Washington Grove	208
Fields Road	131	Laytonsville	157	Lois P. Rockwell	183	Waters Landing	209
Flower Hill	132	JoAnn Leleck	158	Rolling Terrace	184	Watkins Mill	210
Flower Valley	133	Little Bennett	159	Rosemary Hills/Chevy Chase	185	Wayside	211
Forest Knolls	134	Luxmanor	160	Rosemary Hills/North Chevy Chase	186	Weller Road	212
Fox Chapel	135	Thurgood Marshall	161	Rosemont	187	Westbrook	213
Gaithersburg	136	Maryvale	162	Bayard Rustin	188	Westover	214
Galway	137	Spark M. Matsunaga	163	Sequoyah	189	Wheaton Woods	215
Garrett Park	138	S. Christa McAuliffe	164	Seven Locks	190	Whetstone	216
Georgian Forest	139	Ronald McNair	165	Sherwood	191	Wilson Wims	217
Germantown	140	Meadow Hall	166	Sargent Shriver	192	Wood Acres	218
William B. Gibbs Jr.	141	Mill Creek Towne	167	Flora M. Singer	193	Woodfield	219
Glen Haven	142	Monocacy	168	Sligo Creek	194	Woodlin	220
Glenallan	143	Montgomery Knolls/Pine Crest	169	Snowden Farm	195	Wyngate	221
Goshen	144	New Hampshire Estates/Oak View	170	Somerset	196		
Great Seneca Creek	145	Roscoe R. Nix/Cresthaven	171	South Lake	197		
Greencastle	146	Oakland Terrace	172	Stedwick	198		
Greenwood	147	Olney	173	Stone Mill	199		
Harmony Hills	148	William T. Page	174	Stonegate	200		
Highland	149	Poolesville	175	Strawberry Knoll	201		
Highland View	150	Potomac	176	Summit Hall	202		
Jackson Road	151	Judith A. Resnik	177	Takoma Park/Piney Branch	203		



Index (by Cluster)

BETHESDA-CHEVY CHASE CLUSTER	
Bethesda-Chevy Chase HS	24
Silver Creek MS	80
Westland MS	87
Bethesda ES	99
Rock Creek Forest ES	179
Rosemary Hills/Chevy Chase ES	184
Rosemary Hills/North Chevy Chase ES	185
Somerset ES	195
Westbrook ES	212

WINSTON CHURCHILL CLUSTER	
Winston Churchill HS	27
Cabin John MS	54
Herbert Hoover MS	61
Bells Mill ES	97
Beverly Farms ES	100
Potomac ES	175
Seven Locks ES	189
Wayside ES	210

CLARKSBURG CLUSTER	
Clarksburg HS	28
Rocky Hill MS	77
Hallie Wells MS	85
Clarksburg ES	114

Clarksburg ES #9	
Capt. James E. Daly ES	120
Fox Chapel ES	134
Little Bennett ES	158
Snowden Farm ES	194
Wilson Wims ES	216

DAMASCUS CLUSTER	
Damascus HS	29
John T. Baker MS	51
Hallie Wells MS	85
Cedar Grove ES	113
Clearspring ES	115
Damascus ES	121
Lois P. Rockwell ES	182
Snowden Farm ES	194
Woodfield ES	218

DOWNCOUNTY CONSORTIUM	
Montgomery Blair HS	25
Albert Einstein HS	30
John F. Kennedy HS	33
Northwood HS	37
Wheaton HS	46
Argyle MS	50
Eastern MS	56

A. Mario Loiederman MS	66
Newport Mill MS	69
Parkland MS	71
Odessa Shannon MS	79
Silver Spring International MS	81
Sligo MS	82
Takoma Park MS	83
Arcola ES	91
Bel Pre/Strathmore ES	96
Brookhaven ES	103
East Silver Spring ES	126
Forest Knolls ES	133
Georgian Forest ES	138
Glen Haven ES	141
Glenallan ES	142
Harmony Hills ES	147
Highland ES	148
Highland View ES	149
Kemp Mill ES	152
Montgomery Knolls/Pine Crest ES	168
New Hampshire Estates/Oak View ES	169
Oakland Terrace ES	171
Rock View ES	181
Rolling Terrace ES	183
Sargent Shriver ES	191
Flora M. Singer ES	192

Sligo Creek ES	193
Takoma Park/Piney Branch ES	202
Viers Mills ES	206
Weller Road ES	211
Wheaton Woods ES	214
Woodlin ES	219

GAITHERSBURG CLUSTER	
Gaithersburg HS	31
Forest Oak MS	58
Gaithersburg MS	60
Gaithersburg ES	135
Goshen ES	143
Laytonsville ES	156
Rosemont ES	186
Strawberry Knoll ES	200
Summit Hall ES	201
Harriet R. Tubman ES	204
Washington Grove ES	207

WALTER JOHNSON CLUSTER	
Walter Johnson HS	32
North Bethesda MS	70
Tilden MS	84
Ashburton ES	92
Farmland ES	129



Garrett Park ES	137
Kensington-Parkwood ES	153
Luxmanor ES	159
Wyngate ES	220

COL. ZADOK MAGRUDER CLUSTER

Col. Zadok Magruder HS	34
Redland MS	75
Shady Grove MS	78
Candlewood ES	108
Cashell ES	112
Flower Hill ES	131
Mill Creek Towne ES	166
Judith A. Resnik ES	176
Sequoyah ES	188

RICHARD MONTGOMERY CLUSTER

Richard Montgomery HS	35
Julius West MS	86
Beall ES	95
College Gardens ES	119
Ritchie Park ES	178
Bayard Rustin ES	187
Twinbrook ES	205

NORTHEAST CONSORTIUM

James Hubert Blake HS	26
Paint Branch HS	38
Springbrook HS	44
Benjamin Banneker MS	52
Briggs Chaney MS	53
William H. Farquhar MS	57
Francis Scott Key MS	62
White Oak MS	88
Burnt Mills ES	106
Burtonsville ES	107
Cannon Road ES	109
Cloverly ES	117
Dr. Charles R. Drew ES	124
Fairland ES	127
Galway ES	136
Greencastle ES	145
Jackson Road ES	150
JoAnn Leleck ES	157
Roscoe R. Nix/Cresthaven ES	170
William T. Page ES	173
Sherwood ES	190
Stonegate ES	199
Westover ES	213

NORTHWEST CLUSTER

Northwest HS	36
Roberto Clemente MS	55
Kingsview MS	64
Lakelands Park MS	65
Clopper Mill ES	116
Darnestown ES	122
Diamond ES	123
Germantown ES	139
Great Seneca Creek ES	144
Spark M. Matsunaga ES	162
Ronald McNair ES	164

POOLESVILLE CLUSTER

Poolesville HS	39
John Poole MS	73
Monocacy ES	167
Poolesville ES	174

QUINCE ORCHARD CLUSTER

Quince Orchard HS	40
Lakelands Park MS	65
Ridgeview MS	76
Brown Station ES	104
Rachel Carson ES	111
Fields Road ES	130

Jones Lane ES	151
Thurgood Marshall ES	160

ROCKVILLE CLUSTER

Rockville HS	41
Earle B. Wood MS	89
Lucy V. Barnsley ES	94
Flower Valley ES	132
Maryvale ES	161
Meadow Hall ES	165
Rock Creek Valley ES	180

SENECA VALLEY CLUSTER

Seneca Valley HS	42
Roberto Clemente MS	55
Dr. Martin Luther King, Jr. MS	63
Neelsville MS	68
Clarksburg ES	114
Germantown ES	139
William B. Gibbs, Jr. ES	140
Lake Seneca ES	154
S. Christa McAuliffe ES	163
Dr. Sally K. Ride ES	177
Waters Landing ES	208



SHERWOOD CLUSTER	
Sherwood HS	43
William H. Farquhar MS	57
Rosa Parks MS	72
Belmont ES	98
Brooke Grove ES	102
Greenwood ES	146
Olney ES	172
Sherwood ES	190

WATKINS MILL CLUSTER	
Watkins Mill HS	45
Montgomery Village MS	67
Neelsville MS	68
South Lake ES	196
Stedwick ES	197
Watkins Mill ES	209
Whetstone ES	215

WALT WHITMAN CLUSTER	
Walt Whitman HS	47
Thomas W. Pyle MS	74
Bannockburn ES	93
Bradley Hills ES	101
Burning Tree ES	105
Carderock Springs ES	110

Wood Acres ES	217
---------------	-----

THOMAS S. WOOTTON CLUSTER	
Thomas S. Wootton HS	48
Cabin John MS	54
Robert Frost MS	59
Cold Spring ES	118
DuFief ES	125
Fallsmead ES	128
Lakewood ES	155
Stone Mill ES	198
Travilah ES	203

