



THE MARYLAND-NATIONAL CAPITAL PARK AND PLANNING COMMISSION

8787 Georgia Avenue • Silver Spring, Maryland 20910-3760

MONTGOMERY COUNTY PLANNING BOARD

OPINION

Preliminary Plan 1-85027

NAME OF PLAN: MONTGOMERY AUTO SALES PARK

On 01-30-85, FORD LEASING DEV. CO. , submitted an application for the approval of a preliminary plan of subdivision of property in the C3 zone. The application proposed to create 1 lots on 8.10 ACRES of land. The application was designated Preliminary Plan 1-85027. On 06-06-85, Preliminary Plan 1-85027 was brought before the Montgomery County Planning Board for a public hearing. At the public hearing , the Montgomery County Planning Board heard testimony and received evidence submitted in the record on the application. Based upon the testimony and evidence presented by staff and on the information on the Preliminary Subdivision Plan Application Form attached hereto and made a part hereof, the Montgomery County Planning Board finds Preliminary Plan 1-85027 to be in accordance with the purposes and requirements of the Subdivision Regulations (Chapter 50, Montgomery County Code, as amended) and approves Preliminary Plan 1-85027, subject to the following conditions:

- 1. Agreement with Planning Board limiting development to 20,000 square feet automobile dealership (not including 1,800 square feet drive through service write-up area) without further APF review by Planning Board
- 2. Conditions of DEP stormwater management waiver
- 3. DOT approval of driveway locations
- 4. No clearing, grading or recording of lots prior to site plan approval by Montgomery County Planning Board
- 5. Necessary easements

1-85027

MAILED TO:

Vorelco, Inc.
 Rudolf Tischer
 Herb Gordon
 Crystal Ford
 Sarosa, Inc.
 John J. Allen Associates, Inc.
 Ford Leasing Dev. Co.
 Perrywood CA
 White Oak Civic Coalition
 Columbia Road CA
 Burtonsville/Spencerville

Date of Mailing: June 14, 1985



MONTGOMERY COUNTY PLANNING BOARD
THE MARYLAND-NATIONAL CAPITAL PARK AND PLANNING COMMISSION

MCPB No. 18-120
Preliminary Plan No. 11985027A
Montgomery Auto Sales Park Lots 17 & 18
Date of Hearing: November 8, 2018

DEC 04 2018

RESOLUTION

WHEREAS, under Montgomery County Code Chapter 50, the Montgomery County Planning Board is authorized to review preliminary plan applications; and

WHEREAS, on June 14, 1985, the Planning Board, by Planning Board Opinion, approved Preliminary Plan No. 1-85027, creating one lot on 8.10 acres of land in the C3 zone, located on Automobile Boulevard, 240 feet SW of Briggs Chaney Road ("Subject Property"), in the Fairland/Colesville Policy Area and 1997 *Fairland Master Plan* ("Master Plan") area; and

WHEREAS, Subdivision Regulation Amendment 16-01, adopted by the Montgomery County Council on November 15, 2016 as Ordinance No. 18-19, replaced Chapter 50, Subdivision of Land in its entirety, effective February 13, 2017 ("Subdivision Regulations"); and

WHEREAS, Ordinance 18-19 provided that any preliminary plan application filed and certified as complete before the effective date of the Subdivision Regulations may, at the applicant's option, be reviewed under the Subdivision Regulations in effect when the application was submitted; and

WHEREAS, on September 8, 2014, Auto Sites 7 LLC ("Applicant") filed an application for approval of an amendment to the previously approved preliminary plan(s) for 155,000 square feet of automobile sales and service (excluding above-ground structured parking) in total with 85,000 square feet allotted to Lot 17 and 70,000 square feet allotted to Lot 18 on the Subject Property; and

WHEREAS, Applicant's application to amend the preliminary plan was designated Preliminary Plan No. 11985027A, Montgomery Auto Sales Park Lots 17 & 18 ("Preliminary Plan," "Amendment," or "Application"); and

WHEREAS, Applicant opted to have this Preliminary Plan reviewed under the Subdivision Regulations in effect on September 8, 2014; and

Approved as to
Legal Sufficiency:

8787 Georgia Avenue, Silver Spring, Maryland 20910 Phone: 301.495.4605 Fax: 301.495.1320
MNCPPC Legal Department
www.montgomeryplanningboard.org E-Mail: mcp-chair@mncppc-mc.org

WHEREAS, following review and analysis of the Application by Planning Board staff ("Staff") and other governmental agencies, Staff issued a memorandum to the Planning Board, dated October 26, 2018, setting forth its analysis and recommendation for approval of the Application, subject to certain conditions ("Staff Report"); and

WHEREAS, on November 8, 2018, the Planning Board held a public hearing on the Application at which it heard testimony and received evidence submitted for the record on the Application; and

WHEREAS, on November 8, 2018, the Planning Board voted to approve the Application subject to certain conditions, on motion of Commissioner Cichy, seconded by Commissioner Patterson, with a vote of 4-0; Commissioners Anderson, Cichy, Fani-Gonzalez, and Patterson voting in favor, with Commissioner Dreyfuss being absent.

NOW, THEREFORE, BE IT RESOLVED that the Planning Board APPROVES Preliminary Plan No. 11985027A for 155,000 square feet of automobile sales and service (excluding above-ground structured parking) in total with 85,000 square feet allotted to Lot 17 and 70,000 square feet allotted to Lot 18 by replacing all conditions in the Planning Board Opinion dated June 14, 1985 with the following conditions:¹

1. Approval under this Preliminary Plan is limited to a total of 155,000 square feet of automobile sales and service of which 85,000 square feet is allotted to Lot 17 (excluding above-ground structured parking) and 70,000 square feet is allotted to Lot 18.
2. The Applicant must comply with the conditions of approval for the Preliminary/Final Forest Conservation Plan, approved as part of Preliminary Plan 11985027A, subject to:
 - a. The Applicant must obtain M-NCPPC Office of General Counsel approval of a Certificate of Compliance agreement for the offsite forest planting requirement and record it in the Land Records prior to the start of any demolition, clearing or grading.
 - b. The Final Sediment and Erosion Control Plan must be consistent with the limits of disturbance as shown on the approved Preliminary/Final Forest Conservation Plan.
3. The Planning Board accepts the recommendations of the Montgomery County Department of Permitting Services ("MCDPS") – Water Resources Section in its stormwater management concept letter dated October 26, 2015 and April 2, 2018, and hereby incorporates them as conditions of the Preliminary Plan approval. The Applicant must comply with each of the recommendations as set forth in the letter,

¹ For the purpose of these conditions, the term "Applicant" shall also mean the developer, the owner or any successor(s) in interest to the terms of this approval.

which may be amended by MCDPS – Water Resources Section provided that the amendments do not conflict with other conditions of the Preliminary Plan Approval.

4. The Planning Board accepts the recommendations of the MCDPS, Fire Department Access and Water Supply Section in its letters dated June 7, 2018 (two separate letters for Lot 17 and Lot 18), and hereby incorporates them as conditions of approval. The Applicant must comply with each of the recommendations as set forth in the letter, which MCDPS may amend if the amendments do not conflict with other conditions of Preliminary Plan approval.

5. The Planning Board accepts the recommendations of the Montgomery County Department of Transportation (“MCDOT”) in its amended letter dated October 4, 2018, and hereby incorporates them as conditions of the Preliminary Plan approval. The Applicant must comply with each of the recommendations as set forth in the letter, which may be amended by MCDOT provided that the amendments do not conflict with other conditions of the Preliminary Plan approval.

6. Prior to issuance of access permits, the Applicant must satisfy the provisions for access and improvements as required by MCDOT.

7. The Certified Preliminary Plan must contain the following note:

“Unless specifically noted on this plan drawing or in the Planning Board conditions of approval, the building footprints, building heights, on-site parking, site circulation, and sidewalks shown on the Preliminary Plan are illustrative. The final locations of buildings, structures and hardscape will be determined at the time of Site Plan. Please refer to the zoning data table for development standards such as setbacks, building restriction lines, building height, and lot coverage for each lot. Other limitations for site development may also be included in the conditions of the Planning Board’s approval.”

8. No clearing, grading or recording of plats prior to signature set approval.

9. Final approval of the location of buildings, on-site parking, site circulation, sidewalks, and open spaces will be determined at site plan.

10. Prior to submission of any plat, Site Plan No. 820140140 and Site Plan No. 820140130 must be certified by M-NCPPC Staff.

11. All necessary easements must be shown on the Record Plat.

12. The Adequate Public Facility (APF) review for the preliminary plan will remain valid for one hundred and twenty (120) months from the date of mailing of the Planning Board resolution.

13. Prior to Certified Preliminary Plan remove references to "Ownership Lot(s)" from the Preliminary Plan sheets.

14. Prior to Certified Preliminary Plan, the Applicant must add required and proposed setbacks to the data table required by Section 59-C-4.362 of the Zoning Ordinance.

BE IT FURTHER RESOLVED that all other preliminary plan conditions of approval for this project remain valid, unchanged and in full force and effect.

BE IT FURTHER RESOLVED that having considered the recommendations and findings of its Staff as presented at the hearing and as set forth in the Staff Report, which the Board hereby adopts and incorporates by reference (except as modified herein), and upon consideration of the entire record, the Planning Board FINDS, with the conditions of approval, that:

1. *The Preliminary Plan substantially conforms to the Master Plan.*

The 46-acre Montgomery Auto Sales Park is located within the Briggs Chaney portion of the 1997 *Fairland Master Plan*. The Master Plan notes the following about the Auto Park on page 65:

"The concept for an Auto Sales Park dates to the late 1960s, when changes to the Zoning Ordinance limited expansion of auto sales in central businesses districts. Auto sales businesses developed the one-stop automobile shopping area as a coordinated development in an attractive setting with green space. Although the auto-park concept is a successful sales tool, a number of problems have developed over the years. Private covenants were used to maintain the appearance of the Auto Park, but the covenants were extinguished by the affected parties in the 1980s. Since then, the green space has been used for parking and inventory storage and on-street parking is being used for car and truck storage".

The proposed automobile dealership will consist of a single building comprising 85,000 square feet on Lot 17. Showroom and offices will occupy the front portion of the building and the service area and six levels of parking will be located at the rear portion of the building. The proposed automobile and service facility will replace the existing automobile and service facility on Lot 17.

The existing, gravel-surfaced parking area on Lot 18 will be replaced with a paved, lighted and landscaped parking lot for inventory vehicle storage and will have modern stormwater management controls. This inventory storage facility is an interim condition. The Preliminary Plan proposes a second auto dealership in the future.

The Master Plan's goal for Auto Sales Park is to improve circulation and more clearly define the boundaries of the commercial area. The Master Plan clearly supports the continued land use of the Auto Sales Park as a whole. However, it seeks to "encourage the Auto Sales Park property owners to participate in efforts to make the south side of Briggs Chaney Road more attractive and compatible with opposite residential and retail uses including parking on green space along Briggs Chaney Road, US 29, and Automobile Boulevard." Site Plan, Lot 17 provides specific display areas and vehicle platforms to avoid parking in green areas. Furthermore, the proposed landscaping will help deter this from occurring. The Master Plan also encourages consolidation or sharing of parking, including the possibility of structured parking with a building height greater than 42 feet, if necessary, in order to meet inventory storage needs.

Site Plan, Lot 17 meets the guidance provided by the Master Plan by including 84-foot-tall structured parking/inventory facility to meet the needs of the dealership in terms of inventory management.

Because the Subject Property does not have frontage on Briggs Chaney Road, Site Plan Lot 17 can do very little to improve compatibility along Briggs Chaney Road. This Master Plan recommendation is aimed toward those properties fronting on Briggs Chaney Road rather than the Subject Property.

Therefore, the proposed redevelopment of Lots 17 and 18 as automotive sales land use is generally consistent with the *1997 Fairland Master Plan*.

2. *Public facilities will be adequate to support and service the area of the approved subdivision.*

Adequate Public Facilities Review (APF)

Local Area Transportation Review (LATR)

The proposed 155,000 square feet of automobile dealerships and service uses would generate the following number peak-hour trips during the weekday morning peak period (6:30 to 9:30 a.m.) and the evening peak period (4:00 to 7:00 p.m.):

Table 1: Peak-hour trips

Proposed Land Use	Square Feet	Weekday Peak-Hour Trips	
		Morning	Evening
Lot 17 - Preliminary Plan No. 11985027A & Site Plan No. 820140130			
Auto Repair/Service/Sales	85,000	163	223
Existing Land Uses on Lot 17 (Credit)			
Auto Repair/Service/Sales	21,800	42	57
Net Increase from Existing	+63,200	+121	+166
Lot 18 - Site Plan No. 820140140			
Auto Repair/Service/Sales	70,000	134	183
Net Increase from Existing	+70,000	+134	+183
Both Lots 17 & 18			
Total New: Auto Repair/Service/Sales	+133,200	+255	+349

The Applicant is required to submit a traffic study to satisfy the LATR test because the proposed land uses generate 30 or more total peak-hour trips within the weekday morning and evening peak periods. Based on the traffic study results, the capacity/Critical Lane Volume (CLV) values at the studied intersections are shown in the table below for the following traffic conditions:

1. Existing: The current traffic condition.
2. Background: The existing condition plus the trips generated from approved but un-built nearby developments.
3. Total: The background condition plus the additional site-generated trips based on proposed automobile repair/service/sales land uses on Lots 17 and 18.

Table 2: Critical Lane Volumes

Studied Intersection	Traffic Condition					
	Existing		Background		Future	
	AM	PM	AM	PM	AM	PM
Briggs Chaney Rd and US 29 (Columbia Pike) SB Ramps	574	599	608	611	624	616
Briggs Chaney Rd and US 29 (Columbia Pike) NB Ramps	846	911	922	1021	956	1,070
Briggs Chaney Rd & Outlet Drive	747	902	782	1,004	797	1,051
Briggs Chaney Rd & Automobile/Castle Blvd	762	873	801	985	812	1,042
Briggs Chaney Rd & ICC/MD 200 WB Off-Ramp	495	446	509	465	515	474
Briggs Chaney Rd & ICC EB Off-Ramp	379	416	382	430	382	436
Automobile Blvd NB & Briggs Chaney Rd.	441	543	685	876	806	1,042
and Gateshead Manor Way	653	719	686	757	691	760

As indicated in the table above, the calculated CLV values do not exceed the CLV standard of 1,475 for the Fairland/Colesville Policy Area, and, thus, the LATR test is satisfied.

Adequate Public Facility Validity Extension Request

The Planning Board approves an extended validity of the Adequate Public Facilities finding for 10 years (120 months) instead of the typical 5 years (60 months).

Under Section 50.4.3.J.5.iv, an Adequate Public Facilities finding shall be “for no less than 5 and no more than 10 years after the preliminary plan is approved, as determined by the Board when it approved the plan, for any plan approved after July 31, 2007, and before April 1, 2009, or after March 31, 2017.” As such, the Applicant’s request is for the maximum allowable time period under the Subdivision Regulations.

The Subdivision Regulation continues under Section 50.4.3.5.b:

“If an applicant requests a longer validity period than the minimum specified in 5.a, the applicant must submit a development schedule or phasing plan for completion of the project in the Board for its approval.

- i. *At a minimum, the proposed development schedule or phasing plan must show the minimum percentage of the project that the applicant expects to complete in the first 5 or 7 years, where is the applicable minimum, after the preliminary plan is approved.*

The phasing plan indicates that Phase I will take approximately 5 years to complete. This includes the construction of half of the approved commercial square footage. This phase is the most intensive phase of the three, comprised of demolishing the existing automobile dealership in order to construct the new dealership and its service facility.

Table 3 – Adequate Public Facilities Phasing

Phase	Benchmark	Duration
Phase I	Construction of 50% of the total approved square footage on Lot 17 and Lot 18. The structured parking/vehicle inventory facility may be built in this phase.	60 months
Phase II	Approval of Site Plan amendment for Lot 18 for construction of addition to automobile dealership	36 months (96 months cumulative)
Phase III	Construction of 80% of total square footage approved for Lot 17 and Lot 18. The structured parking/vehicle inventory facility may be built in this phase.	12 months (10 years cumulative)

- ii. *To allow a validity period longer than the specified minimum, the Board must find that the size or complexity of the subdivision warrant the extended validity period and would not be adverse to the public interest. The Board must condition a validity period longer than the specified minimum on adherence to the proposed development schedule or phasing plan, and may impose other improvements or mitigation conditions if those conditions are needed to assure adequate levels of transportation or school service during the validity period.*

Upon reviewing the Applicant’s request for 10 years of APF validity, Staff recommends approval of the increased validity period as requested. The logistics of completing the final build out will require the Applicant to complete a series of steps in a specific order. First, the existing auto dealership must be demolished and a new dealership constructed on Lot 17 as well as the associated storage lot on Lot 18. Second, the structured parking/inventory facility must be constructed before the other auto dealership on Lot 18 can proceed in order to have a place to store auto inventory from the interim storage lot. Once the structured parking/inventory facility is constructed, the third and final step of gaining approval of a site plan amendment and construction of the second auto dealership can proceed. Because the auto dealership will remain open after the

initial construction, these steps have to occur sequentially rather than in parallel. Therefore, the APF increased validity period will allow enough time to complete all proposed development. This increase in APF validity is not adverse to the public interest.

Other Public Facilities and Services

Other public facilities and services are available and adequate to serve the proposed lots. The Subject Property is in the W-1 and S-1 water and sewer service categories, respectively, and will utilize public water and sewer.

The Application was reviewed by the MCDPS, Fire Department Access and Water Supply Section, and a Fire Access Plan was approved on June 7, 2018 (two separate letters for Lot 17 and Lot 18). Other utilities, public facilities and services, such as electric, telecommunications, police stations, firehouses and health services are currently operating within the standards set by the Subdivision Staging Policy in effect at that time that the Application was submitted. The Application is for a commercial land use which does not generate students. Therefore, a school facilities test does not apply.

3. The size, width, shape, and orientation of the approved lots are appropriate for the location of the subdivision, taking into account the recommendations included in the applicable master plan, and for the type of development or use contemplated.

Compliance with the Subdivision Regulations and Zoning Ordinance

This Application has been reviewed for compliance with the Montgomery County Code, Chapter 50, the Subdivision Regulations and meets all applicable sections. The size, shape, width and orientation of the lots are appropriate for the intended uses and conform with guidance in the local Master Plan.

4. The Application satisfies all the applicable requirements of the Forest Conservation Law, Montgomery County Code Chapter 22A.

The Subject Property is in compliance with all of the applicable requirements of the Forest Conservation Law. The Preliminary Plan includes a combined Preliminary/Final Forest Conservation Plan since the Preliminary Plan and Site Plans are being reviewed concurrently. The 8.10-acre Property is located in the Little Paint Branch watershed, which is classified by the State of Maryland as Use Class I waters. The NRI/FSD identified all of the environmental features on and adjacent to the Property, as further described in the *Environmental Guidelines for Environmental Management of Development in Montgomery County* (Environmental Guidelines).

There are no streams, wetlands, stream buffers, steep slopes, highly erodible soils, or existing mapped floodplain per the Federal Emergency Management Administration (FEMA), Montgomery County Department of Permitting Services or M-NCPPC sources.

The Property does not contain any forest or any trees greater than 24 inches Diameter at Breast Height (DBH). The Applicant submitted a combined Preliminary/Final Forest Conservation Plan as part of Preliminary Plan 11985027A and Site Plans 820140130 and 820140140. Since there is no existing forest on the Property, the Applications do not include any forest clearing or retention. The forest conservation worksheet includes a net tract area of 9.12 acres, which includes the 8.10 acre Property and 1.02 acres of offsite disturbed area. The lack of existing forest results in an afforestation planting requirement of 1.37 acres, which is proposed to be met at an offsite location.

5. *All stormwater management requirements shall be met as provided in Montgomery County Code Chapter 19, Article II, titled "Storm Water Management," Sections 19-20 through 19-35.*

The Preliminary Plan received an approved stormwater concept from the Montgomery County Department of Permitting Services, Water Resources Section on October 26, 2015 and reconfirmed on April 2, 2018. The Application will meet stormwater management goals through the use of bio swales, micro bioretention, permeable concrete, planter boxes, green roofs, and a waiver for the Montgomery Auto Park Regional Stormwater Management pond.

BE IT FURTHER RESOLVED that this Resolution constitutes the written opinion of the Board in this matter, and the date of this Resolution is DEC 04 2018 (which is the date that this Resolution is mailed to all parties of record); and

BE IT FURTHER RESOLVED that any party authorized by law to take an administrative appeal must initiate such an appeal within thirty days of the date of this Resolution, consistent with the procedural rules for the judicial review of administrative agency decisions in Circuit Court (Rule 7-203, Maryland Rules).

* * * * *

CERTIFICATION

This is to certify that the foregoing is a true and correct copy of a resolution adopted by the Montgomery County Planning Board of the Maryland-National Capital Park and Planning Commission on motion of Commissioner Fani-González, seconded by Commissioner Patterson, with Chair Anderson and Commissioners Fani-González, Cichy, and Patterson voting in favor, and Vice Chair Dreyfuss absent at its regular meeting held on Thursday, November 29, 2018, in Silver Spring, Maryland.



Casey Anderson, Chair
Montgomery County Planning Board

MR. RICHARD BRUSH, MANAGER
MCDPS-WATER RES. PLAN REVIEW
255 ROCKVILLE PIKE
2ND FLOOR
ROCKVILLE, MD 20850
By email rick.brush@montgomerycountymd.gov

MS. LISA SCHWARTZ
DHCA
100 MARYLAND AENUE
4TH FLOOR
ROCKVILLE, MD 20850
By email lisa.schwartz@montgomerycountymd.gov

MR. MARK BEALL
MCDPS-ZONING
255 ROCKVILLE PIKE, 2ND FLOOR
ROCKVILLE, MD 20850
By email mark.beall@montgomerycountymd.gov

MR. CHRISTOPHER ANDERSON
MPDU MANAGER, DHCA
100 MARYLAND AVENUE, 4TH FLOOR
ROCKVILLE, MD 20850
By email
Christopher.anderson@montgomerycountymd.gov

Hamid Fallahi
Auto Sites 7 LLC
2505 Prosperity Terrace
Silver Spring, MD 20904

Nancy Regelin
Shulman Rogers
12505 Park Potomac Avenue, 6th Floor
Potomac, Maryland 20854

MR. GREG LECK
MCDOT
101 MONROE ST
10th FLOOR
ROCKVILLE, MD 20850
By email greg.leck@montgomerycountymd.gov

MR. ATIQ PANJSHIRI
MCDPS-RIGHT-OF-WAY
PERMITTING
255 ROCKVILLE PIKE, 2ND FLOOR
ROCKVILLE, MD 20850
By email
atiq.panishiri@montgomerycountymd.gov
MS. CHRISTINA CONTRERAS
MCDPS-LAND DEVELOPMENT
255 ROCKVILLE PIKE, 2ND FLOOR
ROCKVILLE, MD 20850
By email
christina.contreras@montgomerycountymd.gov

MR. ALAN SOUKUP
MCDDEP-WATER & WASTEWATER POLICY
255 ROCKVILLE PIKE, SUITE 120
ROCKVILLE, MD 20850
By email alan.soukup@montgomerycountymd.gov

Keely Lauretti
Soltesz
2 Research Place, Suite 100
Rockville, MD 20850

Andy Schiefer
415 North Alfred St
Alexandria, VA 22314

MR. MARK ETHERIDGE, MANAGER
MCDPS-SEDIMENT/STORMWATER
INSPECTION & ENFORCEMENT
255 ROCKVILLE PIKE, 2ND FLOOR
ROCKVILLE, MD 20850
By email mark.etheridge@montgomerycountymd.gov

MR. EHSAN MOTAZEDI
MCDPS-SITE PLAN ENFORCEMENT
255 ROCKVILLE PIKE, 2ND FLOOR
ROCKVILLE, MD 20850
By email ehsan.motazedi@montgomerycountymd.gov

MR. GENE VON GUNTEN
MCDPS-WELL & SEPTIC
255 ROCKVILLE PIKE, 2ND FLOOR
ROCKVILLE, MD 20850
By email gene.vongunten@montgomerycountymd.gov

Howard Castleman
Montgomery Auto Sales Pk Acq
100 Harborview Drive 1PHB
Baltimore, MD 21230

Phil Isaja
Soltesz
2 Research Place
Rockville, MD 20850



MONTGOMERY COUNTY PLANNING BOARD
THE MARYLAND-NATIONAL CAPITAL PARK AND PLANNING COMMISSION

MCPB No. 18-116
Site Plan No. 820140140
Montgomery Auto Sale, Lot 18
Date of Hearing: November 8, 2018

DEC 04 2018

RESOLUTION

WHEREAS, under Section 59-7.1.2 of the Montgomery County Zoning Ordinance, the Montgomery County Planning Board is authorized to review site plan applications; and

WHEREAS, under Section 59-7.7.1.B.1, the Planning Board reviewed this site plan under the procedures and standards of the Zoning Ordinance in effect on October 29, 2014, including the zoning then in effect; and

WHEREAS, on September 8, 2014, Auto Site 7 LLC ("Applicant") filed an application for approval of a site plan to construct a parking and automobile storage facility on Lot 18 on 3.32 acres of C-3 zoned-land (current zone: GR-1.5 H-85), located on Automobile Boulevard, 240 feet SW of Briggs Chaney Road ("Subject Property"), in the Fairland/Colesville Policy Area and 1997 *Fairland Master Plan* ("Master Plan") area; and

WHEREAS, Applicant's site plan application was designated Site Plan No. 820140140, Montgomery Auto Sales Park Lot 18 ("Site Plan" or "Application"); and

WHEREAS, following review and analysis of the Application by Planning Board staff ("Staff") and other governmental agencies, Staff issued a memorandum to the Planning Board, dated October 26, 2018, setting forth its analysis and recommendation for approval of the Application, subject to certain conditions ("Staff Report"); and

WHEREAS, on November 8, 2018, the Planning Board held a public hearing on the Application at which it heard testimony and received evidence submitted for the record on the Application; and

WHEREAS, on November 8, 2018, the Planning Board voted to approve the Application subject to conditions, on the motion of Commissioner Cichy, seconded by Commissioner Patterson, with a vote of 4-0; Commissioners Anderson, Cichy, Fani-Gonzalez and Patterson voting in favor, with Commissioner Dreyfuss being absent.

Approved as to
Legal Sufficiency:

8787 Georgia Avenue, Silver Spring, Maryland 20910 Phone: 301.495.4605 Fax: 301.495.1320
MNCPPC Legal Department
www.montgomeryplanningboard.org E-Mail: mcp-chair@mncppc-mc.org

NOW, THEREFORE, BE IT RESOLVED that the Planning Board approves Site Plan No. 820140140 to construct a parking and automobile storage facility on Lot 18, the Subject Property, subject to the following conditions:¹

Site Plan

1. Future development of up to 70,000 square feet of automobile sales and service on Lot 18 will be subject to approval of a Site Plan Amendment.
2. Parking
Vehicle parking shall be restricted to the designated parking areas as shown on the Site Plan.
3. Signage
The Applicant must provide details and specifications for all signage, including materials, lighting fixture mounts, lamps and wattage and installation details on the Certified Site Plan.
4. Landscaping
The Applicant must install landscaping no later than the next growing season after completion of site work.
5. Lighting
Prior to certified Site Plan, the Applicant must provide certification to Staff from a qualified professional that the exterior lighting in this Site Plan conforms to the latest Illuminating Engineering Society of North America (IESNA) recommendations (Model Lighting Ordinance-MLO: June 15, 2011, or as superseded) for a development of this type. All onsite exterior area lighting must be in accordance with the latest IESNA outdoor lighting recommendations (Model Lighting Ordinance-MLO: June 15, 2011, or as superseded).
 - a. All onsite down-lights must have full cut-off fixtures or Staff approved equivalent.
 - b. Deflectors will be installed on all fixtures to prevent excess illumination and glare.
 - c. Illumination levels generated from on-site lighting must not exceed 0.5 footcandles (fc) at any property line abutting public roads and residentially-developed properties.

¹ For the purpose of these conditions, the term "Applicant" shall also mean the developer, the owner or any successor(s) in interest to the terms of this approval.

- d. Streetlights and other pole-mounted lights must not exceed the height illustrated on the Certified Site Plan.
- e. On the rooftop of the building, the light pole height must not exceed the height illustrated on the Certified Site Plan.

6. Site Plan Surety and Maintenance Agreement

Prior to issuance of any building permit, sediment control permit, or Use and Occupancy Certificate, the Applicant must enter into a Site Plan Surety and Maintenance Agreement with the Planning Board in a form approved by the M-NCPPC Office of General Counsel that outlines the responsibilities of the Applicant. The Agreement must include a performance bond(s) or other form of surety in accordance with Section 59.7.3.4.K.4 [59-D-3.5(d)] of the Montgomery County Zoning Ordinance, with the following provisions:

- a. A cost estimate of the materials and facilities, which, upon Staff approval, will establish the surety amount.
- b. The cost estimate must include applicable Site Plan elements, including, but not limited to plant material, on-site lighting, site furniture, bike racks, trash enclosures, retaining walls, fences, railings, private roads and sidewalks, private utilities, paths and associated improvements of development, including sidewalks, and private storm drainage facilities.
- c. The bond or surety must be tied to the development program, and completion of all improvements covered by the surety for each phase of development will be followed by a site plan completion inspection. The surety may be reduced based upon inspector recommendation and provided that the remaining surety is sufficient to cover completion of the remaining work.

7. Development Program

The Applicant must construct the development in accordance with a development program that will be reviewed and approved by M-NCPPC prior to the approval of the Certified Site Plan. The development program must include the following items in its phasing schedule:

- a. Sidewalks must be installed within six months after the parking lot construction is completed.
- b. On-site amenities including, but not limited to, sidewalks and trash receptacles.
- c. Clearing and grading must correspond to the construction phasing to minimize soil erosion and must not occur prior to approval of the Final Forest Conservation Plan, Sediment Control Plan, and M-NCPPC inspection and approval of all tree-save areas and protection devices.

- d. The development program must provide phasing for installation of on-site landscaping and lighting.
- e. Landscaping associated with the parking lot must be completed as construction is completed.
- f. The development program must provide phasing of dedications, stormwater management, sediment and erosion control, and other features.

8. Certified Site Plan

Prior to approval of the Certified Site Plan the following revisions must be made and information provided subject to Staff review and approval:

- a. Include the final forest conservation approval, stormwater management concept approval, development program, inspection schedule, Site Plan resolution, and other applicable agency letters on the coversheet.
- b. Modify data table to reflect development standards enumerated in the Staff Report.
- c. Ensure consistency of all details and layout between Site and Landscape plans.

BE IT FURTHER RESOLVED that all site development elements shown on the latest electronic version of Montgomery Auto Sales Park Lot 18, Site Plan No. 820140140, submitted via ePlans to the M-NCPPC as of the date of the Staff Report, are required, except as modified by the above conditions of approval; and

BE IT FURTHER RESOLVED that having considered the recommendations and findings of its Staff as presented at the hearing and as set forth in the Staff Report, which the Board hereby adopts and incorporates by reference (except as modified herein), and upon consideration of the entire record, the Planning Board FINDS, with the conditions of approval, that:

- 1. *The Site Plan conforms to all non-illustrative elements of a development plan or diagrammatic plan, and all binding elements of a schematic development plan, certified by the Hearing Examiner under Section 59-D-1.64, or is consistent with an approved project plan for the optional method of development if required, unless the Planning Board expressly modifies any element of the project plan.*

There are no development, diagrammatic or schematic plans associated with the Subject Property.

- 2. *The Site Plan meets all of the requirements of the zone in which it is located.*

The Site Plan meets all the requirements of the C-3 zone. Under the C-3 zone the parking of motor vehicles off street in connection with any use permitted in the C-3 zone is allowed by-right in the C-3 zone.

Requirements of the C-3 Zone

Based on the following data table, which sets forth the development standards approved by the Planning Board and binding on the Applicant, and based on other evidence and testimony of record, the Application meets all of the applicable requirements of the C-3 Zone.

Data Table

Development Standards C-3	Required Zoning Ordinance	Proposed by Site Plan No. 820140140
Gross Tract Area	N/A	3.32 acres
Setbacks	N/A	No structure is proposed ²
Parking	0	342
Green Area (59-C-4.363)	10% of Lot Area	22%

3. *The locations of the buildings and structures, the open spaces, landscaping, recreation facilities, and pedestrian and vehicular circulation systems are adequate, safe, and efficient.*

a. Buildings and Structures

No buildings are proposed with the Site Plan. This portion of the finding is not applicable.

b. Open Spaces

The Site Plan proposes 22 percent green space, which includes the required 10-foot buffer around the perimeter of the Subject Property and several parking lot islands. The green space/open space is safe, adequate, and efficient.

c. Landscaping and Lighting

The landscaping provided is adequately located along the inner perimeter of Automobile Boulevard with street trees and other shrubs, and internally in several parking lot islands. The Property will be enhanced with a variety

² Site Plan Amendment required for new auto dealership in the future.

of trees and shrub materials for shade, and for seasonal color. The Landscaping is safe, adequate, and efficient.

d. Recreation Facilities

No recreation facilities are required for this Application.

e. Vehicular and Pedestrian Circulation

The parking facility has four vehicle points of access onto Automobile Boulevard, all of which are connected via internal drive aisles to help separate service, sales, and deliveries, and to provide adequate traffic flow around and thru the facility. Two of these vehicle access points are shared between this proposed parking facility and the adjacent automobile dealership proposed in Site Plan No. 820140130 and to be used for vehicle drop-off and pick-up. There are also driveway connections proposed between Lot 17 and the surface parking area on Lot 18 to eliminate the need for vehicles to use Automobile Boulevard while traveling between the two lots. Site Plan 18 proposes a pedestrian crosswalk to provide interconnectivity between Lot 17 and Lot 18. Pedestrian and vehicular circulation is safe, adequate and efficient.

4. *Each structure and use is compatible with other uses and other site plans and with existing and proposed adjacent development.*

No structures are proposed with this Site Plan. In the future, a Site Plan Amendment is required to construct the auto dealership proposed in Preliminary Plan No. 11985027A. The parking facility to support the dealership on Lot 17 will seamlessly integrate with the parking facilities associated with the other automobile dealerships surrounding the Subject Property.

5. *The Site Plan meets all applicable requirements of Chapter 22A regarding forest conservation, Chapter 19 regarding water resource protection, and any other applicable law.*

A. Forest Conservation

The Board finds that, as conditioned, the Forest Conservation Plan complies with the requirements of the Forest Conservation Law.

The Site Plan was reviewed concurrently with Preliminary Plan No. 11985027A, and the analysis for the environmental resources and forest conservation law is presented under the environmental findings made with

the Preliminary Plan earlier in this report. The Site Plan makes no changes to the layout or environmental findings made with the Preliminary Plan. Site Plan 820140140 for Lot 18 complies with the Preliminary/Final Forest Conservation Plan No. 11985027A.

B. Stormwater

An approved stormwater concept from the Montgomery County Department of Permitting Services, Water Resources Section was issued on October 26, 2015 and reconfirmed on April 2, 2018.

BE IT FURTHER RESOLVED that this Resolution incorporates by reference all evidence of record, including maps, drawings, memoranda, correspondence, and other information; and

BE IT FURTHER RESOLVED that this Site Plan shall remain valid as provided in Montgomery County Code § 59-D-3.8; and


BE IT FURTHER RESOLVED that this Resolution constitutes the written opinion of the Board in this matter, and the date of this Resolution is DEC 04 2018 (which is the date that this resolution is mailed to all parties of record); and

BE IT FURTHER RESOLVED that any party authorized by law to take an administrative appeal must initiate such an appeal within thirty days of the date of this Resolution, consistent with the procedural rules for the judicial review of administrative agency decisions in Circuit Court (Rule 7-203, Maryland Rules).

* * * * *

CERTIFICATION

This is to certify that the foregoing is a true and correct copy of a resolution adopted by the Montgomery County Planning Board of the Maryland-National Capital Park and Planning Commission on motion of Commissioner Fani-González, seconded by Commissioner Patterson, with Chair Anderson and Commissioners Fani-González, Cichy, and Patterson voting in favor, and Vice Chair Dreyfuss absent at its regular meeting held on Thursday, November 29, 2018, in Silver Spring, Maryland.



Casey Anderson, Chair
Montgomery County Planning Board